

PPS STANDARD M

Order No.: 1206175



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1206175>

Profile cutter, without stamping tool, accepts 2 stamping bits

Commercial data

EAN	4017918163280
Pack	1 pcs.
Customs tariff	82034000
Weight/Piece	18.925 KG
Catalog page information	Page 629 (CL-2009)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	100 mm
Height	220 mm
Width (a)	180 mm
Color	black
Type	Millimeter
Weight	19 kg
Length of the measuring bar	1000 mm

Accessories

Item	Designation	Description
General		
1206285	PPS TABLE	Work bench, without fixing screws, without bore holes, 50 mm plywood panel 700 x 1200 mm
1203563	PPS-ST (3,5X12)L	Stamping bit, for elongated holes: 3.5 x 12 mm
1203550	PPS-ST (3,5X12)Q	Stamping bit, for elongated hole: 3.5 x 12 mm
1204892	PPS-ST (3,8)	Stamping bit, for bore holes: 3.8 mm diameter
1202616	PPS-ST (4,3)	Stamping bit, for bore holes: 4.3 mm diameter
1203534	PPS-ST (4,5X12)L	Stamping bit, for elongated holes: 4.5 x 12 mm
1203547	PPS-ST (4,5X12)Q	Stamping bit, for elongated hole: 4.5 x 12 mm
1202629	PPS-ST (5,3)	Stamping bit, for bore holes: 5.3 mm diameter
1202603	PPS-ST (5,5X12)L	Stamping bit, for elongated holes: 5.5 x 12 mm
1203411	PPS-ST (5,5X12)Q	Stamping bit, for elongated hole: 5.5 x 12 mm
1204876	PPS-ST (6,35X15)L	Stamping bit, for elongated holes: 6.35 x 15 mm
1202632	PPS-ST (6,4)	Stamping bit, for bore holes: 6.4 mm diameter
1202593	PPS-ST (6,5X15)L	Stamping bit, for elongated holes: 6.5 x 15 mm
1203408	PPS-ST (6,5X15)Q	Stamping bit, for elongated hole: 6.5 x 15 mm
1204889	PPS-ST (7,0)	Stamping bit, for bore holes: 7.0 mm diameter
1202726	PPS-ST (8,4)	Stamping bit, for bore holes: 8.4 mm diameter

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;