



9702100 Subject to technical modifications



STEINEL Vertrieb GmbH · Dieselstrasse 80-84 · D-33442 Herzebrock-Clarholz / Germany
Telephone +49 5245 448-0 · Fax +49 5245 448-197 · www.steinel.de · info@steinel.de

Thermo Tools – Power Under Full Control
Exclusive range for professionals

New Products



Hot Air Tools – The Professional Series

HG 350 S

Completely weightless



Photo: NASA

HG 350 S

Convenient hot air tool for mobile soldering and heat-shrinking

STEINEL gives you mobility: The HG 350 S brings hot air to where it's needed at any (work) place. The new hot air tool is easy to use, lightweight and extremely comfortable to hold thanks to its ergonomically shaped soft grip – the ideal tool for soldering, de-soldering and heat-shrinking. Compact in design, it fits into any tool box or service case without a problem.


And needless to say, the brand leader's hi-tech air tool also comes with other innovative features: For instance, the HG 350 S has an integrated bright LED light that illuminates even the darkest of work situations. At the same time, it shows whether the tool is in use. In stationary applications and noisy surroundings, this instantly lets you know what's happening. And the moulded rests integrated in the housing also add to safety by keeping the hot tool at a distance from the surface it's set down on during work breaks.




Hot Air Tools – The Professional Series

HG 350 S


Now you can see exactly what you're doing



Integrated LED light



Ideal for de-soldering electronic components



Soldered together and sealed: With the STEINEL solder shrink sleeves, cables can be soldered together and sealed watertight all in one go. Simply fit the solder shrink sleeve over the cable ends, heat up with the hot air tool fitted with the reflector nozzle – done!

STEINEL
German Quality

Hot Air Tools – The Professional Series

HG 350 S

Hot Air Tools – The Professional Series

HB 1750



The LED light provides bright illumination in the work area and also serves as a fellate lamp



With its hanging ring, the HG 350 S is always in easy reach in extreme work situations



Optimised weight balance ensures fatigue-free working



Conveniently positioned control switch for setting OFF / COLD / HOT



The ergonomically shaped soft grip handle ensures comfortable handling



HG 350 S

Features

- Lightweight, ergonomically optimised hot air tool
- Integrated LED light
- Integrated ring for hanging the tool
- Moulded safety rests
- Soft grip handle
- Thermal fuse

Settings

- Control switch for temperature setting

HG 350 S

Prod. No.	350018
Dimensions (h x w x d)	240 x 65 x 180 mm
Voltage	230 – 240 V / 50 Hz
Output	350 W
Temperature	400 °C without nozzle / 500 °C with 7 mm reduction nozzle (included)
Airflow rate	100 l/min.
Mains power cord	H05, length: 2 m
Weight	approx. 660 g
Accessories	7 mm reduction nozzle included Reduction nozzle with reflector guard Prod. No. 077358 Precision reflector nozzle Prod. No. 077457 10 mm reflector nozzle Prod. No. 077596 40 mm reflector nozzle Prod. No. 077655 Solder shrink sleeve kit Prod. No. 076719

Reduction nozzle with reflector guard

Reflector nozzle 40 mm

Reflector nozzle 10 mm

Reduction nozzle 7 mm (included)

Precision reflector nozzle

Solder shrink sleeve kit

The typhoon among hot air tools
For professional drying and heat-shrinking


HB 1750

This is the ultimate compact-size dryer! The HB 1750 has been specifically optimised for drying efficiency and heat-shrinking tubes and sleeves on thick cables.

The HB 1750 puts a veritable typhoon in the professional's hand. At 39,000 l/h, this extremely powerful heat tool delivers almost 30% more air than conventional tools do. Continuously adjustable airflow ensures the user stays in perfect control of the whirlwind at all times.

Although the ergonomically shaped soft handle permits fatigue-free working, stationary operation is preferred for jobs that take that bit longer. This is where the HB 1750 really comes into its own with a practical stand that can be set to hold the tool at any angle.

A further highlight of the HB 1750 is the innovative interchangeable jumper system for setting the temperature. These colour-coded plug-ins program the tool to operate at a fixed temperature, virtually ruling out application errors as a result of inadvertently setting the wrong temperature.



STEINEL
German Quality

Hot Air Tools – The Professional Series

HB 1750

Hot Air Tools – The Professional Series

HB 1750



The efficient way to dry paint, ...



... wall emulsion, filler etc.



The stand permits optimum alignment of the blower during stationary operation. Jumpers are neatly stored for instant access in the integrated holder.

HB 1750

Features

- Turbo blower with a formidable air delivery rate (39,000 l/h)
- Stand with jumper holder and continuously variable angle adjustment
- Outlet nozzle in aluminium
- Mesh guard in delivery outlet
- Soft handle
- Thermal fuse

Settings

- Temperature setting with interchangeable jumpers
- Precision temperature adjustment by varying air intake
- Airflow rate continuously adjustable

Maintenance

- Plug-in heating element – easy to change


Accessories



Reduction nozzle
Prod. No. 076955



Surface nozzle
Prod. No. 077259




Reflector nozzle, large
Prod. No. 077051



Reflector nozzle, small
Prod. No. 077150



Mesh guard in outlet nozzle



Heating element can be changed quickly and easily



Control knob for precision adjustment of temperature



Temperature is defined by plug-in jumpers

270 °C

150 °C

380 °C

500 °C

600 °C

You can plug the temperature into this heat tool



Slide switch for controlling airflow rate

Soft handle for fatigue-free working

HB 1750

Prod. No.	347512 Folding box
Dimensions (h x w x d)	245 x 120 x 240 mm
Voltage	230 – 240 V / 50 Hz
Output	1750 W
Temperature	480 °C - 600 °C = red jumper (incl.)
Airflow rate	up to 650 l/min., continuously adjustable
Mains power cord	H07 RN-F; length: 2 m
Weight	1100 g
Accessories: Jumper kit in polythene bag	orange: 370 °C - 500 °C yellow: 260 °C - 380 °C blue: 190 °C - 270 °C grey: 110 °C - 150 °C
Prod. No.	076818

STEINEL
German Quality