



**Kits for the MRO and Construction Markets**

<b>INDEX: SA-EL03CB02A</b>	<b>PAGE</b>
<i>PAN-TERM</i> ® Terminal Kits .....	3 - 5
<i>PAN-TERM</i> Terminal Plastic Kit Boxes .....	3
<i>PAN-TERM</i> Terminal Steel Kit Boxes .....	4
Industrial Maintenance Steel Kit Boxes .....	4 - 5
Steel Kit Storage Slide Racks .....	5
<i>P-CONN</i> ™ Screw-On Wire Connector Kit .....	3
<i>P-CONN</i> Screw-On Wire Connector Plastic Kit .....	3
<i>PAN-STEEL</i> ™ Stainless Steel Cable Tie Kit .....	6
<i>PAN-STEEL</i> Cable Tie Plastic Kit Box .....	6
<i>PAN-TY</i> ® Cable Tie Kits .....	6 - 7
<i>PAN-TY</i> Cable Tie Plastic Kit Boxes .....	6
<i>PAN-TY</i> Cable Tie Accessories Steel Kit Box .....	7
<i>PAN-TY</i> Cable Tie and	
<i>PAN-TERM</i> Terminal Steel Kit Box .....	7
<i>PANDUIT</i> Heat Shrink Tubing .....	8 - 9
Heat Shrink Tubing Plastic Kit Boxes .....	8
Thick Wall Heat Shrink Standard Packages .....	9
<b>Lockout Kits</b> .....	<b>10-11</b>
MRO Plastic Kit Box .....	10
Contractor Plastic Kit Box .....	10
Electrician's Nylon Pouch Kit .....	11
Power and Panel Distribution Kit .....	11



**PANDUIT Lockout Kits (Continued)**

**Electrician's Lockout Kit**



PSL-PK-EA Contents	
For the individual electrician to lockout a variety of electrical sources.	
	1 Each
Screwdriver	PSL-MLD Multiple Lockout Device
PSL-PK Pouch	PSL-WS Wall Switch Lockout
PSL-SRED-LS Long Shackle Padlock w/Red Label	PSL-CB Circuit Breaker Lockout
	PSL-P Plug Lockout
	5 Each
PVT-30 Safety Tags, Legend: ELECTRICIAN'S BLOCKING TAG	

**Power and Panel Distribution Lockout Kit**



PSL-KT-PWR Contents	
Designed to be mounted close to power and distribution panel boards	
	1 Each
Screwdriver	PSL-MLD Multiple Lockout Device
PSL-STATION Metal Wall Mount Cabinet	PSL-P Plug Lockout
	2 Each
PSL-SRED-LS Long Shackle Padlocks w/Red Labels	PSL-CBL Molded Case/ Enclosed Systems Circuit Breaker Lockouts
PSL-CB Circuit Breaker Lockouts	PSL-CBIL Circuit Breaker Lockouts
	25 Each
PVT-23-Q Safety Tags, Legend: DO NOT OPERATE-ELECTRICIANS AT WORK	

Order the number of kits required.

All PANDUIT electrical products are warranted to be free from defects in material and workmanship at the time of sale but our obligation under this warranty is limited to the replacement of any product proved to be defective within 6 months (for product) or 90 days (for tools) from the date of delivery. Tool warranty is void if PANDUIT tools are modified, altered or misused in any way. Use of PANDUIT tooling with any product other than the specified PANDUIT products for which the tool was designed, constitutes misuse. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith. This warranty is made in lieu of and excludes all other warranties, expressed or implied. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR USE ARE SPECIFICALLY EXCLUDED. Neither seller nor manufacturer shall be liable for any other injury, loss or damage, whether direct or consequential, arising out of the use of, or the inability to use, the product. The information contained in this literature is based on our experience to date and is believed to be reliable. It is intended as a guide for use by persons having technical skill at their own discretion and risk. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. For specific dimensional requirements consult the factory. This publication is not to be taken as a license to operate under, or a recommendation to infringe any existing patents. This supersedes and voids all previous literature, etc.

# PANDUIT® Lockout Kits

## PANDUIT Lockout Kits

- These kits provide fundamental lockout/tagout products conveniently stored in a sturdy plastic box or pouch for easy access
- Each kit contains instructions
- Choose from 4 Lockout Kits: MRO Kit, Contractor Kit, Electrician's Kit and Power and Panel Distribution Lockout Kit

### MRO Lockout Kit



PSL-KT-MROA Contents	
For Maintenance Departments who must lockout a variety of electrical and mechanical energy sources.	
<b>1 Each</b>	<b>2 Each</b>
<b>Screwdriver</b>	<b>PSL-WS</b> Wall Switch Lockouts
<b>PSL-BX</b> Carrying Case	<b>PSL-CB</b> Circuit Breaker Lockouts
<b>PSL-MLD</b> Multiple Lockout Device	<b>PSL-P</b> Plug Lockouts
<b>PSL-V4RED</b> Gate Valve Lockout - 5.0" (127mm)	<b>PSL-SRED-LS</b> Long Shackle Padlocks w/Red Labels
<b>PSL-V2RED</b> Gate Valve Lockout - 2.5" (64mm)	<b>10 Each</b>
<b>PSL-BV2</b> Ball Valve Lockout - 3.0" (76mm)	<b>PVT-44</b> Safety Tags. Legend: DO NOT OPERATE-MAINTENANCE DEPT.
<b>PSL-CL110</b> 110V Plug Lockout	

### Contractor Lockout Kit



PSL-KT-CONA Contents	
For the Electrical Contractor to identify personnel working on a project required to be locked out and provide lockout capability for many projects.	
<b>1 Each</b>	<b>3 Each</b>
<b>Screwdriver</b>	<b>PSL-SRED-LS</b> Long Shackle Padlocks w/Red Labels
<b>PSL-KT</b> Carrying Case	<b>PSL-SRED</b> Standard Shackle Padlocks w/ Red Labels
<b>PSL-1A</b> Lockout Hasp - 1.0" (25mm) Jaw Diameter	<b>PSL-WS</b> Wall Switch Lockouts
<b>PSL-MLD</b> Multiple Lockout Device	<b>PSL-CB</b> Circuit Breaker Lockouts
	<b>PSL-P</b> Plug Lockouts
	<b>15 Each</b>
<b>PVT-98</b> Safety Tags. Legend: EQUIPMENT LOCKED OUT BY Name, Dept., Date & Time	

Order the number of kits required.

10

# PANDUIT® Terminal and Wire Connector Plastic Kit Boxes

- Inexpensive kits available with non-insulated and insulated terminals
- Rugged polypropylene material
- Positive latch prevents accidental opening
- Once top is closed, terminals remain in their compartments



KP-1075 Kit Box



KP-1075 Contents		
Terminal kit without crimping tool. Insulated rings, forks, splices, disconnects and wire joints. Kit has hanging tab for easy storage.		
<b>20 Each</b>	<b>10 Each</b>	<b>5 Each</b>
PV18-8R	PV10-8R	BSV18X
PV18-6F	PV10-10R	BSV14X
PV14-8F	DNF14-250	BSV10X
PV14-10R	DNF18-250	JN418-212

50 and 100 pc. terminal boxes available as refills. Refer to Terminal Catalog, SA-TM09CB01A.



KP-1165 Kit Box



KP-1165 Contents		
Insulated rings, forks, splices, disconnects, wire joints and crimping tool.		
<b>18 Each</b>	<b>10 Each</b>	<b>5 Each</b>
PV18-8R	PV10-8R	BSV10X
PV14-10R	PV10-10R	DV18-250B
PV18-6F	BSV18X	BSV14-188B
PV14-8F	BSV14X	CT-160 Tool
		KP-1000 Box

50 and 100 pc. terminal boxes available as refills. Refer to Terminal Catalog, SA-TM09CB01A.

KP-1166 Contents		
Non-insulated rings, forks, splices, disconnects, wire joints and crimping tool.		
<b>18 Each</b>	<b>10 Each</b>	<b>5 Each</b>
P18-8R	P10-8R	BS10
P14-10R	P10-10R	D18-250B
P18-6F	BS18	BSV14-188B
P14-8F	BS14	CT-160 Tool
		KP-1000 Box

KP-1000 Contents		
(1) Plastic Box Only		

## P-CONN® Screw-On Wire Connector Plastic Kit Boxes

KP-305 Kit Box



KP-305S Kit Box



KP-305 Contents			
Wing style and nut style screw-on connectors and "Quick-Spin" installation tools.			
<b>100 Each</b>	<b>75 Each</b>	<b>15 Each</b>	<b>1 Each</b>
Yellow P1	Red P2	Blue P4	POS1 Tool
Orange P73			POS2 Tool
			Reusable Box

50 and 100 pc. terminal boxes available as refills. Refer to Terminal Catalog, SA-TM09CB01A.

KP-305S Contents			
Fin style and nut style screw-on connectors and "Quick-Spin" installation tools.			
<b>100 Each</b>	<b>75 Each</b>	<b>15 Each</b>	<b>1 Each</b>
Yellow PF1	Red PF2	Blue PF4	PQS1 Tool
Orange P73			PQS2 Tool
			Reusable Box

Order the number of kits required.

3

## PANDUIT® PAN-TY® and PAN-STEEL™ Cable Tie Plastic Kit Boxes

### PAN-TY and PAN-STEEL Cable Tie Plastic Kit Boxes

- Inexpensive kits available with nylon cable ties and stainless steel cable ties
- Rugged polypropylene material
- Positive latch prevents accidental opening
- Once top is closed, cable ties remain in their compartments

#### PAN-TY Cable Tie Plastic Kit Box



KP-506A Kit Box

KP-506A Contents			
Natural nylon cable ties and mounts for indoor use.			
<b>100 Each</b>	<b>50 Each</b>	<b>1 Each</b>	
PLT1M-C PLT1.5I-C PLT2S-C Cable Ties	ABM2S-A Mounts	KP-505 Box	
KP-506A-0 Contents			
Weather resistant cable ties and mounts for outdoor use.			
<b>100 Each</b>	<b>50 Each</b>	<b>1 Each</b>	
PLT1M-C0 PLT1.5I-C0 PLT2S-C0 Cable Ties	ABM2S-AF0 Mounts	KP-505 Box	
KP-505 Contents			
(1) Plastic Box Only			

Cable ties and mounts are available as refills.  
Refer to Cable Ties & Wiring Accessories Catalog, SA101N275C-WC.

#### PAN-STEEL Cable Tie Plastic Kit Box



KP-515 Kit Box

KP-515 Contents			
Stainless steel cable ties, marker plates and cushion sleeving.			
<b>100 Each</b>	<b>50 Each</b>	<b>10 Each</b>	<b>1 Each</b>
MLT2S MLT2H Stainless Steel Ties	MMP350H Marker Plate	PCSS-5" PCSH-5" Cushion Sleeve	HTMT Tool KP-505 Box
KP-505 Contents			
(1) Plastic Box Only			

Stainless steel cable ties, marker plates and cushion sleeving are available as refills.  
Refer to PAN-STEEL Catalog SA101N16J-NL.

Order the number of kits required.

6

## PANDUIT® PAN-TY® Cable Tie Steel Kit Boxes

### PAN-TY and PAN-STEEL Cable Tie Plastic Kit Boxes

- Sturdy steel kits have individual compartments with a starter selection of nylon cable ties, mounts and terminals
- Convenient carrying handle
- Once top is closed, cable ties, mounts and terminals remain in their compartments

#### PAN-TY Cable Tie and Accessories Steel Kit Box



SR2 Slide Rack

Refer to page 5 for storage slide racks and base.

KP-504 Contents		
Natural nylon cable ties, adhesive backed mounts and cable tie tool.		
<b>100 Each</b>	<b>1 Each</b>	
PLT1M-C PLT1.5I-C PLT2S-C PLC2S-S10-C Cable Ties	TM2S8-C ABM2S-A-C Mounts	STS2 Tool K-503 Box
KP-503 Contents		
(1) Steel Box Only		

Cable ties and mounts are available as refills.  
Refer to Cable Ties & Wiring Accessories Catalog, SA101N275C-WC.

#### PAN-TY Cable Tie and PAN-TERM® Terminal Steel Kit Box



K-205 Kit Box

K-205 Contents			
Natural nylon cable ties with tool and terminals with crimping tool.			
<b>100 Each</b>	<b>50 Each</b>	<b>1 Each</b>	
PLT1M-C PLT1.5I-C PLT2S-C Cable Ties	BSV18X-C BSV14X-C PV18-6LF-C PV14-8LF-C PV14-10LF-C Terminals	BSV10X-C PV10-10LF-C Terminals	GTS Cable Tie Tool CT-100 Crimping Tool K-200 Box
K-200 Contents			
(1) Steel Box Only			

50 and 100 pc. terminal boxes are available as refills.  
Refer to Terminal Catalog SA-TM09CB01A.

Cable ties are available as refills. Refer to Cable Tie & Wiring Accessories Catalog, SA101N275C-WC.

Order the number of kits, slide racks and bases required.

7

**PAN-TERM® Terminal Steel Kit Boxes**

- Sturdy steel kits have individual compartments with a starter selection of terminals
- Additional terminals available
- Convenient carrying handle
- Once top is closed, terminals remain in their compartments

**K-1102 Kit Box**



K-1102 Contents			
Vinyl insulated locking forks and butt splices.			
<b>100 Each</b>	<b>50 Each</b>	<b>1 Each</b>	
PV18-6LF	PV14-10LF	PV10-10LF	CT-100 Crimping Tool
PV18-8LF	BSV-18X	BSV10X	K-1000 Box
PV14-8LF	BSV-14X		

K-1103 Contents			
Vinyl insulated and non-insulated disconnects.			
<b>100 Each</b>	<b>50 Each</b>	<b>1 Each</b>	
DV18-250B	D18-250	DV10-250	CT-100 Crimping Tool
DV14-250B	D14-250	D10-250	K-1000 Box
DV14-250MB			

K-1104 Contents			
Nylon insulated rings, forks, splices and wire joints.			
<b>50 Each</b>	<b>25 Each</b>	<b>1 Each</b>	
PN18-10R	PN18-6F	PN10-10R	BSN14
PN14-8R	PN14-6F	PN10-56R	BSN10
PN14-10R	PN14-10F	PN10-10F	JN418-212
			CT-100 Tool

K-1100 Contents			
(1) K-1000 Steel Box and (1) CT-100 Crimping Tool			

K-1000 Contents			
(1) Steel Box Only			
Refer to page 5 for storage slide racks and base.			



50 and 100 pc. terminal boxes are available as refills. Refer to Terminal Catalog **SA-TM09CB01A**.

**Industrial Maintenance Steel Kit Boxes**



K1-PNKIT Contents			
Nylon insulated terminals, cable ties, marking system and installation tool.			
<b>100 Each</b>	<b>50 Each</b>	<b>25 Each</b>	
DNF18-250	PN18-6LF	BSN18	PN10-10LF
DNF14-250	PN18-8F	BSN14	PN10-10R
PN14-610R	PN14-10R	DV10-250	
PN18-610R	PN14-8LF		
<b>100 Each</b>	<b>1 Each</b>		
PLT2S Cable Ties	CT-260 Installation Tool		
MP 150 Marker Tags	PMD-0-9 Marking Dispenser and Tape		
PX-0 Marker Pen			
K-1001 Box			

K-1000 Contents			
(1) Steel Box Only			
Refer to page 5 for storage slide racks and base.			

50 and 100 pc. terminal boxes are available as refills. Refer to Terminal Catalog **SA-TM09CB01A**. Cable ties, marking tape and marker pens are available as refills. Refer to Cable Tie & Wiring Accessories Catalog, **SA101N275C-WC**. Order the number of kits required.

**HST Thick Wall Heat Shrink**



- Suitable for wet locations and direct burial according to UL 486D
- Provides excellent protection above or below ground level
- Adhesive lined inner wall seals and protects against moisture

Type	Material	
HST	Black Polyolefin Cross-Linked with Adhesive for Wet Locations.	
600V	-85°F to 230°F (-65°C to 110°C)	AMS-DTL-23053/15 (HST only)
Rigid	Shrink Ratio: 3:1	Flame Retardant



**Thick Wall Heat Shrink Part Number System**

TYPE	Expanded Diameter	PC Length	Package Quantity	Color
HST	0.4 - .40"(10.2mm)	3 - 3'(76.2mm)	1 - 1 Pcs.	None-Black
	0.8 - .80"(20.3mm)	6 - 6'(152.4mm)	2 - 2 Pcs.	2 - Red
	1.1 - 1.10"(27.9mm)	9 - 9'(228.6mm)	3 - 3 Pcs.	
	1.5 - 1.50"(38.1mm)	12 - 12'(304.8mm)	5 - 5 Pcs.	
	2.0 - 2.00"(50.8mm)	48 - 4'(1.2M)	X - 10 Pcs.	
	3.0 - 3.00"(76.2mm)		Q - 25 Pcs.	

**Ordering information - HST in Standard Packages**

Part Number	Minimum Expanded I.D. In. (mm)	Maximum Recovered I.D. In. (mm)	Conductor Size Range AWG/MCM (mm <sup>2</sup> )	Minimum Cable O.D. In. (mm)	Maximum Connector O.D. In. (mm)	Tube Length In. (mm)	Std. Pkg. Qty.
HST0.4-6-3	.40" (10.1)	.15" (3.8)	#12-#6 (4-10)	.170" (4.3)	.350" (8.9)	6" (152.4)	3 Pcs.
HST0.4-6-X1						6" (152.4)	10 Pcs.
HST0.8-6-3	.80" (20.3)	.20" (5.1)	#8-#1/0 (10-50)	.240" (6.1)	.650" (16.5)	6" (152.4)	3 Pcs.
HST0.8-6-X1						6" (152.4)	10 Pcs.
HST0.8-9-X1						9" (228.6)	5 Pcs.
HST0.8-12-51						12" (304.8)	5 Pcs.
HST1.1-6-3	1.10" (27.9)	.37" (9.4)	#2-#4/0 (35-95)	.400" (10.1)	.875" (22.2)	6" (152.4)	3 Pcs.
HST1.1-6-X1						6" (152.4)	10 Pcs.
HST1.1-9-2						9" (228.6)	2 Pcs.
HST1.1-9-X1						9" (228.6)	10 Pcs.
HST1.1-12-51						12" (304.8)	5 Pcs.
HST1.5-9-X	1.50" (38.1)	.50" (12.7)	#3/0-400 MCM (95-185)	.600" (15.2)	1.190" (30.2)	9" (228.6)	10 Pcs.
HST1.5-12-1						12" (304.8)	1 Pcs.
HST1.5-12-5						12" (304.8)	5 Pcs.
HST2.0-9-5	2.00" (50.8)	.65" (16.5)	250-750 MCM (240-500)	.750" (19.1)	1.600" (40.6)	9" (228.6)	5 Pcs.
HST2.0-12-2						12" (304.8)	2 Pcs.
HST3.0-12-2	3.00" (76.2)	1.00" (25.4)	600-1250 MCM (300-625)	1.20" (30.5)	2.250" (57.2)	12" (304.8)	2 Pcs.

\*Order in multiples of Std. Pkg. Qty.  
 †For Red, add 2 to end of part number package suffix (Example HST0.4-3-Q2)  
 ‡ Shrink ratios are approximations; please refer to above ordering information for the exact Min. Expanded and Max. Recovered I.D.'s.

Order the number of kits, slide racks and bases required.

## PANDUIT® Heat Shrink Tubing in Plastic Boxes

- Provide organized storage for a wide variety of parts in one convenient location
- Informative label eliminates guesswork:
  - specifies correct heat shrink usage based on wire size and/or connector size
  - provides reorder part number information

- Once top is closed, loose pieces remain in there six compartments
- Available with non-adhesive or adhesive lined heat shrink tubing for dry and damp locations



KP-HSTT1 Kit Box



### KP-HSTT1 Contents

Black Polyolefin Dry-Sweat® Heat Shrink Tubing (Type HSTT) in 6" (152.4mm) Lengths 2:1 Shrink Ratio  
AMS-DTL-23053/5 Class 1

<b>35 Each</b>	<b>21 Each</b>	<b>7 Each</b>
HSTT09 3/32" (2.4mm) I.D. HSTT12 1/8" (3.2mm) I.D.	HSTT19 3/16" (4.8mm) I.D. HSTT25 1/4" (6.4mm) I.D.	HSTT38 3/8" (9.5mm) I.D. HSTT50 1/2" (12.7mm) I.D.



KP-HSTT2 Kit Box



### KP-HSTT2 Contents

Multiple Color Polyolefin Dry-Sweat® Heat Shrink Tubing (Type HSTT) in 6" (152.4mm) Lengths 2:1 Shrink Ratio  
AMS-DTL-23053/5 Class 1 & 2

<b>35 Each</b>	<b>21 Each</b>	<b>7 Each</b>
HSTT09 3/32" (2.4mm) I.D. - 7 colors	HSTT19 3/16" (4.8mm) I.D. - 7 colors	HSTT38 3/8" (9.5mm) I.D. - 7 colors
HSTT12 1/8" (3.2mm) I.D. - 7 colors	HSTT25 1/4" (6.4mm) I.D. - 7 colors	HSTT50 1/2" (12.7mm) I.D. - 7 colors

Note: Colors Include: Red, Yellow, Green, Blue, White, Clear and Black.



KP-HSTTA Kit Box



### KP-HSTTA Contents

Adhesive Lined Black Polyolefin Dry-Sweat® Heat Shrink Tubing (Type HSTTA) in 6" (152.4mm) Lengths 3:1 Shrink Ratio  
AMS-DTL-23053/4 Class 3

<b>14 Each</b>	<b>6 Each</b>
HSTTA19 3/16" (4.9mm) I.D.	HSTTA50 1/2" (12.7mm) I.D.
<b>12 Each</b>	<b>3 Each</b>
HSTTA25 1/4" (6.4mm) I.D.	HSTTA75 3/4" (19.0mm) I.D.
<b>10 Each</b>	<b>2 Each</b>
HSTTA38 3/8" (9.5mm) I.D.	HSTTA100 1" (25.4mm) I.D.

Order the number of kits required.

8

## PANDUIT® Industrial Maintenance Steel Kit Boxes & Slide Racks

K-504 Kit Box



See below for storage slide racks and base.

K-504 Contents		
<b>100 Each</b>	<b>50 Each</b>	<b>30 Each</b>
DV18-250B DV14-250B	BSV18X PV10-10LF	P1 P-Conn™
PV18-6LF PV14-10R	BS14X PV10-10R	P73 P-Conn
PV18-8F PV14-8LF	DV10-250	
Terminals	Terminals	
<b>100 Each</b>	<b>25 Each</b>	<b>20 Each</b>
PLT2S Cable Ties	BVS10X	P2 P-Conn
	Terminals	
	<b>1 Each</b>	
	CT-260 Installation Tool	
	PMD-0-9 Marking Dispenser and Tape	
	K-1001 Box	

### K-503 Contents

(1) Steel Box Only

50 and 100 pc. terminal boxes are available as refills. Refer to Terminal Catalog SA-TM09CB01A.

Cable ties and mounts are available as refills. Refer to Cable Tie & Wiring Accessories Catalog SA101N275C-WC.

- Storage slide racks are available in two-drawer, four drawer and six-drawer models. Holds PANDUIT steel kit boxes
- Base accommodates all three storage slide racks

- Mounting holes are supplied on top and bottom for mounting to benches, shelves, or other slide racks

SR4 Four-Drawer Slide Rack mounted on SR3 Base (Sold Separately)

SR6 Six-Drawer Slide Rack



SR2 Two-Drawer Slide Rack

Base and slide racks are sold separately.

SR2 Contents
(1) Two-Drawer Slide Rack - 6.25" high by 15.25" wide by 11.75" deep

SR4 Contents
(1) Four-Drawer Slide Rack - 11.25" high by 15.25" wide by 11.75" deep

SR6 Contents
(1) Six-Drawer Slide Rack - 16.375" high by 15.25" wide by 11.75" deep

SRB Contents
(1) Base - 15.125" high. Accommodates SR2, SR4 and SR6 Slide Racks

Slide racks will accommodate the following PANDUIT kits:

K-1000	K1-PNKIT
K-1001	K2-PVKIT
K-1100	K-503
K-1102	K-504
K-1103	
K-1104	

Order the number of kits, slide racks and bases required.

5