



SECTION L-L  
 SCALE 8:1

- △ HOUSING: HIGH TEMPERATURE THERMOPLASTIC. COLOR: BROWN.
- △ CONTACT: PHOSPHOR BRONZE.
- △ CONTACT FINISH: .000100 MIN NICKEL ALL OVER.  
.000300 MIN GOLD OVER NICKEL IN CONTACT AREA.  
.000100 MIN TIN-LEAD OVER NICKEL ON SOLDER TAILS.
- △ DISTANCE FROM CONTACT POINT TO BOTTOM OF CARD SLOT.
- △ AMP PART NUMBER, DATE CODE AND CSA LOGO MARKED IN APPROXIMATE AREA SHOWN.
- △ PIN ONE IDENTIFIER NOTCH ONLY ON PART NUMBERS INDICATED.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



SEE SHEET 2 FOR HOLE PATTERNS

.125	NO	B	1.800	1.760	2.59	.610	10	33	45	1-650090-4
OBSOLETE	NO	B	1.800	1.760	2.59	.610	10	33	45	1-650090-3
.140	NO	A	1.050	1.010	1.84	.610	10	18	30	1-650090-2
OBSOLETE	NO	C	2.200	2.160	4.34	1.960	37	41	80	1-650090-1
OBSOLETE	NO	D	2.100	2.060	4.29	2.310	44	39	85	1-650090-0
.100	NO	C	2.200	2.160	4.34	1.960	37	41	80	650090-9
OBSOLETE	YES	A	2.350	2.310	3.14	.610	10	44	56	650090-8
.100	NO	B	.700	.660	1.49	.610	10	11	23	650090-7
.100	NO	A	1.050	1.010	1.84	.610	10	18	30	650090-6
OBSOLETE	NO	A	2.550	2.510	3.34	.610	10	48	60	650090-5
OBSOLETE	NO	A	.850	.810	1.34	.610	10	8	20	650090-4
.100	NO	A	1.550	1.510	2.34	.610	10	28	40	650090-3
.100	NO	B	1.800	1.760	2.59	.610	10	33	45	650090-2
.100	YES	A	2.350	2.310	3.14	.610	10	44	56	650090-1

W	PIN ONE IDENTIFIER	HOLE PATTERN	V	U	T	S	Y	X	NO. OF DUAL POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. IT IS CLASSIFIED/CONTROLLED BY THE DRAWING NUMBER.

DATE: 108-14034  
 PROJECT: 114-26012  
 CUSTOMER DRAWING: A100779 (G=650090)

TE Connectivity  
 CONNECTOR ASSEMBLY, DUAL POSITION, 050 SERIES, 114-26012

