






THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED.
 © 1987 BY TYS ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

REV	DATE	DESCRIPTION	BY	APP
AD 00				
B	E02-07-021398			



1. INSERT A 1.57[.062] THICK DUMMY PC BOARD INTO CARD SLOT DURING SOLDERING PROCESS.
- △ DATUMS AND DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
- △ PART NUMBER AND DATE CODE(OPTIONAL), LOCATED APPROXIMATELY AS SHOWN.
- △ 400 DIMENSION REFERENCES CARD SLOT DEPTH.
- △ HOUSING—GLASS FILLED POLYESTER, WHITE.
CONTACTS—ALLOY CDA-195.
- △ CONTACTS—3.81 mm[.000150] MIN TIN-LEAD OVER 0.76 mm[.000300] MIN NICKEL.
- △ PIN LENGTH RECOMMENDED FOR USE WITH 3.18±0.51[.125±.020] THICK PRINTED CIRCUIT BOARD.
- △ CONTACTS—3.81 mm[.000150] MIN MATTE TIN OVER 0.76 mm[.000300] MIN NICKEL.



5-145339-1
 145339-1
 PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		REV	DATE	DESCRIPTION	BY	APP
REV	DATE	DESCRIPTION	BY	APP		
1						

INCHES	UNLESS NOTED OTHERWISE	UNLESS NOTED OTHERWISE	UNLESS NOTED OTHERWISE	UNLESS NOTED OTHERWISE	UNLESS NOTED OTHERWISE
FRAC	16	DEC	100	ANG	MIN
DEC	100	ANG	MIN	UNLESS NOTED OTHERWISE	
UNLESS NOTED OTHERWISE		UNLESS NOTED OTHERWISE		UNLESS NOTED OTHERWISE	

DESIGNER	DATE	REV	DATE	DESCRIPTION	BY	APP
108-9045						
114-9005						
A1	00779	G=1	145339			

Tys Electronics Corporation
 Harrisburg, Pa 17105-3608

CONNECTOR ASSY, 5 POSITION,
 SELECTIVELY LOADED, HIGH CURRENT

CUSTOMER DRAWING