

4


3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
F	LNK	DESCRIPTION	DATE	BY	APPD		
	K2	REVISED PER ECO-11-004587	11MAR11	RK	HMR		



- △ POINT OF MEASUREMENT FOR PLATING THICKNESS
- 2. TRUE POSITION TOLERANCE OF POST TIPS APPLIES WHEN THE HEADERS ARE HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- △ 0.00076[.000030] GOLD ON CONTACT AREA, GOLD FLASH ON SOLDER AREA, ALL OVER 0.00127[.000050] NICKEL
- △ MATERIAL:
HOUSING: FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK.
POSTS: PHOS BRONZE.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



101.19[3.984]	99.06[3.900]	39	40	4-87220-0
98.65[3.884]	96.52[3.800]	38	39	3-87220-9
96.11[3.784]	93.98[3.700]	37	38	3-87220-8
93.57[3.684]	91.44[3.600]	36	37	3-87220-7
91.03[3.584]	88.90[3.500]	35	36	3-87220-6
88.49[3.484]	86.36[3.400]	34	35	3-87220-5
85.95[3.384]	83.82[3.300]	33	34	3-87220-4
83.41[3.284]	81.28[3.200]	32	33	3-87220-3
80.87[3.184]	78.74[3.100]	31	32	3-87220-2
78.33[3.084]	76.20[3.000]	30	31	3-87220-1
75.79[2.984]	73.66[2.900]	29	30	3-87220-0
73.25[2.884]	71.12[2.800]	28	29	2-87220-9
70.71[2.784]	68.58[2.700]	27	28	2-87220-8
68.17[2.684]	66.04[2.600]	26	27	2-87220-7
65.63[2.584]	63.50[2.500]	25	26	2-87220-6
63.09[2.484]	60.96[2.400]	24	25	2-87220-5
60.55[2.384]	58.42[2.300]	23	24	2-87220-4
58.01[2.284]	55.88[2.200]	22	23	2-87220-3
55.47[2.184]	53.34[2.100]	21	22	2-87220-2
52.93[2.084]	50.80[2.000]	20	21	2-87220-1
50.39[1.984]	48.26[1.900]	19	20	2-87220-0
47.85[1.884]	45.72[1.800]	18	19	1-87220-9
45.31[1.784]	43.18[1.700]	17	18	1-87220-8
42.77[1.684]	40.64[1.600]	16	17	1-87220-7
40.23[1.584]	38.10[1.500]	15	16	1-87220-6
37.69[1.484]	35.56[1.400]	14	15	1-87220-5
35.15[1.384]	33.02[1.300]	13	14	1-87220-4
32.61[1.284]	30.48[1.200]	12	13	1-87220-3
30.07[1.184]	27.94[1.100]	11	12	1-87220-2
27.53[1.084]	25.40[1.000]	10	11	1-87220-1
24.99[.984]	22.86[.900]	9	10	1-87220-0
22.45[.884]	20.32[.800]	8	9	87220-9
19.91[.784]	17.78[.700]	7	8	87220-8
17.37[.684]	15.24[.600]	6	7	87220-7
14.83[.584]	12.70[.500]	5	6	87220-6
12.29[.484]	10.16[.400]	4	5	87220-5
9.75[.384]	7.62[.300]	3	4	87220-4
7.21[.284]	5.08[.200]	2	3	87220-3
4.67[.184]	2.54[.100]	1	2	87220-2
2.13[.084]	-	-	1	87220-1
C	B	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM E. BRANDBERG 26-AUG-97
CHK S. SHUIEY 26-AUG-97
APPD S. SHUIEY 26-AUG-97

TE Connectivity

ASSEMBLY, MOD II, HEADER, SINGLE ROW, 2.54[.100]C/L VERTICAL, 0.64[0.025] SQ POSTS

SIZE ONE CODE DRAWING NO: A200779 C=87220

CUSTOMER DRAWING SCALE 4:1 SHEET 1 of 1 REV K2