






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	BY	APPD		
E		REVISED PER 063B-0209-05		JMFRDS	KW	CJ	



▲ MATERIAL: HOUSING - NYLON, UL 94V-0, BLACK.  
 CONTACT - BRASS.  
 0.000762 MINIMUM GOLD OVER 0.00254  
 MINIMUM NICKEL ON MATING AREA. 0.00254  
 TIN-LEAD MINIMUM OVER 0.00254 NICKEL  
 MINIMUM ON SOLDER TAILS.  
 HOLDDOWNS: PHOSPHOR BRONZE, .00254 TIN-LEAD.

▲ MAXIMUM INSERTION 30 LBS.  
 ▲ RECOMMENDED BOARD THICKNESS 1.57.

▲ MATERIAL: HOUSING - NYLON, UL 94V-0, BLACK.  
 CONTACT - BRASS.  
 0.000762 MINIMUM GOLD OVER 0.00254  
 MINIMUM NICKEL ON MATING AREA. 0.00254  
 MATTE TIN MINIMUM OVER 0.00254 NICKEL  
 MINIMUM ON SOLDER TAILS.  
 HOLDDOWNS: PHOSPHOR BRONZE, .00254 MATTE TIN.

RECOMMENDED MOUNTING HOLE PATTERN SCALE: 5:1



FINISH	DIM A	DIM Z	DIM Y	DIM X	NO. OF POSN.	PART NUMBER
▲	40.00	33.00	37.30	36.86	24	5-794682-4
▲	37.00	30.00	34.30	33.86	22	5-794682-2
▲	34.00	27.00	31.30	30.86	20	5-794682-0
▲	31.00	24.00	28.30	27.86	18	4-794682-8
▲	28.00	21.00	25.30	24.86	16	4-794682-6
▲	25.00	18.00	22.30	21.86	14	4-794682-4
▲	22.00	15.00	19.30	18.86	12	4-794682-2
▲	19.00	12.00	16.30	15.86	10	4-794682-0
▲	16.00	9.00	13.30	12.86	8	3-794682-8
▲	13.00	6.00	10.30	9.86	6	3-794682-6
▲	10.00	3.00	7.30	6.86	4	3-794682-4
▲	7.00	-	4.30	3.86	2	3-794682-2
▲	40.00	33.00	37.30	36.86	24	2-794682-4
▲	37.00	30.00	34.30	33.86	22	2-794682-2
▲	34.00	27.00	31.30	30.86	20	2-794682-0
▲	31.00	24.00	28.30	27.86	18	1-794682-8
▲	28.00	21.00	25.30	24.86	16	1-794682-6
▲	25.00	18.00	22.30	21.86	14	1-794682-4
▲	22.00	15.00	19.30	18.86	12	1-794682-2
▲	19.00	12.00	16.30	15.86	10	1-794682-0
▲	16.00	9.00	13.30	12.86	8	794682-8
▲	13.00	6.00	10.30	9.86	6	794682-6
▲	10.00	3.00	7.30	6.86	4	794682-4
▲	7.00	-	4.30	3.86	2	794682-2

DIMENSIONS (INCHES)		TOLERANCE UNLESS OTHERWISE SPECIFIED:		DWN D HAYMAKER 16AUG99		AMP Incorporated Harrisburg, PA 17105-3600	
0 PLC	±	1 PLC	±	2 PLC	±	3 PLC	±
4 PLC	±	RD-13 (1.005)	±	NAME		VERTICAL HEADER ASSEMBLY, THRU HOLE, 30 GOLD, DUAL ROW, MICRO MATE-N-LOK™	
MATERIAL SEE TABLE		SEE TABLE		APPLICATION SPEC		SIZE   CASE CODE   DRAWING NO	
SEE TABLE		SEE TABLE		WEIGHT		A2 00779 ©=794682	
CUSTOMER DRAWING				SCALE		SHEET OF REV E	