




13 12 11 10 9 8 7 6 5 4 3 2 1

CENTERLINE OF PIN IN AREA SHOWN  
NOT TO VARY FROM CENTERLINE  
OF PIN AT DATUM -E- BY  
MORE THAN (0.20)/.008 IN ANY DIRECTION



CENTERLINE OF PIN IN AREA SHOWN  
NOT TO VARY FROM CENTERLINE  
OF PIN AT DATUM -D- BY  
MORE THAN (0.13)/.005 IN ANY DIRECTION



PCB LAYOUT: COMPONENT SIDE  
TYPICAL PCB THICKNESS: (1.57)/.062

NOTES:

- MATERIAL: NYLON, UL 94V-0, COLOR WHITE
- FINISH:
  - (102) OVERALL TIN: 0.00508/0.000200 MIN. OVER COPPER UNDERPLATE: 0.00254/0.000100 MIN.
  - (103) OVERALL TIN: 0.00508/0.000200 MIN. OVER COPPER UNDERPLATE: 0.00127/0.000050 MIN.
  - (501) OVERALL GOLD: 0.00051/0.000020 MIN. OVER NICKEL UNDERPLATE: 0.00076/0.000030 MIN.
  - (503) OVERALL GOLD: 0.00076/0.000030 MIN. OVER NICKEL UNDERPLATE: 0.00127/0.000050 MIN.
  - (508) OVERALL GOLD: 0.00076/0.000030 MIN. OVER NICKEL UNDERPLATE: 0.00076/0.000030 MIN.
  - (516) OVERALL GOLD: 0.00025/0.000010 MIN. OVER NICKEL UNDERPLATE: 0.00076/0.000030 MIN.
- PARTS CONFORM TO PRODUCT SPECIFICATION PS-10-07.
- PACKAGING INFORMATION: SEE LEGEND.
- PINS MUST CONFORM TO SOLDERABILITY SPECIFICATION SMES-152.
- PIN PUSHOUT FORCE: 2 LBS. MIN.
- PARTS ARE STACKABLE END TO END AND SIDE TO SIDE ON (2.54)/100 CENTERS.
- THE PRIMARY SHIPPING CARTON WILL BE LABELED, "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD PLATING.
- PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

A-4094-N	*	*	*
NO. OF CKTS.	↑	↑	↑
VERSION	↑	↑	↑
LETTER CHANGES WHEN PIN NO. OR PRESS DIM. CHANGES.			
PLATING CODE	↑	↑	↑
SEE NOTE 2			
SECONDARY OPERATIONS			
CODE			
BLANK	BULK PER	PK-4094-001	
A	PK-40873-0020		

CKTS. NO. OF	DIM. B	DIM. A
2	.100 ± .002 ( 2.54 ± .05 )	.190 ± .008 ( 4.83 ± .20 )
3	.200 ± .005 ( 5.08 ± .13 )	.290 ± .008 ( 7.37 ± .20 )
4	.300 ± .005 ( 7.62 ± .13 )	.390 ± .008 ( 9.91 ± .20 )
5	.400 ± .005 ( 10.16 ± .13 )	.490 ± .008 ( 12.45 ± .20 )
6	.500 ± .006 ( 12.70 ± .15 )	.590 ± .009 ( 14.99 ± .23 )
7	.600 ± .006 ( 15.24 ± .15 )	.690 ± .009 ( 17.53 ± .23 )
8	.700 ± .006 ( 17.78 ± .15 )	.790 ± .009 ( 20.07 ± .23 )
9	.800 ± .007 ( 20.32 ± .18 )	.890 ± .010 ( 22.61 ± .25 )
10	.900 ± .007 ( 22.86 ± .18 )	.990 ± .010 ( 25.15 ± .25 )
11	1.000 ± .007 ( 25.40 ± .18 )	1.090 ± .010 ( 27.69 ± .25 )
12	1.100 ± .008 ( 27.94 ± .20 )	1.190 ± .011 ( 30.23 ± .28 )
13	1.200 ± .008 ( 30.48 ± .20 )	1.290 ± .011 ( 32.77 ± .28 )
14	1.300 ± .008 ( 33.02 ± .20 )	1.390 ± .011 ( 35.31 ± .28 )
15	1.400 ± .008 ( 35.56 ± .20 )	1.490 ± .011 ( 37.85 ± .28 )
16	1.500 ± .008 ( 38.10 ± .20 )	1.590 ± .011 ( 40.39 ± .28 )
17	1.600 ± .009 ( 40.64 ± .23 )	1.690 ± .012 ( 42.93 ± .30 )
18	1.700 ± .009 ( 43.18 ± .23 )	1.790 ± .012 ( 45.47 ± .30 )
19	1.800 ± .009 ( 45.72 ± .23 )	1.890 ± .012 ( 48.01 ± .30 )
20	1.900 ± .009 ( 48.26 ± .23 )	1.990 ± .012 ( 50.55 ± .30 )
21	2.000 ± .010 ( 50.80 ± .25 )	2.090 ± .013 ( 53.09 ± .33 )
22	2.100 ± .010 ( 53.34 ± .25 )	2.190 ± .013 ( 55.63 ± .33 )
23	2.200 ± .010 ( 55.88 ± .25 )	2.290 ± .013 ( 58.17 ± .33 )
24	2.300 ± .010 ( 58.42 ± .25 )	2.390 ± .013 ( 60.71 ± .33 )
25	2.400 ± .011 ( 60.96 ± .28 )	2.490 ± .014 ( 63.25 ± .36 )
26	2.500 ± .011 ( 63.50 ± .28 )	2.590 ± .014 ( 65.79 ± .36 )
27	2.600 ± .011 ( 66.04 ± .28 )	2.690 ± .014 ( 68.33 ± .36 )
28	2.700 ± .011 ( 68.58 ± .28 )	2.790 ± .014 ( 70.87 ± .36 )

14	AD1
13	AD1
12	AD1
11	AD1
10	AD1
9	AD1
8	AD1
7	AD1
6	AD1
5	AD1
4	AD1
3	AD1
2	AD1
1	AD3
SHEET	REV.

ADD 1:18 DIMENSION EC NO: UCP2009-0323 DRAWING: GERRILL 2008/08/22 CHK: CHOKRIPPER 2008/08/26 APPR: ESMITH 2008/08/27 AD3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED):	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		4 PLACES ±.005 ±.005	MM/IN	---	INCH	☉
		3 PLACES ±.013 ±.01	DRAWN BY	DATE	TITLE	
		2 PLACES ±0.25 ±.01	KSS	1984/09/10	WAFER ASSY FLAT MINI KK (4030 WITH BENT PINS) 4094 SERIES DRAWING	
1 PLACE ±0.25 ±.01	NP	1984/09/10				
	ANGULAR ±1/2°	APPROVED BY	DATE			
		KJA	1984/09/10			
		MATERIAL NO.	DOCUMENT NO.		SHEET NO.	
		SEE CHART	SDA-4094		1 OF 14	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SIZE THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

1b\_frame\_C.P.M.E.T Rev. D 2004/04/02 12 11 10 9 8 7 6 5 4 3 2 1

		13	12	11	10	9	8	7	6	5	4	3	2	1			
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. T	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. T	
	A-4094-NA102	2766-3(102)	(17.45) .687	(9.30) .366	(3.15) .124	(6.30) .248	90°				A-4094-NCM501	2766-1(501)	(14.22) .560	(4.47) .176	(5.92) .233	(5.11) .201	90°
A-4094-NA501	2766-3(501)	(17.45) .687	(9.30) .366	(3.15) .124	(6.30) .248	90°			A-4094-NCN501	2766-53(501)	(20.85) .821	SEE SHT. 7				90°	
A-4094-NAB102	2766-40(102)	(23.80) .937	(14.99) .590	(3.78) .149	(6.30) .248	90°			A-4094-NCR501	2766-73(501)	(22.71) .894	(13.92) .548	(3.48) .137	(6.60) .260	90°		
A-4094-NAC102	2766-54(102)	(17.86) .703	(9.68) .381	(4.32) .170	(5.13) .202	90°			A-4094-NCS501	4166-74(501)	(31.24) 1.230	(22.23) .875	(3.71) .146	(6.60) .260	90°		
A-4094-NAJ102	2766-8(102)	(21.39) .842	(10.19) .401	(4.09) .161	(8.41) .331	90°			A-4094-NCV501	2766-28(501)	(15.88) .625	(7.65) .301	(3.23) .127	(6.30) .248	90°		
A-4094-NAL102	2766-8(102)	(21.39) .842	(12.47) .491	(3.91) .154	(6.30) .248	90°			A-4094-NCY508	SEE SHT. 8				90°			
A-4094-NAM102	2766-3(102)	(17.45) .687	(4.93) .194	(7.29) .287	(6.53) .257	90°			A-4094-NCZ501	2766-3(501)	(17.45) .687	(9.30) .366	(2.31) .091	(7.11) .280	90°		
A-4094-NAP102	2766-3(102)	(17.45) .687	(8.41) .331	(3.78) .149	(6.55) .258	90°			A-4094-NJ102	2766-28(102)	(15.88) .625	(6.63) .261	(3.02) .119	(9.73) .383	55°		
A-4094-NB102	2766-43(102)	(13.46) .530	(4.85) .191	(3.61) .142	(6.30) .248	90°			A-4094-NM102	2766-3(102)	(17.45) .687	(7.44) .293	(2.84) .112	(8.46) .333	90°		
A-4094-NBE102	2766-37(102)	(20.32) .800	(11.53) .454	(3.56) .140	(6.50) .256	90°			A-4094-NR102	2766-37(102)	(20.32) .800	(12.24) .482	(3.07) .121	(6.30) .248	90°		
A-4094-NBE501	2766-37(501)	(20.32) .800	(11.53) .454	(3.56) .140	(6.50) .256	90°			A-4094-NRG501	2766-53(501)	(20.85) .821	(12.32) .485	(3.53) .139	(6.30) .248	90°		
A-4094-NBF102	2766-4(102)	(18.69) .736	(9.30) .366	(2.79) .110	(7.87) .310	90°			A-4094-NW102	2766-37(102)	(20.32) .800	(9.30) .366	(3.61) .142	(8.71) .343	90°		
A-4094-NBF501	2766-4(501)	(18.69) .736	(9.30) .366	(2.79) .110	(7.87) .310	90°			A-4094-NZ102	2766-3(102)	(17.45) .687	(5.13) .202	(7.95) .313	(5.66) .223	90°		
A-4094-NBH102	2766-37(102)	(20.32) .800	(11.71) .461	(2.31) .091	(7.57) .298	90°			A-4094-NH102	2766-1(102)	(14.22) .560	(5.23) .206	(3.96) .156	(6.30) .248	90°		
A-4094-NBK103	4166-1(103)	(16.51) .650	(5.00) .197	(7.67) .302	(5.13) .202	90°			A-4094-NDA102	4166-38(102)	(27.00) 1.063	(9.30) .366	(3.15) .124	(15.82) .623	90°		
A-4094-NBJ102	2766-4(102)	(18.69) .736	(9.42) .371	(3.63) .143	(6.93) .273	90°			A-4094-NDB102	4166-30(102)	(30.48) 1.200	(9.30) .366	(3.07) .121	(19.38) .763	90°		
A-4094-NBJ501	2766-4(501)	(18.69) .736	(9.42) .371	(3.63) .143	(6.93) .273	90°			A-4094-NDC102	2766-40(102)	(23.80) .937	(12.70) .500	(3.15) .124	(9.22) .363	90°		
A-4094-NBL102	2766-8(102)	(21.39) .842	(3.81) .150	(3.05) .120	(17.60) .693	25°			A-4094-NA508	2766-3(508)	(17.45) .687	(9.30) .366	(3.15) .124	(6.30) .248	90°		
A-4094-NBM102	2766-28(102)	(15.88) .625	(5.79) .228	(4.06) .160	(6.30) .248	139°			A-4094-NDD102	2766-60(102)	(23.24) .915	(9.53) .375	(8.64) .340	(6.35) .250	90°		
A-4094-NBP102	2766-3(102)	(17.45) .687	(9.07) .357	(7.87) .310	(5.82) .229	105°			A-4094-NAR102	2766-26(102)	(14.99) .590	(4.06) .160	(8.03) .316	(4.09) .161	90°		
A-4094-NBR501	2766-52(501)	(14.61) .575	(9.30) .366	(1.63) .064	(4.90) .193	90°			A-4094-NAT102	2766-4(102)	(18.69) .736	(8.26) .325	(3.28) .129	(12.75) .502	45°		
A-4094-NBT102	2766-39(102)	(12.70) .500	(6.38) .251	(2.79) .110	(4.78) .188	90°			A-4094-NAT501	2766-4(501)	(18.69) .736	(8.26) .325	(3.28) .129	(12.75) .502	45°		
A-4094-NCA102	2766-57(102)	(13.84) .545	(5.23) .206	(3.61) .142	(6.30) .248	90°			A-4094-NDE501	2766-73(501)	(22.71) .894	(9.98) .393	(3.00) .118	(11.00) .433	90°		
A-4094-NCC102	2766-73(102)	(22.71) .894	(10.74) .423	(3.25) .128	(13.61) .536	60°			A-4094-NDF102	2766-16(102)	(22.23) .875	(6.12) .241	(11.05) .435	(6.35) .250	90°		
A-4094-NCE102	2766-54(102)	(17.86) .703	(9.14) .360	(3.91) .154	(6.10) .240	90°			A-4094-NDG102	2766-39(102)	(12.70) .500	(4.60) .181	(3.10) .122	(6.30) .248	90°		
A-4094-NCM102	2766-1(102)	(14.22) .560	(4.47) .176	(5.92) .233	(5.11) .201	90°			A-4094-NBK102	4166-1(102)	(16.51) .650	(5.00) .197	(7.67) .302	(5.13) .202	90°		

UPDATE TITLE BLOCK EC NO. UCP2005-2329 DRAWN BY 2005/07/28 CHKD BY 2005/07/27 APP. BY 2005/07/27 REV DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± --- ANGULAR ±1/2°	DIMENSION STYLE MM/IN DRAWN BY DATE KSS 1984/09/10 CHECKED BY DATE NP 1984/09/10 APPROVED BY DATE KJA 1984/09/10	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	MATERIAL NO. SEE CHART DOCUMENT NO. SDA-4094	TITLES WAFER ASSY FLAT MINI KK (4030 WITH BENT PINS) 4094 SERIES DRAWING MOLEX INCORPORATED		SHEET NO. 2 OF 14		

tb\_frame\_C\_P\_ME\_T  
Rev. D 2004/04/02

13		12		11		10		9		8		7		6		5		4		3		2		1	
A-4094-NA I02		A-4094-NA50 I		A-4094-NAB I02		A-4094-NAC I02		A-4094-NAJ I02		A-4094-NAL I02															
PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.
22-05-2021	A-4094-2A I02	22-12-2021	A-4094-2A50 I	22-05-2026	A-4094-2AB I02		A-4094-2AC I02			22-05-2027	A-4094-2AL I02	22-05-2031	A-4094-3A I02	22-05-2037	A-4094-3AL I02	22-05-2041	A-4094-4A I02	22-05-2047	A-4094-4AL I02	22-05-2051	A-4094-5A I02	22-05-2057	A-4094-5AL I02	22-05-2061	A-4094-6A I02
22-05-2041	A-4094-4A I02	22-12-2041	A-4094-4A50 I	22-05-2046	A-4094-4AB I02		A-4094-4AC I02			22-05-2048	A-4094-4AJ I02	22-05-2054	A-4094-5A I02	22-05-2060	A-4094-6AL I02	22-05-2064	A-4094-7A I02	22-05-2070	A-4094-7AL I02	22-05-2074	A-4094-8A I02	22-05-2080	A-4094-8AL I02	22-05-2084	A-4094-9A I02
22-05-2051	A-4094-5A I02	22-12-2051	A-4094-5A50 I	22-05-2056	A-4094-5AB I02		A-4094-5AC I02			22-05-3058	A-4094-5AJ I02	22-05-2062	A-4094-6A I02	22-05-2068	A-4094-6AJ I02	22-05-2072	A-4094-7A I02	22-05-2078	A-4094-7AJ I02	22-05-2082	A-4094-8A I02	22-05-2088	A-4094-8AJ I02	22-05-2092	A-4094-9A I02
22-05-2061	A-4094-6A I02	22-12-2061	A-4094-6A50 I	22-05-2066	A-4094-6AB I02		A-4094-6AC I02			22-05-3068	A-4094-6AJ I02	22-05-2094	A-4094-10A I02	22-05-2100	A-4094-10AJ I02	22-05-2104	A-4094-11A I02	22-05-2110	A-4094-11AJ I02	22-05-2114	A-4094-12A I02	22-05-2120	A-4094-12AJ I02	22-05-2124	A-4094-13A I02
22-05-2071	A-4094-7A I02	22-12-2071	A-4094-7A50 I	22-05-2076	A-4094-7AB I02		A-4094-7AC I02			22-05-3078	A-4094-7AJ I02	22-05-2126	A-4094-12A I02	22-05-2132	A-4094-12AJ I02	22-05-2136	A-4094-13A I02	22-05-2142	A-4094-13AJ I02	22-05-2146	A-4094-14A I02	22-05-2152	A-4094-14AJ I02	22-05-2156	A-4094-15A I02
22-05-2081	A-4094-8A I02	22-12-2081	A-4094-8A50 I	22-05-2086	A-4094-8AB I02		A-4094-8AC I02			22-05-3088	A-4094-8AJ I02	22-05-2161	A-4094-16A I02	22-05-2167	A-4094-16AJ I02	22-05-2171	A-4094-17A I02	22-05-2177	A-4094-17AJ I02	22-05-2181	A-4094-18A I02	22-05-2187	A-4094-18AJ I02	22-05-2191	A-4094-19A I02
22-05-2091	A-4094-9A I02	22-12-2091	A-4094-9A50 I	22-05-2096	A-4094-9AB I02		A-4094-9AC I02			22-05-3098	A-4094-9AJ I02	22-05-2199	A-4094-19A I02	22-05-2205	A-4094-19AJ I02	22-05-2209	A-4094-20A I02	22-05-2215	A-4094-20AJ I02	22-05-2219	A-4094-21A I02	22-05-2225	A-4094-21AJ I02	22-05-2229	A-4094-22A I02
22-05-2101	A-4094-10A I02	22-12-2101	A-4094-10A50 I	22-05-2106	A-4094-10AB I02		A-4094-10AC I02			22-05-3108	A-4094-10AJ I02	22-05-2231	A-4094-23A I02	22-05-2237	A-4094-23AJ I02	22-05-2241	A-4094-24A I02	22-05-2247	A-4094-24AJ I02	22-05-2251	A-4094-25A I02	22-05-2257	A-4094-25AJ I02	22-05-2261	A-4094-26A I02
22-05-2111	A-4094-11A I02	22-12-2111	A-4094-11A50 I	22-05-2116	A-4094-11AB I02		A-4094-11AC I02			22-05-3118	A-4094-11AJ I02	22-05-2244	A-4094-24A I02	22-05-2250	A-4094-24AJ I02	22-05-2254	A-4094-25A I02	22-05-2260	A-4094-25AJ I02	22-05-2264	A-4094-26A I02	22-05-2270	A-4094-26AJ I02	22-05-2274	A-4094-27A I02
22-05-2121	A-4094-12A I02	22-12-2121	A-4094-12A50 I	22-05-2126	A-4094-12AB I02		A-4094-12AC I02			22-05-3128	A-4094-12AJ I02	22-05-2271	A-4094-27A I02	22-05-2277	A-4094-27AJ I02	22-05-2281	A-4094-28A I02	22-05-2287	A-4094-28AJ I02	22-05-2291	A-4094-29A I02	22-05-2297	A-4094-29AJ I02	22-05-2301	A-4094-30A I02
22-05-2131	A-4094-13A I02	22-12-2131	A-4094-13A50 I	22-05-2136	A-4094-13AB I02		A-4094-13AC I02			22-05-3138	A-4094-13AJ I02	22-05-2284	A-4094-28A I02	22-05-2290	A-4094-28AJ I02	22-05-2294	A-4094-29A I02	22-05-2300	A-4094-29AJ I02	22-05-2304	A-4094-30A I02	22-05-2310	A-4094-30AJ I02	22-05-2314	A-4094-31A I02
22-05-2141	A-4094-14A I02	22-12-2141	A-4094-14A50 I	22-05-2146	A-4094-14AB I02		A-4094-14AC I02			22-05-3148	A-4094-14AJ I02	22-05-2311	A-4094-31A I02	22-05-2317	A-4094-31AJ I02	22-05-2321	A-4094-32A I02	22-05-2327	A-4094-32AJ I02	22-05-2331	A-4094-33A I02	22-05-2337	A-4094-33AJ I02	22-05-2341	A-4094-34A I02
22-05-2151	A-4094-15A I02	22-12-2151	A-4094-15A50 I	22-05-2156	A-4094-15AB I02		A-4094-15AC I02			22-05-3158	A-4094-15AJ I02	22-05-2344	A-4094-34A I02	22-05-2350	A-4094-34AJ I02	22-05-2354	A-4094-35A I02	22-05-2360	A-4094-35AJ I02	22-05-2364	A-4094-36A I02	22-05-2370	A-4094-36AJ I02	22-05-2374	A-4094-37A I02
22-05-2161	A-4094-16A I02	22-12-2161	A-4094-16A50 I	22-05-2166	A-4094-16AB I02		A-4094-16AC I02			22-05-3168	A-4094-16AJ I02	22-05-2371	A-4094-37A I02	22-05-2377	A-4094-37AJ I02	22-05-2381	A-4094-38A I02	22-05-2387	A-4094-38AJ I02	22-05-2391	A-4094-39A I02	22-05-2397	A-4094-39AJ I02	22-05-2401	A-4094-40A I02
22-05-2171	A-4094-17A I02	22-12-2171	A-4094-17A50 I	22-05-2176	A-4094-17AB I02		A-4094-17AC I02			22-05-3178	A-4094-17AJ I02	22-05-2384	A-4094-38A I02	22-05-2390	A-4094-38AJ I02	22-05-2394	A-4094-39A I02	22-05-2400	A-4094-39AJ I02	22-05-2404	A-4094-40A I02	22-05-2410	A-4094-40AJ I02	22-05-2414	A-4094-41A I02
22-05-2181	A-4094-18A I02	22-12-2181	A-4094-18A50 I	22-05-2186	A-4094-18AB I02		A-4094-18AC I02			22-05-3188	A-4094-18AJ I02	22-05-2411	A-4094-41A I02	22-05-2417	A-4094-41AJ I02	22-05-2421	A-4094-42A I02	22-05-2427	A-4094-42AJ I02	22-05-2431	A-4094-43A I02	22-05-2437	A-4094-43AJ I02	22-05-2441	A-4094-44A I02
22-05-2191	A-4094-19A I02	22-12-2191	A-4094-19A50 I	22-05-2196	A-4094-19AB I02		A-4094-19AC I02			22-05-3198	A-4094-19AJ I02	22-05-2444	A-4094-44A I02	22-05-2450	A-4094-44AJ I02	22-05-2454	A-4094-45A I02	22-05-2460	A-4094-45AJ I02	22-05-2464	A-4094-46A I02	22-05-2470	A-4094-46AJ I02	22-05-2474	A-4094-47A I02
22-05-2201	A-4094-20A I02	22-12-2201	A-4094-20A50 I	22-05-2206	A-4094-20AB I02		A-4094-20AC I02			22-05-3208	A-4094-20AJ I02	22-05-2471	A-4094-47A I02	22-05-2477	A-4094-47AJ I02	22-05-2481	A-4094-48A I02	22-05-2487	A-4094-48AJ I02	22-05-2491	A-4094-49A I02	22-05-2497	A-4094-49AJ I02	22-05-2501	A-4094-50A I02
22-05-2211	A-4094-21A I02	22-12-2211	A-4094-21A50 I	22-05-2216	A-4094-21AB I02		A-4094-21AC I02			22-05-3218	A-4094-21AJ I02	22-05-2504	A-4094-50A I02	22-05-2510	A-4094-50AJ I02	22-05-2514	A-4094-51A I02	22-05-2520	A-4094-51AJ I02	22-05-2524	A-4094-52A I02	22-05-2530	A-4094-52AJ I02	22-05-2534	A-4094-53A I02
22-05-2221	A-4094-22A I02	22-12-2221	A-4094-22A50 I	22-05-2226	A-4094-22AB I02		A-4094-22AC I02			22-05-3228	A-4094-22AJ I02	22-05-2531	A-4094-53A I02	22-05-2537	A-4094-53AJ I02	22-05-2541	A-4094-54A I02	22-05-2547	A-4094-54AJ I02	22-05-2551	A-4094-55A I02	22-05-2557	A-4094-55AJ I02	22-05-2561	A-4094-56A I02
22-05-2231	A-4094-23A I02	22-12-2231	A-4094-23A50 I	22-05-2236	A-4094-23AB I02		A-4094-23AC I02			22-05-3238	A-4094-23AJ I02	22-05-2564	A-4094-56A I02	22-05-2570	A-4094-56AJ I02	22-05-2574	A-4094-57A I02	22-05-2580	A-4094-57AJ I02	22-05-2584	A-4094-58A I02	22-05-2590	A-4094-58AJ I02	22-05-2594	A-4094-59A I02
22-05-2241	A-4094-24A I02	22-12-2241	A-4094-24A50 I	22-05-2246	A-4094-24AB I02		A-4094-24AC I02			22-05-3248	A-4094-24AJ I02	22-05-2591	A-4094-59A I02	22-05-2597	A-4094-59AJ I02	22-05-2601	A-4094-60A I02	22-05-2607	A-4094-60AJ I02	22-05-2611	A-4094-61A I02	22-05-2617	A-4094-61AJ I02	22-05-2621	A-4094-62A I02
22-05-2251	A-4094-25A I02	22-12-2251	A-4094-25A50 I	22-05-2256	A-4094-25AB I02		A-4094-25AC I02			22-05-3258	A-4094-25AJ I02	22-05-2624	A-4094-62A I02	22-05-2630	A-4094-62AJ I02	22-05-2634	A-4094-63A I02	22-05-2640	A-4094-63AJ I02	22-05-2644	A-4094-64A I02	22-05-2650	A-4094-64AJ I02	22-05-2654	A-4094-65A I02
22-05-2261	A-4094-26A I02	22-12-2261	A-4094-26A50 I	22-05-2266	A-4094-26AB I02		A-4094-26AC I02			22-05-3268	A-4094-26AJ I02	22-05-2651	A-4094-65A I02	22-05-2657	A-4094-65AJ I02	22-05-2661	A-4094-66A I02	22-05-2667	A-4094-66AJ I02	22-05-2671	A-4094-67A I02	22-05-2677	A-4094-67AJ I02	22-05-2681	A-4094-68A I02
22-05-2271	A-4094-27A I02	22-12-2271	A-4094-27A50 I	22-05-2276	A-4094-27AB I02		A-4094-27AC I02			22-05-3278	A-4094-27AJ I02	22-05-2684	A-4094-68A I02	22-05-2690	A-4094-68AJ I02	22-05-2694	A-4094-69A I02	22-05-2700	A-4094-69AJ I02	22-05-2704	A-4094-70A I02	22-05-2710	A-4094-70AJ I02	22-05-2714	A-4094-71A I02
22-05-2281	A-4094-28A I02	22-12-2281	A-4094-28A50 I	22-05-2286	A-4094-28AB I02		A-4094-28AC I02			22-05-3288	A-4094-28AJ I02	22-05-2711	A-4094-71A I02	22-05-2717	A-4094-71AJ I02	22-05-2721	A-4094-72A I02	22-05-2727	A-4094-72AJ I02	22-05-2731	A-4094-73A I02	22-05-2737	A-4094-73AJ I02	22-05-2741	A-4094-74A I02

UPDATE TITLE BLOCK EC NO. UCP2005-2329 DRAWN BY 2005/07/26 CHKD BY CHKCS/SHH/01 APPR BY FSW/TH 2005/07/27	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE MM/IN	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	± ---	± ---																		
	3 PLACES	± ---	± ---																		
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			
DRAWN BY KSS DATE 1984/09/10 CHECKED BY DATE 1984/09/10 APPROVED BY DATE 1984/09/10	TITLE WAFER ASSY FLAT MINI KK (4030 WITH BENT PINS) 4094 SERIES DRAWING	MATERIAL NO. SEE CHART	DOCUMENT NO. SDA-4094	SHEET NO. 4 OF 14																	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
		MOLEX INCORPORATED																			