



	13	12	11	10	9	8	7	6	5	4	3	2	1																																																	
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. T	J																																													
	A-7478-NA I02	2766-4 I(I02)	(18,69) .736	(6,60) .260	(3,58) .141	(3,05) .120	90°	(1,17) .046																																																						
	A-7478-NA50 I	2766-4 I(50 I)	(18,69) .736	(6,60) .260	(3,58) .141	(3,05) .120	90°	(1,17) .046																																																						
I	A-7478-NA50 IT	2766-4 I(50 I)	(18,69) .736	(6,60) .260	(3,58) .141	(3,05) .120	90°	(1,17) .046																																																						
	A-7478-NA I02T	2766-4 I(I02)	(18,69) .736	(6,60) .260	(3,58) .141	(3,05) .120	90°	(1,17) .046																																																						
H																	H																																													
G																	G																																													
F																	F																																													
E																	E																																													
D																	D																																													
C																	C																																													
B																		B																																												
A																		A																																												
<div><div><div>ADD A-7478-NA I02T</div><div>EC NO. UCP2006-1815</div><div>2006/02/06</div><div>DRWNADEB</div><div>2006/02/06</div><div>CHKSELHAG</div><div>2006/02/06</div><div>APPROSMITH</div><div>2006/02/09</div></div><div>Y9</div><div>DESCRIPTION</div><div>REV</div></div> <div><div>QUALITY SYMBOLS</div><div>▼=0</div><div>▽=0</div></div> <div><div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div><table><thead><tr><th></th><th>mm</th><th>INCH</th></tr></thead><tbody><tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td></tr><tr><td>ANGULAR</td><td>±---</td><td>±---</td></tr></tbody></table></div> <div><div>DIMENSION STYLE</div><div>IN/MM</div><div>DRAWN BY</div><div>DATE</div><div>1987/07/10</div><div>CHECKED BY</div><div>DATE</div><div>1987/07/10</div><div>PATEL</div><div>DATE</div><div>1987/07/10</div><div>APPROVED BY</div><div>DATE</div><div>1987/07/10</div><div>LENZ</div></div> <div><div>SCALE</div><div>---</div><div>DESIGN UNITS</div><div>INCH</div></div> <div><div>THIRD ANGLE PROJECTION</div></div> <div><div>FRICITION LOCK HEADER ASY</div><div>.100 CL BENT SQ PINS</div><div>7478 SERIES DWG</div><div>MOLEX INCORPORATED</div><div>SDA-7478</div></div> <div><div>SHEET NO.</div><div>2 OF 7</div></div> <div><div>DRAFT WHERE APPLICABLE</div><div>MUST REMAIN WITHIN DIMENSIONS</div></div> <div><div>SIZE</div><div>C</div><div>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</div></div> <tr><td>tb_frame_C P_ME_T</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td></td></tr> <tr><td>Rev. D 2004/04/02</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr>																		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	ANGULAR	±---	±---	tb_frame_C P_ME_T	12	11	10	9	8	7	6	5	4	3	2	1		Rev. D 2004/04/02													
	mm	INCH																																																												
4 PLACES	±---	±---																																																												
3 PLACES	±---	±---																																																												
2 PLACES	±---	±---																																																												
1 PLACE	±---	±---																																																												
ANGULAR	±---	±---																																																												
tb_frame_C P_ME_T	12	11	10	9	8	7	6	5	4	3	2	1																																																		
Rev. D 2004/04/02																																																														

tb\_frame\_C\_P\_ME\_T  
Rev. D 2004/04/02

	13	12	11	10	9	8	7	6	5	4	3	2	1																	
	A-7478-NA102		A-7478-NA501		A-7478-NA501T		A-7478-NA102T																							
J	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	J																	
	22-05-3021	A-7478-2A102	22-12-2024	A-7478-2A501	50-29-1710	A-7478-2A501T	50-34-8500	A-7478-2A102T																						
	22-05-3031	A-7478-3A102	22-12-2034	A-7478-3A501	50-29-1711	A-7478-3A501T	50-34-8501	A-7478-3A102T																						
	22-05-3041	A-7478-4A102	22-12-2044	A-7478-4A501	50-29-1705	A-7478-4A501T	50-34-8502	A-7478-4A102T																						
I	22-05-3051	A-7478-5A102	22-12-2054	A-7478-5A501	50-29-1712	A-7478-5A501T							I																	
	22-05-3061	A-7478-6A102	22-12-2064	A-7478-6A501	50-29-1713	A-7478-6A501T																								
	22-05-3071	A-7478-7A102	22-12-2074	A-7478-7A501	50-29-1714	A-7478-7A501T																								
	22-05-3081	A-7478-8A102	22-12-2084	A-7478-8A501	50-29-1715	A-7478-8A501T																								
	22-05-3091	A-7478-9A102	22-12-2094	A-7478-9A501	50-29-1716	A-7478-9A501T																								
H	22-05-3101	A-7478-10A102	22-12-2104	A-7478-10A501	50-29-1717	A-7478-10A501T							H																	
	22-05-3111	A-7478-11A102	22-12-2114	A-7478-11A501	50-29-1718	A-7478-11A501T																								
	22-05-3121	A-7478-12A102	22-12-2124	A-7478-12A501	50-29-1719	A-7478-12A501T																								
	22-05-3131	A-7478-13A102	22-12-2134	A-7478-13A501	50-29-1720	A-7478-13A501T																								
	22-05-3141	A-7478-14A102	22-12-2144	A-7478-14A501	50-29-1721	A-7478-14A501T																								
	22-05-3151	A-7478-15A102	22-12-2154	A-7478-15A501	50-29-1722	A-7478-15A501T																								
G	22-05-3161	A-7478-16A102	22-12-2164	A-7478-16A501	50-29-1723	A-7478-16A501T							G																	
	22-05-3171	A-7478-17A102	22-12-2174	A-7478-17A501	50-29-1724	A-7478-17A501T																								
	22-05-3181	A-7478-18A102	22-12-2184	A-7478-18A501	50-29-1725	A-7478-18A501T																								
	22-05-3191	A-7478-19A102	22-12-2194	A-7478-19A501	50-29-1726	A-7478-19A501T																								
	22-05-3201	A-7478-20A102	22-12-2204	A-7478-20A501	50-29-1727	A-7478-20A501T																								
F	22-05-3211	A-7478-21A102	22-12-2214	A-7478-21A501	50-29-1728	A-7478-21A501T							F																	
	22-05-3221	A-7478-22A102	22-12-2224	A-7478-22A501	50-29-1729	A-7478-22A501T																								
	22-05-3231	A-7478-23A102	22-12-2234	A-7478-23A501	50-29-1730	A-7478-23A501T																								
	22-05-3241	A-7478-24A102	22-12-2244	A-7478-24A501	50-29-1731	A-7478-24A501T																								
	22-05-3251	A-7478-25A102	22-12-2254	A-7478-25A501	50-29-1732	A-7478-25A501T																								
	22-05-3261	A-7478-26A102	22-12-2264	A-7478-26A501	50-29-1733	A-7478-26A501T																								
E	22-05-3271	A-7478-27A102	22-12-2274	A-7478-27A501	50-29-1734	A-7478-27A501T							E																	
	22-05-3281	A-7478-28A102	22-12-2284	A-7478-28A501	50-29-1735	A-7478-28A501T																								
D													D																	
C													C																	
B													B																	
A													A																	
<div><div><div>ADD PINS EC NO: UCP2006-1815 DRAWN BY: CHIKOSELHAG APPROVED BY: Y9 2006/02/06 2006/02/06 2006/02/09</div><div>DESCRIPTION</div><div>REV</div></div><div><div>QUALITY SYMBOLS ▽=0 ▽=0</div><div>GENERAL TOLERANCES (UNLESS SPECIFIED)<table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td></tr><tr><td colspan="3">ANGULAR ±---</td></tr></table></div><div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div><div><div>DIMENSION STYLE IN/MM</div><div>DRAWN BY: SUZIK CHECKED BY: PATEL APPROVED BY: LENZ DATE: 1987/07/10 DATE: 1987/07/10 DATE: 1987/07/10</div><div><div>TITLE FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG. MOLEX INCORPORATED</div><div><div>MATERIAL NO. SEE CHART</div><div>DOCUMENT NO. SDA-7478</div><div>SHEET NO. 3 OF 7</div></div></div><div><div>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</div></div></div></div></div></div>														mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	ANGULAR ±---		
	mm	INCH																												
4 PLACES	±---	±---																												
3 PLACES	±---	±---																												
2 PLACES	±---	±---																												
1 PLACE	±---	±---																												
ANGULAR ±---																														
tb_frame_C_P_ME_T Rev. D 2004/04/02	12	11	10	9	8	7	6	5	4	3	2	1																		