





THIS DRAWING IS UNAPPROVED
 ALL RIGHTS RESERVED

REV	DATE	BY	CHK	APP	REVISIONS
AD	00				
L2					REVISED PER ECD-11-04820



RECOMMENDED PCB LAYOUT
 FOR USE WITH .008 THICK STENCIL

- △ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING
- △ 0.0025[.000100]-0.0050[.000200] MATTE TIN-LEAD OVER
- 0.00127[.000050] NICKEL ENTIRE POST
- △ HOUSING: LCP, COLOR-BLACK
- △ 0.0025[.000100]-0.0050[.000200] BRIGHT TIN OVER
- 0.00127[.000050] NICKEL ENTIRE POST.
- △ PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- △ 0.0025[.000100]-0.0050[.000200] MATTE TIN OVER
- 0.00127[.000050] NICKEL ENTIRE POST
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

△	35.56	14	37.69	15	6-146132-3
△	33.02	13	35.15	14	6-146132-2
△	30.48	12	32.61	13	6-146132-1
△	27.94	11	30.07	12	6-146132-0
△	25.40	10	27.53	11	5-146132-9
△	22.86	9	24.99	10	5-146132-8
△	20.32	8	22.45	9	5-146132-7
△	17.78	7	19.91	8	5-146132-6
△	15.24	6	17.37	7	5-146132-5
△	12.70	5	14.83	6	5-146132-4
△	10.16	4	12.29	5	5-146132-3
△	7.62	3	9.75	4	5-146132-2
△	5.08	2	7.21	3	5-146132-1
△	15.24	6	17.37	7	1-146132-5
△	35.56	14	37.69	15	1-146132-3
△	33.02	13	35.15	14	1-146132-2
△	30.48	12	32.61	13	1-146132-1
△	27.94	11	30.07	12	1-146132-0
△	25.40	10	27.53	11	146132-9
△	22.86	9	24.99	10	146132-8
△	20.32	8	22.45	9	146132-7
△	17.78	7	19.91	8	146132-6
△	15.24	6	17.37	7	146132-5
△	12.70	5	14.83	6	146132-4
△	10.16	4	12.29	5	146132-3
△	7.62	3	9.75	4	146132-2
△	5.08	2	7.21	3	146132-1
△	35.56	14	37.69	15	1-146132-3
△	33.02	13	35.15	14	1-146132-2
△	30.48	12	32.61	13	1-146132-1
△	27.94	11	30.07	12	1-146132-0
△	25.40	10	27.53	11	146132-9
△	22.86	9	24.99	10	146132-8
△	20.32	8	22.45	9	146132-7
△	17.78	7	19.91	8	146132-6
△	15.24	6	17.37	7	146132-5
△	12.70	5	14.83	6	146132-4
△	10.16	4	12.29	5	146132-3
△	7.62	3	9.75	4	146132-2
△	5.08	2	7.21	3	146132-1

△ SUPERSEDED BY 5-146132-3

INCHES	MILLIMETERS	INCHES	MILLIMETERS	INCHES	MILLIMETERS
0.001	0.025	0.002	0.050	0.005	0.127
0.005	0.127	0.010	0.254	0.020	0.508
0.010	0.254	0.020	0.508	0.050	1.270
0.020	0.508	0.050	1.270	0.100	2.540
0.050	1.270	0.100	2.540	0.200	5.080
0.100	2.540	0.200	5.080	0.500	12.700
0.200	5.080	0.500	12.700	1.000	25.400
0.500	12.700	1.000	25.400	2.000	50.800
1.000	25.400	2.000	50.800	5.000	127.000
2.000	50.800	5.000	127.000	10.000	254.000

TE Connectivity
 SURFACE MOUNT HEADER ASSEMBLY, MOD II,
 BREAKAWAY, VERTICAL, SINGLE ROW.
 .100 C/L, .025 SQ. POST

DATE: 10-11-02
 DRAWING NO: 100779
 REV: 1
 PART NUMBER: 146132