





REV	DATE	DESCRIPTION	BY	APP
J	02 02 03	0826 04	11F85V	BSV/JLG
J1	REVISED PER ECO-09-020932		0789P9	KKK/JAG



- △ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING.
- △ 0.000762[.000030] GOLD ON CONTACT AREA, 0.00254[.000100]-0.00508[.000200] MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127[.000050] NICKEL.
- △ HOUSING: LCP, COLOR-BLACK. POSTS: PHOSPHOR BRONZE.
- △ 0.000762[.000030] GOLD ON CONTACT AREA, 0.00254[.000100]-0.00508[.000200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127[.000050] NICKEL.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED PCB LAYOUT
 FOR USE WITH .008 THICK STENCIL

PLATING	C	B	A	NO OF POSN	PART NUMBER
△ OBSOLETE	35.56 [1.400]	14	35.69 [1.484]	15	6-146129-3
△ OBSOLETE	33.02 [1.300]	13	33.15 [1.384]	14	6-146129-2
△ OBSOLETE	30.48 [1.200]	12	30.61 [1.284]	13	6-146129-1
△ OBSOLETE	27.94 [1.100]	11	28.07 [1.184]	12	6-146129-0
△ OBSOLETE	25.40 [1.000]	10	27.53 [1.084]	11	5-146129-9
△ OBSOLETE	22.86 [.900]	9	24.99 [.984]	10	5-146129-8
△ OBSOLETE	20.32 [.800]	8	22.45 [.884]	9	5-146129-7
△ OBSOLETE	17.78 [.700]	7	19.91 [.784]	8	5-146129-6
△ OBSOLETE	15.24 [600]	6	17.37 [.684]	7	5-146129-5
△ OBSOLETE	12.70 [500]	5	14.83 [.584]	6	5-146129-4
△ OBSOLETE	10.16 [400]	4	12.29 [.484]	5	5-146129-3
△ OBSOLETE	7.62 [300]	3	9.75 [.384]	4	5-146129-2
△ OBSOLETE	5.08 [200]	2	7.21 [.284]	3	5-146129-1
△ OBSOLETE	35.56 [1.400]	14	35.69 [1.484]	15	1-146129-3
△ OBSOLETE	33.02 [1.300]	13	33.15 [1.384]	14	1-146129-2
△ SUPERSEDED	30.48 [1.200]	12	30.61 [1.284]	13	1-146129-1
△ SUPERSEDED	27.94 [1.100]	11	28.07 [1.184]	12	1-146129-0
△ OBSOLETE	25.40 [1.000]	10	27.53 [1.084]	11	146129-9
△ OBSOLETE	22.86 [900]	9	24.99 [.984]	10	146129-8
△ SUPERSEDED	20.32 [800]	8	22.45 [.884]	9	146129-7
△ SUPERSEDED	17.78 [700]	7	19.91 [.784]	8	146129-6
△ OBSOLETE	15.24 [600]	6	17.37 [.684]	7	146129-5
△ SUPERSEDED	12.70 [500]	5	14.83 [.584]	6	146129-4
△ SUPERSEDED	10.16 [400]	4	12.29 [.484]	5	146129-3
△ SUPERSEDED	7.62 [300]	3	9.75 [.384]	4	146129-2
△ SUPERSEDED	5.08 [200]	2	7.21 [.284]	3	146129-1

THIS DRAWING IS A CONTROLLED DOCUMENT. SEE TABLE

DATE: 03-01-08
 DRAWING NO: 00779
 CUSTOMER DRAWING: 146129

TI Electronics Corporation
 Harrisburg, Pa 17105-3008

SURFACE MOUNT HEADER ASSEMBLY,
 MOD II, BREAKAWAY, VERTICAL, SINGLE ROW,
 100 X 100 Q/L, 025 SOLDER POST

REVISED PER ECO-09-020932