



DO NOT SCALE
DIMENSIONS IN mm


METRIC

THIRD ANGLE PROJECTION

- NOTES**
- △ SNAP-IN POLARIZERS PN. 927636-2 OR 927637-2 CAN BE APPLIED.
 - △ THERE IS NO WINDOW FOR SNAP-IN POLARIZERS AT THIS END IN 10 AND 14 POS. HEADERS.
 - △ INDICATION OF FIRST POSITION.
 - △ THERE IS NO CENTER STAND-OFF IN 10-26 POS. HEADERS.



RECOMMENDED PCB-HOLE PATTERN



87.9	86.4	78.7	64	6-827745-4
82.9	81.3	73.7	60	6-827745-0
70.2	68.6	61.0	50	5-827745-0
62.5	61.0	53.3	44	4-827745-4
57.5	55.9	48.3	40	4-827745-0
49.8	48.3	40.6	34	3-827745-4
44.8	43.2	35.6	30	3-827745-0
39.7	38.1	30.5	26	2-827745-6
37.1	35.6	27.9	24	2-827745-4
32.1	30.5	22.9	20	2-827745-0
27.0	25.4	17.8	16	1-827745-6
24.4	22.9	15.2	14	1-827745-4
19.4	17.8	10.2	10	1-827745-0

② PIN-CONTACT	BRASS	HATING SIDE: 0.8µm AU OR 0.8µm AMP DURAGOLD®/ OVER 1.27µm Ni SOLDER SIDE: MIN. 3.0µm Sn OVER 1.27µm Ni
① HOUSING	GLASSFILLED POLYESTER	BLACK
COMPONENT NAME	MATERIAL	PLATING/COLOR

CUSTOMER DRAWING FOR REFERENCE ONLY
WILL NOT BE UPDATED

© COPYRIGHT 19- BY AMP HOLLAND B.V.
ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE
COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING.

THIS DRAWING IS UNPUBLISHED
RELEASED FOR PUBLICATION - , 19 -

AMP HOLLAND B.V.
's-Hertogenbosch, The Netherlands.

AMP
AMP-LATCH HEADER 180° VERSION.
SHORT END

LTR.	REVISION RECORD	DR.	CHK.	DATE
J.v.LIEMPT				
DATE: 29 NOV 93	CHK.: R. VERSTIJNEN	APP.: L.V. SREEST.		
DATE:	DATE:	DATE:		

DWS. No.	LOC.	SHEET	REV. LTR.
C-827745	AI A3	1 OF 1	C1

DIM. "C"	DIM. "B"	DIM. "A"	NR. OF POSITIONS	PARTNUMBER
----------	----------	----------	------------------	------------

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1