



THIS DRAWING IS A CONTROLLED DOCUMENT		REV		MFCR		00000	
DATE	BY	DATE	BY	DATE	BY	DATE	BY
11/03/08	AD	11/03/08	AD	11/03/08	AD	11/03/08	AD

DESIGNER	DESIGNED BY	DATE	REV	DATE	REV
AD	AD	11/03/08	00	11/03/08	00

DESCRIPTION	REV	DATE	REV	DATE	REV
AMPMODU MTE SURFACE MOUNT, VERTICAL HEADER ASSEMBLY	00	11/03/08	00	11/03/08	00

REV	DATE	DESCRIPTION	BY	CHK	APP
00	11/03/08	114-25026	AD	AD	HMR

114-25026
 A100779G=1375549

CUSTOMER DRAWING

SIZE: 8:1 SHEET: 1 OF 2

THIS DRAWING IS UNAPPROVED FOR PUBLICATION
 ALL RIGHTS RESERVED

REV	DATE	DESCRIPTION	BY	CHK	APP
AD	00	SEE SHEET 1			

REV	DATE	DESCRIPTION	BY	CHK	APP			
88	3.465	64.01(2.530)	32.01(1.260)	64.02(2.520)	66.04(2.600)	60.96(2.400)	25	7-1375549-4
88	3.465	61.47(2.420)	30.74(1.210)	61.48(2.420)	63.50(2.500)	58.42(2.300)	24	7-1375549-3
88	3.465	58.93(2.320)	29.47(1.160)	58.94(2.320)	60.96(2.400)	55.88(2.200)	23	7-1375549-2
88	3.465	56.39(2.220)	28.20(1.110)	56.40(2.220)	58.42(2.300)	53.34(2.100)	22	7-1375549-1
88	3.465	53.85(2.120)	26.93(1.060)	53.86(2.120)	55.88(2.200)	50.80(2.000)	21	7-1375549-0
72	2.835	51.31(2.020)	25.66(1.010)	51.32(2.020)	53.34(2.100)	48.26(1.900)	20	6-1375549-9
72	2.835	48.77(1.920)	24.39(0.960)	48.78(1.920)	50.80(2.000)	45.72(1.800)	19	6-1375549-8
72	2.835	46.23(1.820)	23.12(0.910)	46.24(1.820)	48.26(1.900)	43.18(1.700)	18	6-1375549-7
72	2.835	43.69(1.720)	21.85(0.860)	43.70(1.720)	45.72(1.800)	40.64(1.600)	17	6-1375549-6
72	2.835	41.15(1.620)	20.58(0.810)	41.16(1.620)	43.18(1.700)	38.10(1.500)	16	6-1375549-5
56	2.205	38.61(1.520)	19.31(0.760)	38.62(1.520)	40.64(1.600)	35.56(1.400)	15	6-1375549-4
56	2.205	36.07(1.420)	18.04(0.710)	36.08(1.420)	38.10(1.500)	33.02(1.300)	14	6-1375549-3
56	2.205	33.53(1.320)	16.77(0.660)	33.54(1.320)	35.56(1.400)	30.48(1.200)	13	6-1375549-2
56	2.205	30.99(1.220)	15.50(0.610)	31.00(1.220)	33.02(1.300)	27.94(1.100)	12	6-1375549-1
56	2.205	28.45(1.120)	14.23(0.560)	28.46(1.120)	30.48(1.200)	25.40(1.000)	11	6-1375549-0
56	2.205	25.91(1.020)	12.96(0.510)	25.92(1.020)	27.94(1.100)	22.86(0.900)	10	5-1375549-9
44	1.732	23.37(0.920)	11.69(0.460)	23.38(0.920)	25.40(1.000)	20.32(0.800)	9	5-1375549-8
44	1.732	20.83(0.820)	10.42(0.410)	20.84(0.820)	22.86(0.900)	17.78(0.700)	8	5-1375549-7
44	1.732	18.29(0.720)	9.15(0.360)	18.30(0.720)	20.32(0.800)	15.24(0.600)	7	5-1375549-6
32	1.260	15.75(0.620)	7.88(0.310)	15.76(0.620)	17.78(0.700)	12.70(0.500)	6	5-1375549-5
32	1.260	13.21(0.520)	6.61(0.260)	13.22(0.520)	15.24(0.600)	10.16(0.400)	5	5-1375549-4
32	1.260	10.67(0.420)	5.34(0.170)	10.68(0.420)	12.70(0.500)	7.62(0.300)	4	5-1375549-3
32	1.260	8.13(0.320)	4.07(0.160)	8.14(0.320)	10.16(0.400)	5.08(0.200)	3	5-1375549-2
24	0.945	5.59(0.220)	2.80(0.110)	5.60(0.220)	7.62(0.300)	2.54(0.100)	2	5-1375549-1
88	3.465	64.01(2.530)	32.01(1.260)	64.02(2.520)	66.04(2.600)	60.96(2.400)	25	2-1375549-4
88	3.465	61.47(2.420)	30.74(1.210)	61.48(2.420)	63.50(2.500)	58.42(2.300)	24	2-1375549-3
88	3.465	58.93(2.320)	29.47(1.160)	58.94(2.320)	60.96(2.400)	55.88(2.200)	23	2-1375549-2
88	3.465	56.39(2.220)	28.20(1.110)	56.40(2.220)	58.42(2.300)	53.34(2.100)	22	2-1375549-1
88	3.465	53.85(2.120)	26.93(1.060)	53.86(2.120)	55.88(2.200)	50.80(2.000)	21	2-1375549-0
72	2.835	51.31(2.020)	25.66(1.010)	51.32(2.020)	53.34(2.100)	48.26(1.900)	20	1-1375549-9
72	2.835	48.77(1.920)	24.39(0.960)	48.78(1.920)	50.80(2.000)	45.72(1.800)	19	1-1375549-8
72	2.835	46.23(1.820)	23.12(0.910)	46.24(1.820)	48.26(1.900)	43.18(1.700)	18	1-1375549-7
72	2.835	43.69(1.720)	21.85(0.860)	43.70(1.720)	45.72(1.800)	40.64(1.600)	17	1-1375549-6
72	2.835	41.15(1.620)	20.58(0.810)	41.16(1.620)	43.18(1.700)	38.10(1.500)	16	1-1375549-5
56	2.205	38.61(1.520)	19.31(0.760)	38.62(1.520)	40.64(1.600)	35.56(1.400)	15	1-1375549-4
56	2.205	36.07(1.420)	18.04(0.710)	36.08(1.420)	38.10(1.500)	33.02(1.300)	14	1-1375549-3
56	2.205	33.53(1.320)	16.77(0.660)	33.54(1.320)	35.56(1.400)	30.48(1.200)	13	1-1375549-2
56	2.205	30.99(1.220)	15.50(0.610)	31.00(1.220)	33.02(1.300)	27.94(1.100)	12	1-1375549-1
56	2.205	28.45(1.120)	14.23(0.560)	28.46(1.120)	30.48(1.200)	25.40(1.000)	11	1-1375549-0
56	2.205	25.91(1.020)	12.96(0.510)	25.92(1.020)	27.94(1.100)	22.86(0.900)	10	1375549-9
44	1.732	23.37(0.920)	11.69(0.460)	23.38(0.920)	25.40(1.000)	20.32(0.800)	9	1375549-8
44	1.732	20.83(0.820)	10.42(0.410)	20.84(0.820)	22.86(0.900)	17.78(0.700)	8	1375549-7
44	1.732	18.29(0.720)	9.15(0.360)	18.30(0.720)	20.32(0.800)	15.24(0.600)	7	1375549-6
32	1.260	15.75(0.620)	7.88(0.310)	15.76(0.620)	17.78(0.700)	12.70(0.500)	6	1375549-5
32	1.260	13.21(0.520)	6.61(0.260)	13.22(0.520)	15.24(0.600)	10.16(0.400)	5	1375549-4
32	1.260	10.67(0.420)	5.34(0.170)	10.68(0.420)	12.70(0.500)	7.62(0.300)	4	1375549-3
32	1.260	8.13(0.320)	4.07(0.160)	8.14(0.320)	10.16(0.400)	5.08(0.200)	3	1375549-2
24	0.945	5.59(0.220)	2.80(0.110)	5.60(0.220)	7.62(0.300)	2.54(0.100)	2	1375549-1

PLATING	TAPE WIDTH	H	D	C	B	A	NO OF PINS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

REVISIONS: 108-25034-2

DATE: 11-25-02

BY: [Signature]

CHK: [Signature]

APP: [Signature]

TE CONNECTIVITY

AMPMODU MTE SURFACE MOUNT, VERTICAL HEADER ASSEMBLY

REV: 108-25034-2

DATE: 11-25-02

BY: [Signature]

CHK: [Signature]

APP: [Signature]