

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	BY	APPD
AD	39	K2	REVISED PER ECO-11-004820	11MAR11	RK HMR



RECOMMENDED HOLE LAYOUT

- 1 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 2 THE NOTED DIMENSION APPLY FROM THE BASIC DIMENSION LINE (NOT THE POST CENTERLINE) TO THE SURFACE INDICATED.
- 3 TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADERS ARE HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

REV	DATE	DESCRIPTION	BY	APPD
1	2-87221-6			
2	2-87221-5			
3	2-87221-4			
4	2-87221-3			
5	2-87221-2			
6	2-87221-1			
7	1-87221-9			
8	1-87221-8			
9	1-87221-7			
10	1-87221-6			
11	1-87221-5			
12	1-87221-4			
13	1-87221-3			
14	1-87221-2			
15	1-87221-1			
16	1-87221-0			
17	87221-9			
18	87221-8			
19	87221-7			
20	87221-6			
21	87221-5			
22	87221-4			
23	87221-3			
24	87221-2			
25	87221-1			
26	87221-0			
27	87221-9			
28	87221-8			
29	87221-7			
30	87221-6			
31	87221-5			
32	87221-4			
33	87221-3			
34	87221-2			
35	87221-1			
36	87221-0			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DATE: 10-18-85	BY: L. RINGLEY	TE Connectivity
Ø .0005	Ø .0005	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .001	Ø .001	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .002	Ø .002	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .005	Ø .005	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .010	Ø .010	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .020	Ø .020	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .050	Ø .050	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .100	Ø .100	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .200	Ø .200	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø .500	Ø .500	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1.000	Ø 1.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2.000	Ø 2.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5.000	Ø 5.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10.000	Ø 10.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20.000	Ø 20.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50.000	Ø 50.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100.000	Ø 100.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200.000	Ø 200.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500.000	Ø 500.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000.000	Ø 1000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000.000	Ø 2000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000.000	Ø 5000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000.000	Ø 10000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000.000	Ø 20000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000.000	Ø 50000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000.000	Ø 100000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000.000	Ø 200000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000.000	Ø 500000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000.000	Ø 1000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000.000	Ø 2000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000.000	Ø 5000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000.000	Ø 10000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000.000	Ø 20000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000.000	Ø 50000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000.000	Ø 100000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000.000	Ø 200000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000.000	Ø 500000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000.000	Ø 1000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000.000	Ø 2000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000.000	Ø 5000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000.000	Ø 10000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000.000	Ø 20000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000.000	Ø 50000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000.000	Ø 100000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000.000	Ø 200000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000.000	Ø 500000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000.000	Ø 1000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000.000	Ø 2000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000.000	Ø 5000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000.000	Ø 10000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000.000	Ø 20000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000.000	Ø 50000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000.000	Ø 100000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000.000	Ø 200000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000.000	Ø 500000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000.000	Ø 1000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000.000	Ø 2000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000.000	Ø 5000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000000.000	Ø 10000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000000.000	Ø 20000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000000.000	Ø 50000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000000.000	Ø 100000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000000.000	Ø 200000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000000.000	Ø 500000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000000.000	Ø 1000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000000.000	Ø 2000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000000.000	Ø 5000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000000000.000	Ø 10000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000000000.000	Ø 20000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000000000.000	Ø 50000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000000000.000	Ø 100000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000000000.000	Ø 200000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000000000.000	Ø 500000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000000000.000	Ø 1000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000000000.000	Ø 2000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000000000.000	Ø 5000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000000000000.000	Ø 10000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000000000000.000	Ø 20000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000000000000.000	Ø 50000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000000000000.000	Ø 100000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000000000000.000	Ø 200000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000000000000.000	Ø 500000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000000000000.000	Ø 1000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000000000000.000	Ø 2000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000000000000.000	Ø 5000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000000000000000.000	Ø 10000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000000000000000.000	Ø 20000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000000000000000.000	Ø 50000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000000000000000.000	Ø 100000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000000000000000.000	Ø 200000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000000000000000.000	Ø 500000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000000000000000.000	Ø 1000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000000000000000.000	Ø 2000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000000000000000.000	Ø 5000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 10000000000000000000000000000.000	Ø 10000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 20000000000000000000000000000.000	Ø 20000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 50000000000000000000000000000.000	Ø 50000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 100000000000000000000000000000.000	Ø 100000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 200000000000000000000000000000.000	Ø 200000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 500000000000000000000000000000.000	Ø 500000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1000000000000000000000000000000.000	Ø 1000000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 2000000000000000000000000000000.000	Ø 2000000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 5000000000000000000000000000000.000	Ø 5000000000000000000000000000000.000	DATE: 10-28-85	BY: T. ZOLA	TE Connectivity
Ø 1				