



Tous droits strictement réservés. Reproduction ou communication sans l'écrit de la FCI. Propriété de la FCI. Droits de reproduction FCI.


FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NO.
68794



SECTION Y-Y



SECTION Z-Z



mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com					
ltr	ecr no	dr	date	linear	.X ± 0.3	projection	title				
E	N05-015	ZC	6/10/05		.XX ± 0.13			HEADER QUICKIE SLIM LINE			
				angles	.XXX ± 0.05		VERTICAL 4 WALLED				
				dr	±	INCH/MM	product family QUICKIE				
				enr	J.W. BAIR 8/1/90			size	code		
				chr	M.SMYK 8/1/90					scale	A3
				appd	M.SMYK 8/1/90						
sheet	revision						sheet				
index	sheet						1 of 8				

form no. 7530-001-104




PDM: Rev:E STATUS Released Printed: Apr 12, 2011

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite de FCI. Propriété de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.



NOTES:

- ① SAME PIN POSITION TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- ② MOLDING MATERIAL: 30% GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL-94-VO COLOR: BLUE.
- 3. 1° MAX DRAFT PERMISSIBLE ON ALL SURFACES.
- 4. 4 POUNDS / 1.8 KILOGRAMS MIN. TERMINAL PULL-OUT FORCE.
- 5. TERMINAL MATERIAL: 3/4 HARD PHOSPHORUS BRONZE.
- 6. POLARIZING KEYS INSTALLED IN HEADERS.
- ⑦ THIS PRODUCT IS MADE FROM HEADER NO. 66506 AND POLARIZING KEY NO. 66423.
- ⑧ MOLDED-IN KEYS ARE MANUFACTURER'S OPTION.
- 9. 68794-***LF IS JUST A LEAD FREE PRODUCT.
- 10. THE HOUSING OF XXXX-XYLFF WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.x ± 0.3	projection	title		
E					.xx ± 0.13				HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED
				angles	.xxx ± 0.05				
					±	INCH/MM	product family QUICKIE		
				dr	J.W. BAIR	8/1/90	size	code	
				enr	M.SMYK	8/1/90	dwg no		
				chr	M.SMYK	8/1/90	scale	sheet	
				appd	M.SMYK	8/1/90			68794
sheet index	revision sheet							2 of 8	

form no. 7530-001-104

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans que que forme que ce soit sans autorisation écrite du Propriétaire de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-001(LF)									
-002(LF)							UNASSIGNED		
-003(LF)							UNASSIGNED		
-004(LF)							UNASSIGNED		
-005(LF)							UNASSIGNED		
-006(LF)							UNASSIGNED		
-007(LF)	2 x 10	D	1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	NO
-008(LF)	2 x 10		1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-009(LF)	2 x 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15	30u" / .76u Au DVER 50u" / 1.27u Ni	SQ	
-010(LF)	2 x 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	150u" / 3.81u Sn	SQ	
-011(LF)	2 x 10		1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	150u" / 3.81u Sn	SQ	
-012(LF)	2 x 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15	150u" / 3.81u Sn	SQ	
-013(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-014(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.150/3.81	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-015(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15	30u" / .76u Au DVER 50u" / 1.27u Ni	SQ	
-016(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67	150u" / 3.81u Sn	SQ	
-017(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.150/3.81	150u" / 3.81u Sn	SQ	
-018(LF)	2 x 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15	150u" / 3.81u Sn		
-019(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-020(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-021(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15	30u" / .76u Au DVER 50u" / 1.27u Ni	SQ	
-022(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	150u" / 3.81u Sn	SQ	
-023(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81	150u" / 3.81u Sn	SQ	
-024(LF)	2 x 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15	150u" / 3.81u Sn	SQ	
-025(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-026(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.150/3.81	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-027(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15	30u" / .76u Au DVER 50u" / 1.27u Ni	SQ	
-028(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67	150u" / 3.81u Sn	SQ	
-029(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.150/3.81	150u" / 3.81u Sn	SQ	
-030(LF)	2 x 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15	150u" / 3.81u Sn	SQ	
-031(LF)	2 x 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-032(LF)	2 x 25		2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81	30u" / .76u Au DVER 50u" / 1.27u Ni	ROUND	
-033(LF)	2 x 25		2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	30u" / .76u Au DVER 50u" / 1.27u Ni	SQ	
-034(LF)	2 x 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67	150u" / 3.81u Sn	SQ	
66506-035(LF)	2 x 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81	150u" / 3.81u Sn	SQ	NO




mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	.x ± 0.3	projection	title
E					.xx ± 0.13		HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED
					.xxx ± 0.05		
				angles	±		
		dr	J.W. BAIR	8/1/90	INCH/MM	product family	QUICKIE
		enr	M.SMYK	8/1/90	←	size	
		chr	M.SMYK	8/1/90	→	dwg no	68794
		pppd	M.SMYK	8/1/90	scale	1:1	sheet 3 of 8
sheet	revision						
index	sheet						

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Propriétaire de FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-036(LF)	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	150u' / 3.81u TIN	SQUARE	NO
-037(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67	30u' / 0.76u Au OVER 50u' / 1.27u Ni	ROUND	
-038(LF)	2 X 7					.150/3.81	30u' / 0.76u Au OVER 50u' / 1.27u Ni	ROUND	
-039(LF)	2 X 7					.675/17.15	30u' / 0.76u Au OVER 50u' / 1.27u Ni	SQUARE	
-040(LF)	2 X 7					.105/2.67	150u' / 3.81u TIN	SQUARE	
-041(LF)	2 X 7					.150/3.81	150u' / 3.81u TIN	SQUARE	
-042(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15	150u' / 3.81u TIN	SQUARE	
-043(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67	30u' / 0.76u Au OVER 50u' / 1.27u Ni	ROUND	
-044(LF)	2 X 8					.150/3.81	30u' / 0.76u Au OVER 50u' / 1.27u Ni	ROUND	
-045(LF)	2 X 8					.675/17.15	30u' / 0.76u Au OVER 50u' / 1.27u Ni	SQUARE	
-046(LF)	2 X 8					.105/2.67	150u' / 3.81u TIN	SQUARE	
-047(LF)	2 X 8					.150/3.81	150u' / 3.81u TIN	SQUARE	
-048(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.675/17.15	150u' / 3.81u TIN	SQUARE	NO
-049(LF)	UNASSIGNED								
-050(LF)	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	30u' / 0.76u GXT WITH GOLD FLASH	ROUND	NO
-051(LF)	2 X 13	D	1.58/40.1	1.52/38.6	1.200/30.48				
-052(LF)	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64				
-053(LF)	2 X 23	D	2.28/57.9	2.22/56.4	1.900/48.26				
-054(LF)	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96				
-055(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24				
-056(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.150/3.81	30u' / 0.76u GXT WITH GOLD FLASH		
-057(LF)	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	30u' / 0.76u Au OVER 50u' / 1.27u Ni		
-058(LF)	2 X 30					.150/3.81	30u' / 0.76u Au OVER 50u' / 1.27u Ni	ROUND	
-059(LF)	2 X 30					.675/17.15	30u' / 0.76u Au OVER 50u' / 1.27u Ni	SQUARE	
-060(LF)	2 X 30					.105/2.67	150u' / 3.81u TIN	SQUARE	
-061(LF)	2 X 30					.150/3.81	150u' / 3.81u TIN	SQUARE	
-062(LF)	2 X 30					.675/17.15	150u' / 3.81u TIN	SQUARE	
-063(LF)	2 X 30					.105/2.67	30u' / 0.76u GXT WITH GOLD FLASH	ROUND	
-064(LF)	2 X 30					.150/3.81	30u' / 0.76u GXT WITH GOLD FLASH	ROUND	
-065(LF)	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.675/17.15	30u' / 0.76u GXT WITH GOLD FLASH	SQUARE	
-066(LF)	UNASSIGNED								
-067(LF)	UNASSIGNED								
-068(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67	30u' / 0.76u GXT WITH GOLD FLASH	ROUND	
-069(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15	30u' / 0.76u GXT WITH GOLD FLASH	SQUARE	
68794-070(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67	30u' / 0.76u GXT WITH GOLD FLASH	ROUND	NO

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ± 0.3	projection	title
E					.XX ± 0.13		HEADER QUICKIE SLIM LINE
				angles	.XXX ± 0.05		VERTICAL 4 WALLED
				dr	J.W. BAIR 8/1/90	INCH/MM	product family QUICKIE
				enrg	M.SMYK 8/1/90	←	code
				chr	M.SMYK 8/1/90	→	68794
				ppgd	M.SMYK 8/1/90	scale 1:1	sheet 4 of 8
sheet index	revision	sheet					

form no. 7530-001-104

PDM: Rev:E STATUS Released Printed: Apr 12, 2011 6

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sans que l'on ait obtenu l'autorisation écrite de la propriété de FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form without the written authority of the proprietor. Property of FCI. Copyright FCI.

	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-071(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.675/17.15	30u"/0.76u GXT WITH GOLD FLASH	SQ	ND
-072(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67		RD	
-073(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15		SQ	
-074(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67		RD	
-075(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15		SQ	
-076(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67		RD	
-077(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15		SQ	
-078(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67		RD	
-079(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15		SQ	
-080(LF)	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67		RD	
-081(LF)	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	30u"/0.76u GXT WITH GOLD FLASH	SQ	
-082(LF)	UNASSIGNED								
-083(LF)	UNASSIGNED								
-084(LF)	UNASSIGNED								
-085(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	RD	
-086(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.150/3.81		RD	
-087(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15		SQ	
-088(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67		RD	
-089(LF)	2 X 8		1.08/27.4	1.02/25.9	.700/17.78	.150/3.81		RD	
-090(LF)	2 X 8		1.08/27.4	1.02/25.9	.700/17.78	.675/17.15		SQ	
-091(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67		RD	
-092(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.150/3.81		RD	
-093(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15		SQ	
-094(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67		RD	
-095(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.150/3.81		RD	
-096(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15		SQ	
-097(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67		RD	
-098(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81		RD	
-099(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15		SQ	
-100(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67		RD	
-101(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.150/3.81		RD	
-102(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15		SQ	
-103(LF)	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67		RD	
-104(LF)	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81		RD	
68794-105(LF)	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ	ND

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY		A FCI	www.fciconnect.com
tr	ecr no	dr			
E				angles	±
				dr	J.W. BAIR 8/1/90
				enr	M.SMYK 8/1/90
				chr	M.SMYK 8/1/90
				pppg	M.SMYK 8/1/90
sheet index	revision sheet				

form no. 7530-001-104


PDM: Rev:E STATUS Released Printed: Apr 12, 2011 6

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Propriétaire de FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-106(LF)	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	NO
-107(LF)	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.150/3.81	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	
-108(LF)	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ	
-109(LF)	2 X 5	B	.780/19.81	.72/18.3	.400/10.16	.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	
-110(LF)						.150/3.81	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	
-111(LF)						.675/17.15	30u"/.76u Au OVER 50u"/1.27u Ni	SQ	
-112(LF)						.105/2.67	150u"/3.81u Sn	SQ	
-113(LF)						.150/3.81	150u"/3.81u Sn	SQ	
-114(LF)						.675/17.15	150u"/3.81u Sn	SQ	
-115(LF)						.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	
-116(LF)						.150/3.81	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	
-117(LF)						.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ	
-118(LF)						.105/2.67	30u"/.76u GXT WITH GOLD FLASH	ROUND	
-119(LF)						.150/3.81	30u"/.76u GXT WITH GOLD FLASH	ROUND	
68794-120(LF)	2 x 5	B	.780/19.81	.72/18.3	.400/10.16	.675/17.15	30u"/.76u GXT WITH GOLD FLASH	SQ	NO
68794-121(LF)									
THRU (LF)									
68794-216(LF)									
DISCONTINUED									
68794-217(LF)	2 x 12	D	1.48/38.0	1.42/36.1	1.100/27.94	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	NO
-218(LF)						.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	
-219(LF)						.105/2.67	30u"/.76u GXT WITH GOLD FLASH	ROUND	
-220(LF)						.105/2.67	150u"/3.81u Sn	SQ	
-221(LF)						.150/3.81	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	
-222(LF)						.150/3.81	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	
-223(LF)						.150/3.81	30u"/.76u GXT WITH GOLD FLASH	ROUND	
-224(LF)						.150/3.81	150u"/3.81u Sn	SQ	
-225(LF)						.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ	
-226(LF)						.675/17.15	30u"/.76u Au OVER 50u"/1.27u Ni	SQ	
-227(LF)						.675/17.15	30u"/.76u GXT WITH GOLD FLASH	SQ	
-228(LF)	2 x 12		1.48/38.0	1.42/36.1	1.100/27.94	.675/17.15	150u"/3.81u Sn	SQ	
-229(LF)	2 x 15		1.78/45.2	1.72/43.7	1.400/35.56	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	
-230(LF)						.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	
-231(LF)						.105/2.67	30u"/.76u GXT WITH GOLD FLASH	ROUND	
-232(LF)						.105/2.67	150u"/3.81u Sn	SQ	
68794-233(LF)	2 x 15	D	1.78/45.2	1.72/43.7	1.400/35.56	.150/3.81	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND	NO

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	 www.fciconnect.com
ltr ecn no dr date	linear .x ± 0.3 .xx ± 0.13 .xxx ± 0.05	projection	
	angles ±	INCH/MM	
dr J.W. BAIR 8/1/80 enr M.SMYK 8/1/80 chr M.SMYK 8/1/80 pppd M.SMYK 8/1/80		scale 1:1	
sheet index	revision sheet	product family QUICKIE size A3 dwg no 68794	code sheet 6 of 8

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED	
68794-234(LF)	2 X 15	D	1.78/45.2	1.72/43.7	1.400/35.56	.150/3.81	30u"/.76u Au OVER 50u"/1/.27u Ni	ROUND	ND	
-235(LF)						.150/3.81	30u"/.76u GXT WITH GOLD FLASH	ROUND		
-236(LF)						.150/3.81	150u"/3.81u Sn	SQ		
-237(LF)						.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ		
-238(LF)						.675/17.15	30u"/.76u Au OVER 50u"/1.27u Ni	SQ		
-239(LF)						.675/17.15	30u"/.76u GXT WITH GOLD FLASH	SQ		
-240(LF)	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56	.675/17.15	150u"/3.81u Sn	SQ		
-241(LF)	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND		
-242(LF)						.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND		
-243(LF)						.105/2.67	30u"/.76u GXT WITH GOLD FLASH	ROUND		
-244(LF)						.105/2.67	150u"/3.81u Sn	SQ		
-245(LF)						.150/3.81	15u"/.38u Au OVER 50u"/1.27u Ni	ROUND		
-246(LF)						.150/3.81	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND		
-247(LF)						.150/3.81	30u"/.76u GXT WITH GOLD FLASH	ROUND		
-248(LF)						.150/3.81	150u"/3.81u Sn	SQ		
-249(LF)						.675/17.15	15u"/.38u Au OVER 50u"/1.27u Ni	SQ		
-250(LF)						.675/17.15	30u"/.76u Au OVER 50u"/1.27u Ni	SQ		
-251(LF)						.675/17.15	30u"/.76u GXT WITH GOLD FLASH	SQ		
-252(LF)	2 X 22	D	2.48/63.0	2.42/61.5	2.100/53.34	.675/17.15	150u"/3.81u Sn	SQ		
-253(LF)	2 X 17	A	1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	15u"/.38u Au OVER 50u"/1.27u Ni	SQ	ND	
-254(LF)	U N A S S I G N E D									
-255(LF)	2 X 5	B	.78/19.8	.72/18.3	.400/10.16	.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	YES	
-256(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24					
-257(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78					
-258(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86					
-259(LF)	2 X 12		1.48/38.0	1.42/36.1	1.100/27.94					
-260(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48					
-261(LF)	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56					
-262(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64					
-263(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26					
-264(LF)	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34					
-265(LF)	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96					
-266(LF)	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	30u"/.76u Au OVER 50u"/1.27u Ni	ROUND	YES	
-267(LF)	U N A S S I G N E D									
68794-268(LF)	2 X 5	B	.78/19.8	.72/18.3	.400/10.16	.105/2.67	30u"/.76u GXT WITH GOLD FLASH	ROUND	YES	

mot'l. code		tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecn	no	dr	date	COPY		
E					projection	title	
					linear	HEATER QUICKIE SLIM LINE VERTICAL 4 WALLED	
					angles	product family QUICKIE	code
					dr	J.W. BAIR 8/1/90	INCH/MM
					engr	M.SMYK 8/1/90	scale
					chr	M.SMYK 8/1/90	1:1
					appd	M.SMYK 8/1/90	A3
sheet	revision						68794
index	sheet						7 of 8

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

	POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-269(LF)	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67	30u" / .76u GXT WITH GOLD FLASH	ROUND	YES
-270(LF)	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78				
-271(LF)	2 X 10		1.28/32.5	1.22/31.0	.900/22.86				
-272(LF)	2 X 12		1.48/38.0	1.42/36.1	1.100/27.94				
-273(LF)	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48				
-274(LF)	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56				
-275(LF)	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64				
-276(LF)	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26				
-277(LF)	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34				
-278(LF)	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96				
-279(LF)	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66		30u" / .76u GXT WITH GOLD FLASH	ROUND	YES
68794-280(LF)	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	150u" / 3.81u Sn	SQUARE	NO



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com		
ltr	ecn no	dr	date	linear	.XX±.01 / .X±.3			projection	title			
E					.XXX±.005 / .XX±.13				HEADER QUICKIE SLIM LINE			
					.XXX±.0020 / .XXX±.051				VERTICAL 4 WALLED			
				angles	0°±2°			INCH/MM	product family	Quickie		
				dr	J.W.BAIR	8/1/90	scale	5:1	size	dwg no	code	
				enrg	M.SMYK	8/1/90			A	68794		—
				chr	M.SMYK	8/1/90						sheet
				appd	M.SMYK	8/1/90						
sheet index	revision sheet											

PDM: Rev:E 3 STATUS Released 4 Printed: Apr 12, 2011