





PDM: Rev:W STATUS:Released Printed: Jul 05, 2007

PDM: Rev:X STATUS:Released Printed: Apr 12, 2011

PRODUCT NO REQ TABLE	<p>REVISIONS</p> <table border="1" style="margin-left: auto; border-collapse: collapse;"> <tr><td>NO.</td><td>DESCRIPTION</td><td>BY</td><td>DATE</td></tr> <tr><td>1</td><td></td><td></td><td></td></tr> </table>	NO.	DESCRIPTION	BY	DATE	1																																																																																																																
NO.	DESCRIPTION	BY	DATE																																																																																																																			
1																																																																																																																						
 2 X 3 STYLE A	 2 X 7 STYLE C																																																																																																																					
 2 X 6 STYLE B	 2 X 8 thru 2 X 30 STYLE D																																																																																																																					
<p>NOTES:</p> <ol style="list-style-type: none"> 1. HOLDING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR, BLUE. 2. TERMINAL MATERIAL, PHOSPHOR BRONZE. 3. 1° MAX DRAFT PERMITTED ON ALL SURFACES. 4. SAME TOLERANCE APPLIES TO BOTH SIDES OF EACH TERMINAL. 5. 1.8 KG/4 LBS MAX TERM. PULL-OUT FORCE. 6. .13/.085 STEP AROUND MOUNTING HOLE. 7. RECOMMENDED MOUNTING SCHEMES SEE RO-88 PULLER HEAD 4.47, 188 LONG FOR 1.4, 40 BRD 6.47, 86 LONG FOR 2.47, 60, 2.10/189 BOARD 8. AND "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION. 9. IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN 06-02-004. 10. THE MOUNTING WILL WITHSTAND EXPOSURE TO SMT PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5ms RISE/FALL THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE. <p><i>11. plating option: maybe either Gold or GXT plating at manufacturer's option.</i></p>																																																																																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">REV</td> <td style="width: 10%;">DATE</td> <td style="width: 10%;">BY</td> <td style="width: 10%;">CHKD</td> <td style="width: 10%;">APPROVED</td> <td style="width: 20%;">DESCRIPTION</td> <td style="width: 10%;">QUANTITY</td> <td style="width: 10%;">STATUS</td> <td style="width: 10%;">DATE</td> </tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>		REV	DATE	BY	CHKD	APPROVED	DESCRIPTION	QUANTITY	STATUS	DATE																																																																																																												
REV	DATE	BY	CHKD	APPROVED	DESCRIPTION	QUANTITY	STATUS	DATE																																																																																																														

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-001	2x5	24.17/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.76 μ /30 μ *Au OVER	A
-002							3.8/.15	RD	1.27/50 μ *Ni	
-003							17.15/.675	RD		
-004							2.67/.105	SO		
-005							3.8/.15	SO	3.81 μ /150 μ * TIN	
-006	2x5	24.17/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO	.76 μ /30 μ *Au OVER	A
-007	2x10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD	1.27/50 μ *Ni	D
-008							3.8/.15	RD		
-009							17.15/.675	RD		
-010							2.67/.105	SO		
-011							3.8/.15	SO	3.81 μ /150 μ * TIN	
-012	2x10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO	.76 μ /30 μ *Au OVER	
-013	2x13	44.8/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	2.67/.105	RD	1.27/50 μ *Ni	
-014							3.8/.15	RD		
-015							17.15/.675	SO		
-016							2.67/.105	SO		
-017							3.8/.15	SO	3.81 μ /150 μ * TIN	
-018	2x13	44.8/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	17.15/.675	SO	.76 μ /30 μ *Au OVER	
-019	2x17	54.8/2.15	48.6/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD	1.27/50 μ *Ni	
-020							3.8/.15	RD		
-021							17.15/.675	SO		
-022							2.67/.105	SO		
-023							3.8/.15	SO	3.81 μ /150 μ * TIN	
-024	2x17	54.8/2.15	48.6/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO	.76 μ /30 μ *Au OVER	
-025	2x20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD	1.27/50 μ *Ni	
-026							3.8/.15	RD		
-027							17.15/.675	SO		
-028							2.67/.105	SO		
-029							3.8/.15	SO	3.81 μ /150 μ * TIN	
65692-030	2x20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	SO		D

DATE	TIME	UNIT	CUSTOMER COPY													
TIME	DATE	UNIT	CODE IDENT	SIZE	LOWE	FCI www.fciconnect.com										
ORDER	DATE	UNIT	ORDER NO	QTY	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	
			ORDER NO	QTY	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	
			ORDER NO	QTY	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	
			ORDER NO	QTY	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	DATE	UNIT	PRICE	TOTAL	
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL
DETERMINATION SHEETS													DATE	UNIT	PRICE	TOTAL

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DDH E	DIM J	TERM TYPE	TERM PLATING	STYLE
65492-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD		D
-032							3.8/.15	RD	.76u/30u Au OVER 1.27u/50u Ni	
-033							17.15/.675	SO		
-034							2.67/.105	SO		
-035							3.8/.15	SO	3.81u/150u TIN	
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C
-038							3.8/.15	RD	.76u/30u Au OVER 1.27u/50u Ni	
-039							17.15/.675	SO		
-040							2.67/.105	SO		
-041							3.8/.15	SO	3.81u/150u TIN	
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D
-044							3.8/.15	RD	.76u/30u Au OVER 1.27u/50u Ni	
-045							17.15/.675	SO		
-046							2.67/.105	SO		
-047							3.8/.15	SO	3.81u/150u TIN	
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D
-049	2X5	24.1/1.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				D
-051	2X13	44.8/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500				
-052	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900				
-053	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200				
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D
-057	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD		
-058									.76u/30u Au OVER 1.27u/50u Ni	
-059							17.15/.675	SO		
-060							2.67/.105	SO		
-061							3.8/.15	SO	3.81u/150u TIN	
-062							17.15/.675	SO		
-063							2.67/.105	RD		
-064							3.8/.15	RD	.76u/30u Au GRT/GOLD FLASH	
65492-065	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D

REV	DESCRIPTION	BY	DATE
01			

CUSTOMER COPY		CODE 5000		www.Adacement.com	
DATE	BY	DATE	BY	DATE	BY
1/1/07		1/1/07		1/1/07	
TITLE: HEADER, QUICKIE SLTM LINE, VERTICAL					
DATE: 1/1/07					
DRAWN: 65492					
SHEET: 4					

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-066	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	2.67/1.105	RD		A			
-067	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	17.15/1.675	RD		A			
-068	2X7	29.2/1.15	23.4/1.92	15.24/1.600	24.89/1.980	22.86/1.900	2.67/1.105	RD		C			
-069	2X7	29.2/1.15	23.4/1.92	15.24/1.600	24.89/1.980	22.86/1.900	17.15/1.675	RD		C			
-070	2X8	31.8/1.25	25.9/1.02	17.78/1.700	27.43/1.080	25.40/1.000	2.67/1.105	RD		D			
-071	2X8	31.8/1.25	25.9/1.02	17.78/1.700	27.43/1.080	25.40/1.000	17.15/1.675	RD		D			
-072	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	2.67/1.105	RD					
-073	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	17.15/1.675	RD					
-074	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/1.105	RD	76u/30u EXT/GOLD FLASH				
-075	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/1.675	RD					
-076	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/1.105	RD					
-077	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/1.675	RD					
-078	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/1.105	RD					
-079	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/1.675	RD					
-080	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/1.105	RD		D			
-081	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/1.675	RD		D			
-082	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	2.67/1.105	RD		A			
-083	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	3.8/1.15	RD		A			
-084	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	17.15/1.675	RD		A			
-085	2X7	29.2/1.15	23.4/1.92	15.24/1.600	24.89/1.980	22.86/1.900	2.67/1.105	RD		C			
-086	2X7	29.2/1.15	23.4/1.92	15.24/1.600	24.89/1.980	22.86/1.900	3.8/1.15	RD		C			
-087	2X7	29.2/1.15	23.4/1.92	15.24/1.600	24.89/1.980	22.86/1.900	17.15/1.675	RD		C			
-088	2X8	31.8/1.25	25.9/1.02	17.78/1.700	27.43/1.080	25.40/1.000	2.67/1.105	RD		D			
-089	2X8	31.8/1.25	25.9/1.02	17.78/1.700	27.43/1.080	25.40/1.000	3.8/1.15	RD		D			
-090	2X8	31.8/1.25	25.9/1.02	17.78/1.700	27.43/1.080	25.40/1.000	17.15/1.675	RD		D			
-091	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	2.67/1.105	RD					
-092	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	3.8/1.15	RD	36u/15u Au OVER 1.27u/50u Ni				
-093	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	17.15/1.675	RD					
-094	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/1.105	RD					
-095	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	3.8/1.15	RD					
-096	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/1.675	RD					
-097	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/1.105	RD					
-098	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	3.8/1.15	RD					
-099	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/1.675	RD					
65692-100	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/1.105	RD					

DO NOT SCALE DIMENSIONS

ALL DIMENSIONS IN MILLIMETERS

UNLESS OTHERWISE SPECIFIED

ANGLES IS 90°

DATE: 07/05/2007

DRAWN BY: J.C. MURPHY

CHECKED BY: J.C. MURPHY

APPROVED BY: J.C. MURPHY

CUSTOMER COPY

CODE: 65692-100

DATE: 7/5/07

TIME: 12:11

BY: J.C. MURPHY

www.fciconsult.com

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-101	2X30	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	3.8/.15	RD					
-102	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	RD					
-103	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.67/.105	RD					
-104	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.8/.15	RD	.38u/15u Au OVER 1.27u/50u Ni				
-105	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	RD					
-106	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD					
-107	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	3.8/.15	RD					
-108	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	RD					
-109	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	2.67/.105	RD					
-110							3.8/.15	RD	.76u/30u Au OVER 1.27u/50u Ni				
-111							17.15/.675	RD					
-112							2.67/.105	RD					
-113							3.8/.15	RD	3.81u/150u TIN				
-114							17.15/.675	RD					
-115							2.67/.105	RD					
-116							3.8/.15	RD	.38u/15u Au OVER 1.27u/50u Ni				
-117							17.15/.675	RD					
-118							2.67/.105	RD					
-119							3.8/.15	RD	.76u/30u GXT/GOLD FLASH				
65692-120	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	17.15/.675	RD					
65692-121		OBSOLETE											
65692-216													
65692-217	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	2.67/.105	RD					
-218							3.81/.150	RD	.38u/15u Au OVER 1.27u/50u Ni				
-219							17.15/.675	RD					
-220							2.67/.105	RD					
-221							3.81/.150	RD	.76u/30u Au OVER 1.27u/50u Ni				
-222							17.15/.675	RD					
-223							2.67/.105	RD					
-224							3.81/.150	RD	.76u/30u GXT/Au FLASH				
-225							17.15/.675	RD					
-226							2.67/.105	RD					
-227							3.81/.150	RD	3.81u/150u TIN				
65692-228	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	17.15/.675	RD					

CUSTODY		TITLE		DATE		SCALE		SHEET		OF	
NO	REV	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE
0001											
MATERIALS			DIMENSIONS			TOLERANCES			FINISHES		
AS SHOWN			UNLESS OTHERWISE SPECIFIED			AS SHOWN			AS SHOWN		
UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED		
UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED			UNLESS OTHERWISE SPECIFIED		



PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-229	2X15	49.5/1.95	43.7/1.72	38.56/1.400	45.21/1.780	43.18/1.700	2.67/.105	RD	.38 μ /15 μ " Au OVER	D				
-230							3.81/.150	RD	1.27 μ /50 μ " Ni					
-231							17.15/.675	SO						
-232							2.67/.105	RD						
-233							3.81/.150	RD	.76 μ /30 μ " Au OVER					
-234							17.15/.675	SO	1.27 μ /50 μ " Ni					
-235							2.67/.105	RD						
-236							3.81/.150	RD	.76 μ /30 μ " Au					
-237							17.15/.675	SO	QXT/ Au FLASH					
-238							2.67/.105	SO						
-239							3.81/.150	SO	3.81 μ /150 μ " TIN					
-240	2X15	49.5/1.95	43.7/1.72	38.56/1.400	45.21/1.780	43.18/1.700	17.15/.675	SO						
-241	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	2.67/.105	RD	.38 μ /15 μ " Au OVER					
-242							3.81/.150	RD	1.27 μ /50 μ " Ni					
-243							17.15/.675	SO						
-244							2.67/.105	RD						
-245							3.81/.150	RD	.76 μ /30 μ " Au OVER					
-246							17.15/.675	SO	1.27 μ /50 μ " Ni					
-247							2.67/.105	RD						
-248							3.81/.150	RD	.76 μ /30 μ " Au					
-249							17.15/.675	SO	QXT/ Au FLASH					
-250							2.67/.105	SO						
-251							3.81/.150	SO	3.81 μ /150 μ " TIN					
-252	2X23	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	17.15/.675	SO						
-253	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	SO		A				
-254	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	SO	.76 μ /30 μ " Au OVER					
-255	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	SO	1.27 μ /50 μ " Ni					
-256	2X5													
-257	2X10	CUSTOMER RESTRICTED												
-258	2X20	CUSTOMER RESTRICTED												
-259	2X10	CUSTOMER RESTRICTED												
-260	2X17	CUSTOMER RESTRICTED												
-261	2X20	CUSTOMER RESTRICTED												
-262	2X17	CUSTOMER RESTRICTED												
65692-263	2X5													

SHEET 7 OF 11		DATE 11/11/07		DRAWN BY		CHECKED BY		APPROVED BY		DATE		CUSTOMER COPY	
DO NOT SCALE DIMENSIONS		UNLESS OTHERWISE SPECIFIED		DIMENSIONS ARE IN INCHES		TOLERANCES ARE IN INCHES		SURFACE FINISH		MATERIAL		QUANTITY	
TOLERANCES UNLESS OTHERWISE SPECIFIED		FRACTIONS		DECIMALS		ANGLES		HOLE DRILLING		TAP DRILLING		OTHER	
FRACTIONS		DECIMALS		ANGLES		HOLE DRILLING		TAP DRILLING		OTHER		TITLE	
FRACTIONS		DECIMALS		ANGLES		HOLE DRILLING		TAP DRILLING		OTHER		65692	
FRACTIONS		DECIMALS		ANGLES		HOLE DRILLING		TAP DRILLING		OTHER		SHEET 7	



PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REV	DESCRIPTION	BY	DATE	
65692-264	2K13	CUSTOMER RESTRICTED										V			
65692-265	2K13	CUSTOMER RESTRICTED													

FCI www.fciconnect.com		CUSTOMER COPY DATE: 07/05/07
MODEL: 65692-264 ORDER: 65692-264	ON NET SCALE: 100000 ORDER: 65692-264	DATE: 07/05/07 ORDER: 65692-264
TABULATION: 65692-264 SHEETS: 264	ORDER: 65692-264 ORDER: 65692-264	DATE: 07/05/07 ORDER: 65692-264
READER: QUICKTE SLIN L.DIE. VERTICAL		DATE: 07/05/07 ORDER: 65692-264