

TC1016 80mA SC-70 Low Dropout Regulator

Product Information




The **TC1016** is an 80mA low dropout linear regulator (LDO) in a SC-70 package, occupying half the footprint of a SOT-23 package.

The TC1016 offers an output current of 80mA with a low typical operating current of 60 μ A independent of load. In addition, dropout voltage is typically 180mV at full load, allowing significantly more usable life out of a given battery. The shutdown mode reduces the LDO's total current to less than 0.5 μ A. The device also features a very accurate output voltage of typical \pm 0.5% and demonstrates superior dynamic behavior.

Offered in a space saving SC-70 package, the TC1016 is fully specified from 2.7V to 6.0V over the -40 $^{\circ}$ C to +125 $^{\circ}$ C temperature range. The output is stable with small, low-ESR ceramic capacitors.

The TC1016 offers extremely low operating current, low dropout voltage, stability with ceramic capacitors, and small footprint. These features make this device ideal for battery applications, like cellular phones, pagers, personal digital assistants (PDAs), laptops, MP3 players, bar code scanners, and hand-held meters. Other applications may include industrial control, optical modules, modems, flash module cards, PC cards, and portable equipment.



Features:

- Space saving 5-pin SC-70 package
- 90 μ A maximum supply current
- High \pm 0.5% typical output voltage accuracy
- Low dropout voltage: 180mV at full load
- Stable with low-ESR ceramic output capacitors
- Large variety of output voltage options
- Excellent dynamic performance
- Shutdown mode for further power savings (0.5 μ A maximum)

Related Application Notes:

- AN23 LDO Thermal Considerations
- AN47 Pin Compatible CMOS Upgrades to Bipolar LDOs
- AN66 DC Performance Comparisons of CMOS vs Bipolar LDOs when Operating in "Dropout" (V_{IN} = Nominal V_{OUT}) Mode

TC1016

SC-70 Low Dropout Regulator *Continued*

Additional Information:

- Microchip's web site: www.microchip.com
- Microchip's *Technical Library CD-ROM*, Order No. [DS00161](#)
- *Analog Interface Handbook*, Order No. [DS00207](#)
- Product Line Card, Order No. [DS00148](#)
- *Analog Design Pack CD-ROM*, Order No. [DS51205](#)

TC1016, SC-70 Low Dropout Regulator

Product	Output Current	Vcc Range	# of Pin/ Package	SHDN	Max. I _Q	Max. I _{SHDN}	Typical V _{OUT} Accuracy	V _{DROP} at I _{OUTMAX}
TC1016	80mA	2.7V to 6.0V	5LT	Yes	90µA	0.5µA	±0.5%	180mV

Package Key: LT = SC-70

Americas

Atlanta (770) 640-0034
 Austin – Analog (512) 345-2030
 Boston (978) 692-3848
 Boston – Analog (978) 371-6400
 Chicago (630) 285-0071
 Dallas (972) 818-7423
 Dayton (937) 291-1654
 Detroit (248) 538-2250
 Los Angeles (949) 263-1888
 Mountain View (650) 968-9241
 New York (631) 273-5305
 Rocky Mountain (480) 792-7966
 San Jose (408) 436-7950
 Toronto (905) 673-0699

Asia /Pacific

Australia 61-2-9868-6733
 China – Beijing 86-10-8528-2100
 China – Shanghai 86-21-6275-5700
 Hong Kong 852-2-401-1200
 India 91-80-229-0061
 Japan 81-45-471- 6166
 Korea 82-2-554-7200
 Singapore 65-334-8870
 Taiwan 886-2-2717-7175

Europe

Denmark 45-4420-9895
 France 33-1-69-53-63-20
 Germany 49-89-627-144-0
 Germany-Analog 49-89-895-650-0
 Italy 39-039-65791-1
 United Kingdom 44-118-921-5869



MICROCHIP

The Embedded Control Solutions Company®

Microchip Technology Inc. • 2355 W. Chandler Blvd. • Chandler, AZ 85224-6199 • (480) 792-7200 • Fax (480) 792-9210

The Microchip name and logo, and The Embedded Control Solutions Company are registered trademarks of Microchip Technology Inc. in the U.S.A. and other countries. All other trademarks are the property of their respective owners. Information subject to change. ©2001 Microchip Technology Inc. Printed in the U.S.A. All rights reserved. DS21622A 6/01