

AI 0,5 - 6 OG

Order No.: 3201301

The figure shows the version AI 1-6 YE

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3201301>

Ferrule, Length: 12 mm, Color: orange

Commercial data

GTIN (EAN)	4017918094805
sales group	B250
Pack	100 pcs.
Customs tariff	85369010
Weight/Piece	0.000074 KG
Catalog page information	Page 663 (CL-2009)

Product notesWEEE/RoHS-compliant since:
03/01/2005

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

Length (b)	12 mm
Color	orange
Material	E-CU
Sleeve length	6 mm
Inner dimension of the insulating collar (d)	2.5 mm

Ferrule diameter	1.1 mm
Insulating collar thickness	0.25 mm
Sleeve wall thickness	0.15 mm

Certificates / Approvals




Certification

CSA, UCSA

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;