

2.5–2.69 GHz US-WiMAX Ceramic Chip Antenna

Ground cleared under antenna. *Pulse Part Number: W3020*



Features

- Omnidirectional radiation
- Low profile
- Compact size W x L x H (3.2 x 1.6 x 1.1 mm)
- Low weight (33 mg)
- Fully SMD compatible
- Lead free soldering compatible
- Tape and reel packing
- RoHS compliant

Applications

- Devices using WiMAX
- 2.5–2.69 GHz

Engineering samples available Q4/2006

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on test board (GP) size and antenna positioning on GP and Ground Clearance area size.

US-WiMAX 2.5-2.69 GHz

Typical performance (testboard size 80 x 35 mm, PWB ground clearance area 4.0 x 6.25 mm)

Frequency Range [MHz]	Max Gain [dBi]	Efficiency [%] / [dB]	Return Loss min. [dB]	Impedance [Ω]	Operating Temperature [°C]
2500 – 2690	2.8 (peak) 1 (band edges)	80 / -1 (peak) 60 / -2.25 (band edges)	-5.5	50	-40 to +85

Pulse Antennas

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas



2.5–2.69 GHz US-WiMAX Ceramic Chip Antenna

Ground cleared under antenna

Typical Electrical Characteristics (T=25 °C)


Typical Return Loss S11/ impedance, measured on the test board

WiMAX 2.6 GHz

19 Oct 2006 13:44:11

CH1Markers

1. -6.7176 dB 2.50000 MHz
2. -17.209 dB 2.60000 000 MHz
3. -6.7182 dB 2.69000 GHz




WiMAX 2.6 GHz

10 Oct 2006 13:45:54


CH1Markers

1. 90.996 Ω 56.090 Ω 2.50000 GHz
2. 41.742 Ω -9.4199 Ω 6.4983 pF
3. 18.850 Ω 6.4639 Ω 2.69000 GHz




Free space efficiency and maximum gain

WiMAX 2.5–2.69 GHz



WiMAX 2.5–2.69 GHz



Pulse Antennas





Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas



2.5–2.69 GHz US-WiMAX Ceramic Chip Antenna

Ground cleared under antenna, clearance area 4.00 x 6.25 mm

Typical Free Space Radiation Patterns



Pulse Antennas

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas

