Reztore[™] Surface & Mat Cleaner Application Instructions





Figure 1. Reztore™ Surface & Mat Cleaner: 16 ounce (500 ml) spray bottle 1 quart (1 litre) spray bottle 2.5 Gallon (10 litre) Bag-in-Box

Description

Reztore[™] Surface & Mat Cleaner is a non-toxic liquid cleaner used to remove dust, grease, grime, fingerprints, and solder flux from all surfaces used in a static sensitive area. Reztore[™] Surface & Mat Cleaner leaves no insulative residue, contains no alkali or ammonia, and is nonflammable.

General Guidelines

Reztore[™] Surface & Mat Cleaner is a liquid cleaner which can be used on a variety of surfaces, especially surfaces used in a static sensitive environment. Surfaces include but are not limited to: rubber, vinyl and polyethylene table and floor mats, field service kits, laminated table tops, tote boxes, epoxy, painted surfaces, plexiglass, glass, metal, 3-ring binders, computer screens, computer keyboards, shelving, push carts, conveyor belts, etc.

Note: Cleaners containing silicone will leave an insulative film. A dissipative ESD worksurface may not fulfill its function if covered by an insulative layer. Many general purpose cleaners contain silicone.

"Periodic cleaning, following the manufacturer's recommendations, is required to maintain proper electrical function on all work surfaces. Ensure that cleaners that are used do not leave an electrically insulative residue common with some household cleanersd that contain silicone." (ESD Handbook ESD TR20.20 section 5.3.1.14 Worksurface Maintenance)

"Only cleaning materials or processes which do not degrade the properties of the ESD protective items, shall be used." (EN 61340-5-1 clause 5.5 EPA working practices)

Directions

Smooth Surfaces:

Apply Reztore[™] Surface & Mat Cleaner to the entire surface to be treated using either the pump or trigger spray bottle. Use a lint-free cloth to wipe the surface until dry. For set stains, let Reztore[™] Surface & Mat Cleaner soak on the surface for 30 seconds before wiping clean.




Figure 2. Applying Reztore™ to the mat.

Other Surfaces - Keyboards:

Dampen a lint-free cloth or a lint-free swab with Reztore[™] Surface & Mat Cleaner. Wipe surface to be cleaned using either the cloth or swab. The swab will work best for tight spots like between keyboard keys. Use the cloth to wipe clean the remaining surfaces of the keyboard.




Figure 3. Cleaning a keyboard or computer screen with Reztore™ Surface & Mat Cleaner.

On non-ESD surfaces, we recommend using Reztore™ Topical Antistat static dissipative coating. While coating is on the surface it will enhance existing ESD surfaces and will give dissipative electrical properties to insulative surfaces.

Specifications		
Appearance of solution:	Transparent viole	et
pH:	6-8	
Odor:	Slight floral	
Solubility:	Water, acetone, alcohols	
Toxicity, Irritation, Sensitivity:	Non-toxic by der contact, or inhala	
Flammability:	Non-flammable	
lon Level:		(mg/l)
	Fluoride Sulfate Nitrate Bromide Phosphate	0.3 <0.5 1.2 <0.5 <0.5
Electrical Properties (Dry Film)		

Electrical Properties (Dry Film) 10E7 - 10E8 ohms

Static Decay Rate:

(ref. ANSI/ESD S4.1) <.01 seconds (per FTMS 101C Method 4046)

Testing

It is recommended to test the surfaces after cleaning to ensure that all insulative contaminants such as dirt and grime have been removed. ReztoreTM Surface & Mat Cleaner was designed to leave behind a coating which has a surface resistance of 10^8 ohms or lower.

FIELD TEST:

For quick and easy verification of surface resistance we recommend the use of a megohmmeter. These are available from many Desco Industries companies. For testing of static fields, we recommend the use of a static field meter. These instruments are also available from many Desco Industries companies.

Features

- · Cleans bench surfaces
- · Leaves static dissipative layer on surface
- Non-toxic
- Non-streaking, quick drying
- Non-aerosol
- No CFC's water based
- No alkali or ammonia
- Neutral pH
- Low Volatile Organic Solvents

NOTE: Reztore[™] Surface & Mat Cleaner product does not have a set life span. The chemicals are not known to degrade over time when stored at the proper temperature conditions as stated in the Material Safety Data Sheet. We also recommend that this product be stored in its original container and be sealed when not in use.

Limited Warranty

Desco Industries Inc. expressly warrants that for a period of one (1) year from the date of purchase, our Reztore™ Surface & Mat Cleaner will be free of defects in material. Within the warranty period, the material will be replaced at our option, free of charge. Call our Customer Service Department at 781-821-8370 or 00 44 (0) 1892-665313 in Europe for a Return Material Authorization (RMA) and proper shipping instructions and address. You should include a copy of your original packing slip, invoice, or other proof of purchase date. Any material under warranty should be shipped prepaid to the Desco Industries Inc. factory. Warranty replacements will take approximately two weeks.

Warranty Exclusions

THE FOREGOING EXPRESS WARRANTY IS MADE IN LIEU OF ALL OTHER PRODUCT WARRANTIES, EXPRESSED AND IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH ARE SPECIFICALLY DISCLAIMED. The express warranty will not apply to defects or damage due to accidents, neglect, misuse, alterations, operator error, or failure to properly maintain, clean or repair products.

Limit of Liability

In no event will Desco Industries Inc. or any seller be responsible or liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, users shall determine the suitability of the product for their intended use, and users assume all risk and liability whatsoever in connection therewith.

Material Safety Data Sheet		NFPA Designation 704 Health T Flammability (Red)	
May be used to comply with ANSI Z400.1-2 1910.1200, European 2001/58/EC, REACH	004, 29 CFR 1907/2006/	Degree of Hazard (Blue) 1 0	
EC, and GHS. Standards must be consulted requirements.		3 = High 0 = Insignificant Q Reactivity (Yellow)	
	HMIS RATING [.] Health	2 = Moderate Special Hazard 1, Flammability 1, Physical Hazard 0, Personal Protection B	
SECTION 1 — CHEMICAL PRODUCT			
Product Name/Identity:	Reztore™ Surface	and Mat Cleaner	
Chemical Name:	Cleaner, ESD Surface & Mat		
Manufacturer:	Desco Industries, Inc		
Address:	One Colgate Way Canton, MA 02021		
Telephone:	781-821-8370		
Emergency Number:	781-821-8370		
Date Prepared:	2010-02-04		
SECTION 2 — HAZARDS IDENTIFICA	TION		
Routes of Entry			
Eyes:	A high concentration	on of liquid, mist, or vapour may cause irritation of the	
Skin:	Repeated or contin	nuous contact may cause irritation of the skin.	
Ingestion:	None known.		
Inhalation:		nroat, and lack of breath. Exposure to vapors in high have effect as with inhalation.	
SECTION 3 — COMPOSITION/INFOR			
Hazardous Ingredients: Trade Secret #030507MA105	CAS No. Non Hazardous	Weight (%) 1-5%	
Isopropanol*	67-63-0	5-25%	
Water	7732-18-5	60-100%	
*These items are listed and subjected t the Emergency Planning and Communi		rements of the SARA Title III Section 313 Inventory of ct of 1986 and of 40 CFR372.	
SECTION 4 — FIRST AID MEASURES	3		
Eye Contact:	Flush with water fo	r at least 15 minutes.	
Skin Contact:	Wash with soap ar		
Ingestion:		omiting. Contact a physician.	
Inhalation:	Move subject to fre	sn air.	
SECTION 5 — FIREFIGHTING MEASU	JRES		
Proper Extinguishing Media:	Water		
Unsuitable Extinguishing Methods: Protective Equipment & Precautions:	N/A Wearing of approp	riate protective equipment and clothing.	
Flash Point (Method Used):	N/A	nate protective equipment and clothing.	
Flammable Limits:	N/A		
Special Fire Fighting Procedures:	Cool containers with	th water.	
Unusual Fire and Explosion Hazards:	None known.		
SECTION 6 — ACCIDENTAL RELEAS	SE MEASURES		
Personal Precautions:		clothing. Inhalation protection. Extinguish all ignition	
Environmental Precautions:	sources. Biodegradable.		
Cleaning Procedures:	-	aterial into plastic container. Water rinse and drain,	
-	flush small amount	s. Use sanitary landfill disposal. Follow state and local	
	regulations (RCRA	· · ·	
DESCO INDUSTRIES INC. • 3651 Walnut A	venue, Chino, CA 91710 • (9	09) 627-8178 • Fax (909) 627-7449 • Web Site: <u>Descolndustries.com</u>	

SECTION 7 — HANDLING AND STORAGE

Section 7 — HANDEING AND STORAGE		
Handling:	Use in well-ventilated areas; avoid breathing vapors. Keep containers closed when not in use. Avoid from freezing. Storage temperature: Max. 49°C/120°F 1°C/34°F Keep from freezing.	
Storage:		
SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION		
<i>Hazardous Ingredients:</i> Trade Secret #030507MA105 Isopropanol* Water	CAS No. Non Hazardous 67-63-0 7732-18-5	<i>TLV-value</i> NE 400 ppm NE
Control Parameters: Measures for Technical Control:	TLV-valve 400 ppm maximum for Isopropanol Preferences of technical measure to prevent or control contact with the product. Isolating process and personnel, mechanical ventilation (dilution and local exhaust) and the regulation of process conditions. In case of non-prevention or non-control, a proper protective wearing should be used.	
Respiratory Protection (Specify Type): exceeded.	Wear MSHA/NIOSH approved respirator where exposure limits are	
Hand Protection: Eye Protection:	Impervious/Neoprene Safety glasses or Che similar standard.	Gloves emical splash goggles as defined in ANSI Z-87.1 or a
Work/Hygienic Practices:		ating, smoking, or using washroom facilities.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Form: Colour: Odor: Boiling Point: Melting Point: Specific Gravity ($H_2O = 1$): Solubility in Water: pH: VOC per Method 24 of EPA: Flash Point: Flammability Limits: (vol. % in air) Vapor Pressure (mm Hg): Vapor Density (air=1): Density at 20°C: Specific Gravity ($H_2O=1$): Elammability:	Liquid Clear violet Floral Alcohol >200°F (93.3°C) N/A .98 Complete 7.0-8.0 1% VOC by wt. Noncombustible N/A 18.0 1.06 8.17 lbs./gal .98 Classification according to EC-regulations "non-flammable"

SECTION 10 — STABILITY AND REACTIVITY

Hazardous Decomposition/Byproducts:	Thermal decomposition may yield carbon monoxide.
Incompatibility (Materials to Avoid):	Strong Oxidizers
Stability/Reactivity:	Stable product at normal conditions.
Conditions to Avoid:	Temperatures above 120°F (49°C) and below 34°F (1°C)
Hazardous Polymerization:	NE

SECTION 11 — TOXICOLOGICAL INFORMATION

All information refers to the main component Isopropanol

N/A = Not Applicable; NE = None Established

Acute toxicity: Special Effects:	None known None known	
SECTION 12 — ECOLOGICAL IN	FORMATION	
No environmental hazards have been reported or known.		
Mobility: Degradability: Bioaccumulation: Ecotoxicity: Reference to BimSchV: Hazard Classification:	The product is aqueous and will be separated in aqueous conditions N/A Not likely None known N/A None hazardous	
SECTION 13 — DISPOSAL CONS	SIDERATIONS	
Product: Hazardous Waste Number:	Dike and collect material into plastic container. Water rinse and drain, flush small amounts. Use sanitary landfill disposal. Follow state and local regulations (RCRA; Subtitle D). Non Hazardous	
SECTION 14 — TRANSPORT INF		
This product is not classified for tra	ansport under ADR/IMDG regulations	
SECTION 15 - REGULATORY IN	NFORMATION	
Physical/Chemical Indication: Safety Phrase:	Non-flammable (S2): keep away from children, (S7): keep containers well closed, (S24/25): avoid contact with skin and eyes, (S62): if swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.	
EU Classification: (67/548/EEC-88/379/EEC): EINECS Status:	The product does not have to be classified according to the EU Regulations. All components are included in the EINECS inventories.	
TSCA: REACH:	All ingredients of this product are listed or are excluded from the listing on the U.S. Toxic substance. This product does not require REACH registration.	
SECTION 16 — OTHER INFORM		
	pility 1, Physical Hazard 0, Personal Protection B	
	Health 1, Flammability 1, Reactivity 0	
as well as taking into consideration which this information and our proc may be used. We accept no respo suitability of our product or product determine the safety and suitability otherwise agreed in writing, we sel	cation has been worked up to the best of the knowledge of Desco Industries Inc, in the applicable laws and regulations. We cannot anticipate all conditions under ducts or the products of the manufacturers in combination with our products insibility for the results obtained by the application information or the safety and to combination with other products. Users are advised to make their own tests to of each such product or product combination for their own purposes. Unless If the products without warranty, and buyers end users assume responsibility and from the handling and use of our products, whether used alone or in combination	

N/A = Not Applicable; NE = None Established