



TERMINAL OPTIONS

Five terminal styles are available as shown. Choose terminal that best suits your application from charts.




DIMENSION/STYLE	G-20-55	G-20-57	G-20-58	G-20-74	G-20-21	G-20-29	G-20-104	G-20-139	G-20-140	G-20-32
A	.133 ± .010 (3.38 ± .25)	.093 ± .010 (2.36 ± .25)	.200 ± .010 (5.08 ± .25)	.178 ± .010 (4.52 ± .25)	.133 ± .010 (3.38 ± .25)	.359 ± .010 (9.12 ± .25)	.284 ± .010 (7.21 ± .25)	.520 ± .010 (13.21 ± .25)	.349 ± .010 (8.86 ± .25)	.143 ± .010 (3.63 ± .25)
B	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.050 (1.27)	.043 ± .003 (1.09 ± .08)
C	—	—	—	—	—	—	—	—	—	.021 ± .005 (.53 ± .13)
D	—	—	—	—	—	—	—	—	—	—
Style No.	1	1	2	2	1	2	2	2	2	3

GS-115 0.5 A at 125 VacNdc




Terminal options are available from styles 3, 4, and 5.
 *Button height and style shown are standard. Other heights available are .140" (3.56 mm) and .210" (5.33 mm). For additional styles and heights, see page 4.

GS-115-0073 0.5 A at 125 VacNdc




*Button height and style shown are standard. For additional heights and styles, see page 4.

GS-111 0.5 A at 125 VacNdc GS-111-1 1.0 A ac, 0.5 A at 125 Vdc



Terminal options are available from styles 1 and 2.
 *Button height and style shown are standard. Other heights available are .342" (8.69 mm) and .500" (12.7 mm).

GS-111-0041 0.5 A at 125 VacNdc




*Button height and style shown are standard. Other heights available are .342" (8.69 mm) and .500" (12.7 mm).




DIMENSION/ STYLE	G-20-47	G-20-49	G-20-52	G-20-61	G-20-62	G-20-128
A	.046 ± .010 (1.17 ± .75)	.052 ± .010 (1.32 ± .25)	.100 ± .010 (2.54 ± .25)	.052 ± .010 (1.32 ± .25)	.087 ± .010 (2.21 ± .25)	.162 ± .010 (4.11 ± .25)
B	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)	.044 ± .003 (1.12 ± .08)	.043 ± .003 (1.09 ± .08)	.032 ± .003 (.81 ± .08)
C	.025 ± .005 (.64 ± .13)	.022 ± .005 (.56 ± .13)	.021 ± .005 (.53 ± .13)	.030 ± .005 (.76 ± .13)	.022 ± .005 (.56 ± .13)	.020 ± .005 (.51 ± .13)
D	—	.054 ± .005 (1.37 ± .13)	—	.054 ± .010 (1.37 ± 0.25)	.100 ± .010 (2.54 ± .25)	—
Style No.	4	5	3	5	5	4

GI-116 0.5 A at 125 VacNdc




GS-100 0.5 A at 125 VacNdc




*Button height and style shown are standard. .183" (4.65 mm) also available.

GS-113 0.5 A at 125 VacNdc



Terminal options are available from styles 3, 4, and 5.
*Button height and style shown are standard. Other heights available are .125" (3.18 mm), .250" (6.35 mm), and .377" (9.58 mm).

GS-113-0032 0.5 A at 125 VacNdc




*Button height and style shown are standard. Other heights available are .125" (3.18 mm), .250" (6.35 mm), and .377" (9.58 mm).



DIMENSION/ STYLE	G-20-63	G-20-45	G-20-64	G-20-72	G-20-73	G-20-78	G-20-85	G-20-90	G-20-95	G-20-102
A	.052 ± .010 (1.32 ± .25)	.065 ± .010 (1.65 ± .25)	.077 ± .010 (1.96 ± .25)	.168 ± .010 (4.27 ± .25)	.052 ± .010 (1.32 ± .25)	.031 ± .010 (.79 ± .25)	.243 ± .010 (6.17 ± .25)	.200 ± .010 (5.08 ± .25)	.286 ± .010 (7.26 ± .25)	.145 ± .010 (3.68 ± .25)
B	.044 ± .003 (1.12 ± .08)	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)	.044 ± .003 (1.12 ± .08)	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)	.044 ± .003 (1.12 ± .08)	.043 ± .003 (1.09 ± .08)	.043 ± .003 (1.09 ± .08)
C	.030 ± .005 (.76 ± .13)	.030 ± .003 (.76 ± .13)	.025 ± .005 (.64 ± .13)	.021 ± .005 (.53 ± .13)	.030 ± .005 (.76 ± .13)	.022 ± .005 (.56 ± .13)	.021 ± .005 (.53 ± .13)	.030 ± .005 (.76 ± .13)	.022 ± .005 (.56 ± .13)	.025 ± .005 (.64 ± .13)
D	.08 ± .010 (2.03 ± .25)	—	—	—	.125 ± .005 (3.18 ± .13)	.066 ± .005 (1.68 ± .13)	—	.080 ± .005 (2.03 ± .13)	.054 ± .005 (1.37 ± .13)	—
Style No.	5	4	4	4	5	5	3	5	5	4


GS-118 0.5 A at 125 Vac/Vdc



Terminal options are available from styles 1 and 2.


*Button height and style shown are standard. Other heights available are .140" (3.56 mm) and .210" (5.33 mm). For additional styles and heights, see below.

GS-118-0008 0.5 A at 125 VacNdc




*Button height and style shown are standard. Other heights available are .125" (3.18 mm) and .140" (3.56 mm). For additional styles and heights, see below.

G-102 0.5 A at 125 VacNdc



Button options...for switches charted only

Button Part No.	Available "A" Dimension	GS-115	GS-115-0073	GS-118	GS-118-0008
G-02-239	.125, .140, .169	X	X	X	X
G-02-284	.197	X	X	X	X
G-02-372 for use with topper G-02-373	.147	X	X	X	X



For material specifications, accessories, and how to order, see back page.