


SUGGESTED PAD LAYOUT

SCALE: 7:1



SCHEMATIC

TOLERANCE:  
 LINEAR: ± 0.12  
 ANGLUAR: ± 3°

LF version	Contact area (1 face)	Terminal area (2 faces)
LFS	0.5 um min Ag plate over 1.3 um min Nickel plate	0.2-0.6 um Ag plate all over 1.3 um Ni plate all over

Reference	Designation	Plating	Switching Force (N)
YT1053520FP LFS	KT1P3SM34LFS	SILVER	1725 TO 2875

<b>DO NOT SCALE</b>		Material:		<p><b>ITT Industries</b> Cannon Electronics (SZ) Co. Ltd.</p>	PDM:		A3/B				
Drawn	CDY 03-Apr-06	<p>3rd ANGLE PROJECTION Surface Roughness Unless Specified</p>	Toupandun Industrial Area, Jinda Cheng, Xiner Village, Shejing Town, Baoan District, Shenzhen City PRC 518125		Pro/E Generic Model		Title <p style="text-align: center; font-size: 1.2em;"><b>KT1P3SMLF<sub>x</sub></b></p>				
Checked	KT 03-Apr-06				Ref:			CU.T1.M02.003.FP		iss/rev	
Engineer	CDY 03-Apr-06				Cust Spec No:			Scale 10:1 Sheet 1 of 1		-	
Manufact.					Dimensions in: mm						
Assembly		Treatment:									
Quality											
Approvals Sign Date											