

4


3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION.
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
GP	00	F	LR	DATE	MIN	APD
		P		REVISED PER ECO-08-008114	1JUL2008	ZMRCWR



- 1 GOLD PLATING PER MIL-G-45204, TIN PLATING PER MIL-T-10727, NICKEL PLATING PER QQ-N-290.
- 2 GOLD PLATED IN LOCALIZED GOLD PLATE AREA, 0.76µm [.000030] MIN GOLD IN MATED AREA, 2.54µm [.000100] MIN BRIGHT TIN OR BRIGHT TIN-LEAD IN MIN LOCALIZED TIN PLATE AREA, ALL OVER 1.27µm [.000050] MIN NICKEL.
- 3 GOLD PLATED IN LOCALIZED GOLD PLATE AREA, GOLD FLASH IN MATED AREA, 2.54µm [.000100] MIN BRIGHT TIN OR BRIGHT TIN-LEAD IN MIN LOCALIZED TIN PLATE AREA, ALL OVER 0.76µm [.000030] MIN NICKEL.
- 4 GOLD PLATED IN LOCALIZED GOLD PLATE AREA, GOLD FLASH IN MATED AREA, 2.54µm [.000100] MIN MATTE TIN IN MIN LOCALIZED TIN PLATE AREA, ALL OVER 0.76µm [.000030] MIN NICKEL.
- 5 GOLD PLATED IN LOCALIZED GOLD PLATE AREA, 0.76µm [.000030] MIN GOLD IN MATED AREA, 2.54µm [.000100] MIN MATTE TIN IN LOCALIZED TIN PLATE AREA, ALL OVER 1.27µm [.000050] MIN NICKEL UNDERPLATE.
OR
GOLD PLATED IN LOCALIZED GOLD PLATE AREA, GOLD FLASH OVER PALLADIUM-NICKEL, 0.76µm [.000030] MIN TOTAL IN MATED AREA, 2.54µm [.000100] MIN MATTE TIN IN LOCALIZED TIN PLATE AREA, ALL OVER 1.27µm [.000050] MIN NICKEL UNDERPLATE.
- 6 PHOSPHOR BRONZE PER QQ-B-750.
- 7 INSULATION SUPPORT DESIGNED FOR .054 MAX DIA SINGLE WIRE OR .039 MAX DIA DUAL WIRES.



△	-	1-745266-1
△	-	1-745266-0
SUPERSEDED BY 745266-3	-	745266-9
SUPERSEDED BY 745266-2	-	745266-8
OBSOLETE	△	745266-7
OBSOLETE	△	745266-6
SUPERSEDED BY 745266-7	-	745266-5
SUPERSEDED BY 745266-6	-	745266-4
OBSOLETE	△	745266-3
OBSOLETE	△	745266-2
	FINISH	LOOSE PIECE
		PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT. DW 11-15-04
 L VARELA - DOCKS 11-15-04
 GIK CERACE 11-15-04
 J GERACE 11-15-04

Ytyco Electronics Corporation
 Harrisburg, PA 17105-3608

APD M. WALKSLEY
 PRODUCT SPEC 108-40011
 APPLICATION SPEC 114-40003
 WEIGHT -

CONTACT PIN, OPEN BARREL
 #22-26, HDE-20, AMPLIMITE

SIZE CAGE CODE DRAWING NO
 A2 00779 C=745266

RESTRICTED TO -

SEE TABLE CUSTOMER DRAWING SCALE 10:1 SHEET 1 of 1 REV P

AMP 1471-9 REV 31MAR2000

745266

A