





DRAWING MADE IN THE AMP PRODUCTION
 THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

REV	BY	DATE	DESCRIPTION	DATE	APP'D
0	RLSE	91-11-16	869545-1 DIFFERENTIAL "A"	2-92	DW
A	REVISED EON	860418			PC
B	REV PER EC	0027-601-93			PR
C	REV PER EC	051A-0168-00			MG



- △ SHELL: CARBON STEEL; PIN CONTACT: PHOSPHOR BRONZE; HOUSING: POLYESTER, BLACK; RESISTOR NETWORK: THICK FILM RESISTOR COMPOSITION ON ALUMINA SUBSTRATE. SPRING LATCH: STAINLESS STEEL; COVER: ABS, GRAY, UL 94V-0 RATED.
- △ 5.09mm(.000200) MIN TIN-NICKEL OVER 1.27µm(.000050) MIN COPPER.
- △ 0.76µm(.000030) MIN GOLD FOR A LENGTH OF 3.35(.132) MIN FROM MATING END OVER 1.27µm(.000050) MIN NICKEL.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm (INCHES) POLYESTER: 0.1 3 PLC DEC # MATERIAL		DR 2-22-92 J HOLLNFOR CHK 2-1-92 P 2/2/92 APPD 4-2-92 D 04/14/02 APPD 4-2-92 J FLEWELL PRODUCT SPEC -	AMP Incorporated Harrisburg, PA 17105-9608	
PARTS SHEET SHELL △ CONTACTS △		APPLICATION SPEC -	NAME PLUG ASSEMBLY, 50 POSITION, .050 SERIES AMPLIMITE™, TERMINATOR	
SCALE 4:1		SIZE D	DATE CODE 00779	DRAWING NO 869545
			SHEET 1 OF 1	

CUSTOMER DRAWING