



General ordering data

Order No.	1652840000
Part designation	HDC 16D SLU 2PG21G
Version	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
EAN	4008190402914
Qty.	1 pc(s).

Dimensions

Total length	60 mm
Width housing C	43 mm
Width base C1	58 mm
Height of housing B	74 mm
Height of base B1	5 mm
Mounting hole distance, width C2	40 mm
Hole pitch length A2	70 mm
Cable entry	PG 21

General data

Protection class	IP 65 / IP 66
Housing main material	diecast aluminium
Colour	grey
Temperature, min.	-40 °C
Temperature, max.	125 °C

Version

Type of housing	Base housing
Cable entry	w. threading
Number of cable entry on top	0
Number of cable entry sideways	2
Cover	without cover
Cover	without cover
Size	3
Design	high
Upper part/Lower part/Cover	Lower part

Version

locking system	End-locking clamp, lower side
Cable entry	PG 21

Approvals

Approvals institutes



Downloads

EPLAN	1652840000.MZF
PDF	1652840000_HDC_16D_SLU_2PG21G_STP_Blatt__1.pdf
DXF	1652840000_HDC_16D_SLU_2PG21G_STP.dxf
IGES	1652840000_HDC_16D_SLU_2PG21G_STP.igs
STEP	1652840000_HDC_16D_SLU_2PG21G_STP.stp
VRML	1652840000_HDC_16D_SLU_2PG21G_STP.wrl

Classifications

ETIM 2.0	EC000437
ETIM 3.0	EC000437
eClass 4.1	27-14-08-05
eClass 5.0	27-14-34-19
eClass 5.1	27-14-34-19

Similar products

Order No.	Part designation	Version
1900360000	HDC 06B SDLU 1M20G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1900380000	HDC 06B SDLU 1M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1652980000	HDC 06B SDLU 1PG16G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1788170000	HDC 06B SDLU 2M20G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1788160000	HDC 06B SDLU 2M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1652990000	HDC 06B SDLU 2PG16G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1900460000	HDC 06B SLU 1M20G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1900480000	HDC 06B SLU 1M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1652750000	HDC 06B SLU 1PG16G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1788140000	HDC 06B SLU 2M20G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1788130000	HDC 06B SLU 2M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard

1652760000	HDC 06B SLU 2PG16G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, standard
1900820000	HDC 16D SDLU 1M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
1787540000	HDC 16D SDLU 2M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
1900880000	HDC 16D SLU 1M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
1900900000	HDC 16D SLU 1M32G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
1787520000	HDC 16D SLU 2M25G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high
1787510000	HDC 16D SLU 2M32G	HDC enclosures, Size: 3, IP 65 / IP 66, Base, longitudinal locking, high