




THIS DRAWING IS UNPUBLISHED.
 VERTRAULICHE UNVERÖFFENTLICHTE ZEICHNUNG
 © COPYRIGHT 1997
 RELEASED FOR PUBLICATION
 FRIEDRICH VERÖFFENTLICHUNG
 BY AMP INCORPORATED. ALL RIGHTS RESERVED.
 ALLE RECHTE VORBEHALTEN

MATED WITH:
 PASSEND ZU:
 HD.15

LOC	DIST	REVISIONS ÄNDERUNGEN			
P	LTR	DESCRIPTION BESCHREIBUNG	DATE	DWR	APVD
A1	-	neu gezeichnet	Eg00-1877-01	25.06.01	SR SH




Montagehinweis
 Assembling instruction



* Abstand für sichere Kontakt-
 gabe max: 24 mm

Kontaktanordnung
 Contact arrangement

Ansicht Anschlußseite
 view from termination side



Notes:


- 1 Material: insert, PC
 UL-File Nr.: E101788(R)
- 2 Finish: zinc plated
 contact: Ag, Au

Bemerkungen:

- 1 Material: Einsatz: PC
 UL-File Nr.: E101788(R)
- 2 Oberfläche: verzinkt
 Kontakte: Ag, Au

Montageausschnitt
 Panel cut-out for contact insert

bei Verwendung ohne Gehäuse
 when used without housing



1	Buchsenensatz HD.15. Crimp	hellbeige	1		
2-3	DESCRIPTION / BENENNUNG	MATERIAL	COLOR / FARBE	ITEM NO. POS.	
HD.15.Bu.C	<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISIONS. OTHER ORGANIZATIONS MUST BE KEPT INFORMED BY APPROPRIATE MEANS. APPROVALS AND COPY TECHNIQUE PORTFOLIO ORDER, AND VENDORAL USE, FOR JOURNAL LETTERS, THEIR AGREEMENT AND SIGNATURE IS A MUST.</small>				
	DIMENSIONS: DIMENSIONEN: mm	TOLERANCES UNLESS ALLGEMEINTOLERANZEN mm	DWN Schneider 25.06.01 CW Schweiger 25.06.01	NAME AMP HTS Elektrotechnik 53819 Neunkirchen, Germany	
	0 PLC 1 ISO 8015 2 ISO 2768 - mm - E 3 PLP 4 PLP 5 PLP	OTHERWISE SPECIFIED: 0 PLC 1 ISO 8015 2 ISO 2768 - mm - E 3 PLP 4 PLP 5 PLP	PRODUCT SPEC PRODUKTSPEZ. APPLICATION SPEC VERARBEITUNGSSPEZ.	SIZE A3	CAGE CODE 00779
	MATERIAL FINISH / OBERFLÄCHE / FARBE	ANGLES / WINKEL FINISH / OBERFLÄCHE / FARBE	WEIBY GEWICHT CUSTOMER DRAWING	DRAWING NO. ZEICHNUNGS-NR. 1103005	RESTRICTED TO NUR FÜR -