

FEATURES

- Coiled cables to connect <u>i</u>Buttons[®] to 1-Wire[®] networks
- Convenient, off-the-shelf connectivity
- Blue Dot Dual Receptors for momentary (F3/F5 MicroCan) or dwelled contact (F5 MicroCan only) with adhesive pad to mount on objects (DS1402D-DB8+, DS1402D-DR8+, each 2.4m max.)
- Touch-and-Hold Probes DS1402-BP8+, DS1402-RP3+ and DS1402-RP8+ for momentary touch (F3/F5 MicroCan) or dwelled contact (F5 MicroCan only) in 2.4m length max.

- iButton cable (DS1402-BR8) to connect DS1401 iButton Holder to USB or serial port 1-Wire adapters.
- Can be used with any Dallas Semiconductor port adapter

ORDERING INFORMATION

DS1402D-DB8+	2.4m (8ft) cable
DS1402D-DR8+	2.4m (8ft) cable
DS1402-BP8+	2.4m (8ft) cable
DS1402-RP3+	0.9m (3ft) cable
DS1402-RP8+	2.4m (8ft) cable
DS1402-BR8+	2.4m (8ft) cable

+ Denotes a lead(Pb)-free/RoHS-compliant product.

DESCRIPTION


Using four basic types of connectors, 1-Wire RJ-11, <u>i</u>Button, Touch-and-Hold Probe, and Blue Dot Receptor, the DS1402 series of 1-Wire network cables provides connectivity for <u>i</u>Buttons. The cables are designed to connect any USB, serial, or parallel port 1-Wire adapter to any <u>i</u>Button. Both, the <u>i</u>Button probe cables and the Blue Dot receptor cables can touch any <u>i</u>Button, but can only hold the F5 version <u>i</u>Buttons. The DS1402-BR8+ is the only cable that connects to the DS1401 <u>i</u>Button Holder. Applications of the DS1402-series 1-Wire network cables range from software protection and access control to asset management and thermal monitoring through handheld computers.

Connectivity Matrix


Cable Part Number	Connects From	То
DS1402D-DB8+ Blue Dot Receptor Cable	DS1410E, DS1411, DS1413, any version or DS1401	any <u>i</u> Button
DS1402D-DR8+ Blue Dot Receptor Cable	DS9490R, DS9097U (any version), DS9097, DS9097E	any <u>i</u> Button
DS1402-BP8+ <u>i</u> Button Probe Cable	DS1410E, DS1411, DS1413, any version or DS1401	any <u>i</u> Button
DS1402-RP3+, DS1402-RP8+ iButton Probe Cable	DS9490R, DS9097U (any version), DS9097, DS9097E	any <u>i</u> Button
DS1402-BR8+	DS9490R, DS9097U (any version), DS9097, DS9097E	DS1401 Front Panel <u>i</u> Button Holder

iButton and 1-Wire are registered trademarks of Maxim Integrated Products, Inc.


Blue Dot Receptor Cables




iButton Probe Cables



iButton Holder Cable DS1402-BR8+





REVISION HISTORY

REVISION DATE	DESCRIPTION	PAGES CHANGED
61809	Conversion to lead free. Added the DS1402-RP3+ to the datasheet.	1, 2