







REV	DATE	BY	CHK	DESCRIPTION
AA	00			
B				EC-08-02487



1. MATERIAL: HOUSING—HIGH TEMPERATURE NYLON, BLACK, IR COMPATIBLE, UL 94V-0.
 TERMINALS - 0.33 [0.13] THICK PHOS BRONZE PLATED WITH 1.27µm [0.00050] MINIMUM HARD GOLD IN LOCALIZED AREA AND 3.81µm [0.00150] MINIMUM MATTE TIN IN SOLDER AREA OVER 1.27µm [0.00050] MINIMUM NICKEL UNDERPLATE

- △ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- △ CAUTION: CATEGORY 5 JACK SOLDER TAIL POSITIONS DO NOT FOLLOW SAME NUMBER SEQUENCE AS THAT OF THE TRADITIONAL JACKS.



THIS DRAWING IS A CONTROLLED DOCUMENT.		REVISED BY: J.LING/J.A.MAYER	DATE: 08/20/01	REVISED BY: J.LING/J.A.MAYER	DATE: 08/20/01
DRAWN BY: WESTMAN		DESIGNED BY: WESTMAN	DATE: 08/20/01	5558501-1 PART NO.	
CHECKED BY: WESTMAN		APPROVED BY: WESTMAN	DATE: 08/20/01	5558501-1 PART NO.	
MATERIAL: 108-1392		REVISED BY: WESTMAN		REVISED DATE: 08/20/01	
PART: 114-2048		REVISED BY: WESTMAN		REVISED DATE: 08/20/01	
SEE NOTE 1		SEE NOTE 1		SEE NOTE 1	
CUSTOMER DRAWING		A100779		G=5558501	