





REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
C		PROPOSAL	MAY 15/08	L.CHAN
D		PROPOSAL	MAY 13/10	L.CHAN
E		PROPOSAL	DEC 07/10	L.CHAN



MATERIALS:
 PLASTIC HOUSING: HIGH TEMPERATURE THERMOPLASTIC
 FLAMMABILITY RATING UL 94V-0,
 COLOR: BLACK

CONTACTS:
 PHOSPHOR BRONZE
 PLATING: 50 μ" [1.27 MICRONS]
 MIN. GOLD ON MATING SURFACES.
 50 μ" [1.27 MICRONS]
 MIN. NICKEL UNDERPLATE
 100 μ" [2.54 MICRONS]
 MIN. MATTE TIN ON CONTACT TAILS.



PART NUMBER: RJHSE-5080

RECOMMENDED P.C.B. LAYOUT
 (COMPONENT SIDE OF BOARD)

TOLERANCE ARE :		DRAWN PAUL WANG	DATE 06/03/28	Amphenol Canada Corp.	
DECIMALS	ANGLES	DESIGNED			
.X ±.025	.X' ±3.0'	CHECKED CHIGOW	06/03/28	TITLE SINGLE-PORT HIGH SPEED RJ45 MODULAR JACK, WITHOUT LED, 8 POS. 8 CONTACTS, NO SHIELD-ROHS COMPLIANT	
.XX ±.020	.X" ±2.0"	I. E. APPRD.			
.XXX ±.015	.XX' ±1.0'	O. A. APPRD.		DWG. DRAWING NO. P-RJHSE-5080	
		DWG. APPRD.			
		ENG. REL. NO.		SCALE:	WT. -----
		REF.		SURF. -----	SHEET 1 OF 1
		DIMENSIONS ARE IN INCHES [mm]	CODE ID. NO. 03554		

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.