





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	UR	DESCRIPTION	DATE	DR	APPD
AA	22	A1	REV PER ECR-09-004284	16APR2009	TY SY



- ⚠ MATERIAL: HOUSING - NYLON, BLACK, IR REFLOW COMPATIBLE, UL 94V-0.  
 TERMINALS - 0.33[.013] THICK PHOS BRONZE PLATED WITH 1.27μm[.000050] MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 3.81μm [ .000150] MINIMUM THICK MATTE TIN IN SOLDER AREA OVER 1.27μm[.000050] MINIMUM THICK NICKEL UNDERPLATE.  
 SHIELDS - 0.25[.010] THICK COPPER ALLOY PLATED WITH 1.27μm[.000050] MINIMUM NICKEL AND 2.03μm[.000080] MINIMUM HOT TIN DIP ON PCB GROUND TABS.
- ⚠ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- ⚠ USE #30 DRILL BIT OR 3.25mm DRILL BIT WHEN PRODUCING THESE PCB HOLES.



2.54 [.100]	5406216-2
3.56 [.140]	5406216-1
DIM A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DR: J. ALCORTA - DOCKS	DATE: 06/04/05	TYCO ELECTRONICS	TYCO ELECTRONICS CORPORATION Harrisburg, PA 17105-3608
DIMENSIONS: mm (inches)		DR: J. WESTMAN	DATE: 06/04/05	NAME: S. FLICKINGER	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC: 108-1163		MODULAR JACK ASSEMBLY, SINGLE PORT, 8 POSITION, SHIELDED, REVERSE PANEL GROUND TABS, CATEGORY 4	
0 P/C	# -	APPLICATION SPEC: 114-2048	SIZE: A2	DATE CODE (FORMING NO): 00779	RESTRICTED TO: C=5406216
1 P/C	# -	WEIGHT: -	CUSTOMER DRAWING	SCALE: 2:1	SHEET: 1 of 1
2 P/C	# 0.25(.01)				
3 P/C	# 0.13(.005)				
4 P/C	# -				
ANGLES	# -				
MATERIAL	FINISH				

AMP 1471-9 REV 31MAR2000

5406216

A