





THIS DRAWING IS UNPUBLISHED.
 RELEASED FOR PUBLICATION
 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DST		REVISIONS			
AA	00	P	UR	DESCRIPTION	DATE	DR	APPD
		C2		ECR-08-004284	16APR2009	TY	SY



- MATERIAL: HOUSING - NYLON, COLOR: BLACK, UL 94V-0. OVERMOLDED TERMINAL ARRAY - PBT, BROWN. TERMINALS - 0.33[.013] THICK PHOS BRONZE PLATED WITH 1.27µm[.000050] MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 3.81µm [.000150] MINIMUM THICK MATTE TIN IN SOLDER AREA OVER 1.27µm[.000050] MINIMUM THICK NICKEL UNDERPLATE. SHIELDS - 0.25[.010] THICK COPPER ALLOY PLATED WITH 1.27µm[.000050] MINIMUM NICKEL AND 2.03 µm [.000080] MINIMUM HOT TIN DIP ON PCB GROUND TABS.
- JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- USE #30 DRILL BIT OR 3.25mm DRILL BIT WHEN PRODUCING THESE PCB HOLES.
- DIELECTRIC WITHSTANDING VOLTAGE BETWEEN SHIELD AND TERMINAL IS 1500 VAC



RECOMMENDED PANEL CUTOUT
 SCALE 4:1

RECOMMENDED PC BOARD LAYOUT
 COMPONENT SIDE (TOP)
 SCALE 4:1

5406217-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 01JAN2005	BY: T. SPRINKLE/A. MAYER	DATE: 01JAN2005	BY: J. WESTMAN	DATE: 01JAN2005	BY: S. SELICKINGER	DATE: 01JAN2005	BY: T. TYCO ELECTRONICS CORPORATION
DIMENSIONS: mm		TOLERANCES UNLESS SPECIFIED:		PRODUCT SPEC:		APPLICATION SPEC:		MATERIAL FINISH:	
0	PLC	#	-	108-1163-2	114-2048	REVERSE PANEL GROUND TABS, CATEGORY 5		RESTRICTED TO	
1	PLC	#	-	114-2048	A2	SEE CASE CODE (FORMING NO)		CUSTOMER DRAWING	
2	PLC	#	0.25[.01]	SCALE: 2:1		SHEET 1 of 1		REV C2	
3	PLC	#	0.13[.005]						
4	PLC	#	*						

5406217