



1. MATERIAL: HOUSING - PCT POLYESTER, BLACK IR COMPATIBLE, UL 94V-O. TERMINALS - 0.33 [0.013] THICK PHOS BRONZE PLATED WITH 1.27µm [0.000050] THICK HARD GOLD IN LOCALIZED AREA AND 3.81µm [0.000150] THICK MATTE TIN IN SOLDER AREA OVER 1.27µm [0.000050] THICK NICKEL UNDERPLATE. SHIELD: .254mm [0.010] THICK COPPER ALLOY PLATED WITH 1.27µm [0.000050] MINIMUM NICKEL AND 2.03 µm [0.000080] MINIMUM HOT TIN DIP ON PCB GROUND TABS.
2. JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
3. ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.

SUGGESTED PC BOARD LAYOUT
COMPONENT SIDE
SEE APPLICATION SPECIFICATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		15AUN0005	
DIMENSIONS: MM		G. ATYDIA - DOCKS	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		J. WESTMAN 15AUN0005	
0 P/C	± .1	APD ELI/UNGER	TYCO Electronics Corporation
1 P/C	± .15	108-1163	Harrisburg, PA 17105-3608
2 P/C	± .25	APERTURE SPEC	
4 P/C	± .5	WEIGHT	
ANGLES	± .5	114-2048	
MATERIAL: Δ		SCALE	2.1
		CAGE CODE	A2100779
		DRAWING NO	5557570
		RESTRICTED TO	
REAR PCB GROUND TABS		DESCRIPTION	PRINTED CIRCUIT BOARD GROUND SHIELD
1		PART NUMBER	5557570-1