






THIS DRAWING IS UNPUBLISHED
 ALL RIGHTS RESERVED
 © 2008 BY TYS ELECTRONICS CORPORATION

REV	DATE	DESCRIPTION	BY	CHK	APP
AA	22				
A1		REVISED ECR-08-031628			



PC BOARD LAYOUT VIEWED FROM COMPONENT SIDE

SUGGESTED PANEL CUTOUT DIMENSIONS
 SCALE 2:1

- △ MATERIAL:
 HOUSING - PCT POLYESTER, BLACK, UL94V-0.
 OVERMOLDED TERMINAL ARRAY - PBT, BROWN.
 TERMINALS - 0.33 [.013] THICK PHOS BRONZE
 PLATED WITH 1.27µm [.000050] MIN THICK
 HARD GOLD IN LOCALIZED AREA AND 3.81µm
 [.000150] MIN THICK MATTE TIN SOLDER
 AREA OVER 1.27µm [.000050] MIN THICK
 NICKEL UNDERPLATE.
 SHIELDS - 0.25 [.010] THICK COPPER ALLOY
 PLATED WITH 1.27 µm [.000050] MINIMUM NICKEL
 AND 2.03 µm [.000080] MINIMUM HOT TIN DIP
 ON PCB GROUND TABS.
- △ JACK CAVITY CONFORMS TO FCC RULES AND
 REGULATIONS, PART 68 SUBPART F.
- △ DATE CODE LOCATED ON REAR OF PART
 APPROXIMATELY AS SHOWN:
 FIRST 2 DIGITS ARE LAST 2 DIGITS OF YEAR,
 SECOND 2 DIGITS ARE MANUFACTURING
 WORK WEEK,
 LAST DIGIT IS DAY OF WEEK, WITH SUNDAY = 1.

5569380-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		REVISED BY	DATE	REVISIONS
INCHES	MILLIMETERS	BY	DATE	DESCRIPTION
1/16	1.588	WESTMAN	08/20/07	108-1163-2
1/8	3.175	WESTMAN	08/20/07	114-2048
3/16	4.763			
1/4	6.350			
5/16	7.938			
3/8	9.525			
7/16	11.113			
1/2	12.700			
5/8	15.875			
3/4	19.050			
7/8	22.225			
1	25.400			
1 1/8	31.750			
1 1/4	38.100			
1 3/8	44.450			
1 1/2	50.800			
1 5/8	57.150			
1 3/4	63.500			
1 7/8	69.850			
2	76.200			
2 1/8	82.550			
2 1/4	88.900			
2 3/8	95.250			
2 1/2	101.600			
2 5/8	107.950			
2 3/4	114.300			
2 7/8	120.650			
3	127.000			
3 1/8	133.350			
3 1/4	139.700			
3 3/8	146.050			
3 1/2	152.400			
3 5/8	158.750			
3 3/4	165.100			
3 7/8	171.450			
4	177.800			
4 1/8	184.150			
4 1/4	190.500			
4 3/8	196.850			
4 1/2	203.200			
4 5/8	209.550			
4 3/4	215.900			
4 7/8	222.250			
5	228.600			
5 1/8	234.950			
5 1/4	241.300			
5 3/8	247.650			
5 1/2	254.000			
5 5/8	260.350			
5 3/4	266.700			
5 7/8	273.050			
6	279.400			
6 1/8	285.750			
6 1/4	292.100			
6 3/8	298.450			
6 1/2	304.800			
6 5/8	311.150			
6 3/4	317.500			
6 7/8	323.850			
7	330.200			
7 1/8	336.550			
7 1/4	342.900			
7 3/8	349.250			
7 1/2	355.600			
7 5/8	361.950			
7 3/4	368.300			
7 7/8	374.650			
8	381.000			
8 1/8	387.350			
8 1/4	393.700			
8 3/8	400.050			
8 1/2	406.400			
8 5/8	412.750			
8 3/4	419.100			
8 7/8	425.450			
9	431.800			
9 1/8	438.150			
9 1/4	444.500			
9 3/8	450.850			
9 1/2	457.200			
9 5/8	463.550			
9 3/4	469.900			
9 7/8	476.250			
10	482.600			
10 1/8	488.950			
10 1/4	495.300			
10 3/8	501.650			
10 1/2	508.000			
10 5/8	514.350			
10 3/4	520.700			
10 7/8	527.050			
11	533.400			
11 1/8	539.750			
11 1/4	546.100			
11 3/8	552.450			
11 1/2	558.800			
11 5/8	565.150			
11 3/4	571.500			
11 7/8	577.850			
12	584.200			
12 1/8	590.550			
12 1/4	596.900			
12 3/8	603.250			
12 1/2	609.600			
12 5/8	615.950			
12 3/4	622.300			
12 7/8	628.650			
13	635.000			
13 1/8	641.350			
13 1/4	647.700			
13 3/8	654.050			
13 1/2	660.400			
13 5/8	666.750			
13 3/4	673.100			
13 7/8	679.450			
14	685.800			
14 1/8	692.150			
14 1/4	698.500			
14 3/8	704.850			
14 1/2	711.200			
14 5/8	717.550			
14 3/4	723.900			
14 7/8	730.250			
15	736.600			
15 1/8	742.950			
15 1/4	749.300			
15 3/8	755.650			
15 1/2	762.000			
15 5/8	768.350			
15 3/4	774.700			
15 7/8	781.050			
16	787.400			
16 1/8	793.750			
16 1/4	800.100			
16 3/8	806.450			
16 1/2	812.800			
16 5/8	819.150			
16 3/4	825.500			
16 7/8	831.850			
17	838.200			
17 1/8	844.550			
17 1/4	850.900			
17 3/8	857.250			
17 1/2	863.600			
17 5/8	869.950			
17 3/4	876.300			
17 7/8	882.650			
18	889.000			
18 1/8	895.350			
18 1/4	901.700			
18 3/8	908.050			
18 1/2	914.400			
18 5/8	920.750			
18 3/4	927.100			
18 7/8	933.450			
19	939.800			
19 1/8	946.150			
19 1/4	952.500			
19 3/8	958.850			
19 1/2	965.200			
19 5/8	971.550			
19 3/4	977.900			
19 7/8	984.250			
20	990.600			