








REV	DATE	DESCRIPTION	BY	CHKD	APP'D
00					
1		ADD 1'S, REV EIO-10-00478	STUNKIN	LL	SA
2		REV: EIO-10-91290	STUNKIN	GG	SA



- △ MATERIAL: JACK HOUSING - POLYPHENYLENE OXIDE, 90V-0 RATED, 110 BLOC, STRAIN RELIEF AND DOOR - POLYCARBONATE, ARRAY TRAY - PBT POLYESTER
- △ JACK CONTACTS ARRAY - BERYLLIUM COPPER, PLATED WITH 1.27µm (1.000051) MINIMUM THICK GOLD IN LOCALIZED AREA AND 3.81µm (1.000150) MINIMUM THICK MATTE TIN IN BOARD INTERFACE AREA OVER 1.27µm (1.000051) MINIMUM THICK NICKEL UNDERPLATE.
- △ IDC TERMINALS - PHOSPHOROUS BRONZE, PLATED WITH 3.81µm (1.000151) MINIMUM THICK MATTE TIN OVER 1.27µm (1.000051) MINIMUM THICK NICKEL UNDERPLATE.
- 2. SL 110 JACK WILL TERMINATE 22-24 AWG SOLID AND 24-26 AWG STRANDED CONDUCTORS, 1.27 (0.051) MAXIMUM INSULATION DIAMETER. JACK WILL ACCEPT CONDUCTORS UP TO 1.45 (1.057) BUT REQUIRE THE USE OF A STRAIN RELIEF.
- △ CAVITY CONFORMS TO FCC RULES AND REGULATIONS (PART 48 SUBPART F REQUIREMENTS).
- 4. MOUNTING PANEL THICKNESS 1.47 - 1.60 (1.058 - .063).
- △ THESE TWO SUGGESTED CUTOUP OPENINGS ARE USED IN TANDEM WITH DUAL FRONT AND BACK CUTOUPS.
- △ ONE MODULAR JACK ASSEMBLY PER POLYBAG.
- △ USE OF STRAIN RELIEF IS OPTIONAL.
- △ REFER TO 408-8858 FOR TERMINATION INSTRUCTIONS USING SL SERIES TOOL TERMINATION. REFER TO 408-8411 FOR TERMINATION INSTRUCTIONS USING 110 PUNCH DOWN TOOL.
- △ TWENTY-FIVE MODULAR JACKS PER POLYBAG.



PACKAGE	HOUSING COLOR	PART NUMBER
ALPINE WHITE	3-1375187-3	
ELECTRIC IVORY	3-1375187-1	
VIOLET	3-1375187-03	
GREEN	2-1375187-5	
YELLOW	2-1375187-8	
RED	2-1375187-7	
ORANGE	2-1375187-5	
NEMA GRAY	2-1375187-4	
WHITE	2-1375187-3	
BLACK	2-1375187-2	
LIGHT ALMOND	2-1375187-1	
ALPINE WHITE	1-1375187-3	
ELECTRIC IVORY	1-1375187-1	
VIOLET	1-1375187-0	
GREEN	1375187-9	
YELLOW	1375187-8	
RED	1375187-7	
ORANGE	1375187-6	
NEMA GRAY	1375187-5	
WHITE	1375187-4	
BLACK	1375187-3	
LIGHT ALMOND	1375187-2	

DESCRIPTION	REV	DATE	BY	CHKD	APP'D
ASSEMBLY, SL 110 JACK, CAT 6 DUST COVER	1				
REV: EIO-10-91290					