

DRAWING MADE IN THIRD ANGLE PROJECTION

3

2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.

LOC DIST
AA 6972

REVISIONS					
P	F	ZONE/LTR	DESCRIPTION	DATE	APPROVED
D1			ECO-08-019685		JM BM
D2			REVISED PER ECO-08-031715		AEG JGG

WHITE WITH GREEN CENTER
 WHITE WITH ORANGE CENTER
 BLUE WITH WHITE CENTER
 WHITE WITH BLUE CENTER
 ORANGE WITH WHITE CENTER
 GREEN WITH WHITE CENTER

STUFFER CAP LABEL
 HAVING CLEAR BACKGROUND





1. BARREL TERMINALS WILL ACCEPT ONE OR TWO WIRES OF THE SAME SIZE PER TERMINAL. MAX WIRE SIZE IS 22 AWG WITH .060 DIAMETER INSULATION. MIN WIRE SIZE IS 26 AWG WITH .037 DIAMETER INSULATION.

2. STUFFER CAP SHIPPED NOT ASSEMBLED.

3. MATERIALS: STUFFER CAP - POLYCARBONATE (NATURAL)
 BARREL TERMINAL - TIN COATED PHOSPHOR BRONZE
 LABEL ADHESIVE BACKED POLYESTER
 CONTACTS - NICKEL PLATED HIGH STRENGTH COPPER ALLOY HAVING SELECTIVE GOLD PLATING IN CONTACT AREA AND SELECTIVE TIN PLATING IN BARREL TERMINAL AREA.
 HOUSING & KEYSTONE - THERMOPLASTIC (BLACK) 94V-0 RATED


4. MOUNTING PANEL THICKNESS - .062 NOMINAL

1/25 DIAMETER AMP BARREL TERMINAL 6 REQUIRED




WIRING DIAGRAM

553983-1 AS SHOWN



BACK PANEL
SCALE 2:1



FRONT PANEL
SCALE 2:1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: DECIMALS ± .010 ANGLES ±		CONTRACT NO OR S. Porzbanckuk 3-29-84	PART NO	
MATERIAL 3	APPD S. Porzbanckuk 6-5-84 APPD Steve Reed 6-5-84	AMP AMP INCORPORATED Harrisburg, Pa. 17105		
FINISH 3	DSGN APPD OTHER APPD	NAME KEYSTONE JACK KIT, 6 POSITION, MARKED		
SIZE C		FSCM NO 00779	DRAWING NO 553983	REV D2
SCALE 4:1		SHEET 1 OF 1		

CUSTOMER DRAWING

553983

AMP 1471-7