





THIS DRAWING IS UNCLASSIFIED	REASON FOR DECLASSIFICATION
DATE 03/01/02 BY AMP INCORPORATED, ALL RIGHTS RESERVED	

REV	DATE	DESCRIPTION	BY	CHK	APP
AA	22				
B		REV: EC 0502-0432-97			

- △ MATERIAL: HOUSING PCT POLYESTER, BLACK, IR COMPATIBLE, UL 94V-0.
TERMINALS - 0.33 (.013) THICK PHOS BRONZE PLATED WITH 1.27µm (.000050) MINIMUM HARD GOLD IN LOCALIZED AREA AND 3.81µm (.000150) MINIMUM TIN-LEAD IN SOLDER AREA OVER 1.27µm (.000050) MINIMUM NICKEL UNDERPLATE. SHIELD - 0.254(.010) THICK COPPER ALLOY PLATED WITH 2.03µm (.000080) MINIMUM TIN-LEAD OVER 2.54µm (.000100) MINIMUM COPPER.
- △ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- 3. ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
- △ CAUTION: CATEGORY 5 JACK SOLDER TAIL POSITIONS DO NOT FOLLOW SAME NUMBER SEQUENCE AS THAT OF THE TRADITIONAL JACKS.



SUGGESTED PC BOARD LAYOUT
COMPONENT SIDE
SEE APPLICATION SPECIFICATION



○ TRADITIONAL JACK △ CATEGORY 5 JACK

MODULAR JACK ASSEMBLY, 6 PORT, 8 POSITION, RIGHT ANGLE, CATEGORY 5, PC BOARD, GROUND SHIELD		AMP AMP Incorporated Harrisburg, PA 17105-3608	
ORDERING INFORMATION: 1. QTY 2. P/N 3. P/N 4. P/N 5. P/N	DIMENSIONS: 1. DIMENSIONS SHOWN 2. DIMENSIONS SHOWN 3. DIMENSIONS SHOWN 4. DIMENSIONS SHOWN 5. DIMENSIONS SHOWN	PART NO.: 108-1392 REV: 114-2048 DATE: 11/19/97	DATE CODE: A1 LOT NO.: 00779 CUSTOMER DRAWING: 058504