

4



3

2


1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED. COPYRIGHT 19

LOC	QTY	REV	DESCRIPTION	DATE	BY	APP'D
AA	22	F	LWR			
		B	REV, EC 0502-0432-97	30.JUL.97	OLD	JT



- △ MATERIAL: HOUSING-PCT POLYESTER, BLACK, IR COMPATIBLE, UL 94V-0. TERMINALS-0.33(.013) THICK PHOS BRONZE PLATED WITH 1.27μm (.000050) MINIMUM HARD GOLD IN LOCALIZED AREA AND 3.81μm (.000150) MINIMUM TIN-LEAD SOLDER AREA OVER 1.27μm (.000050) MINIMUM NICKEL UNDERPLATE. SHIELD-0.254 (.010) THICK COPPER ALLOY PLATED WITH 2.03μm (.000080) MINIMUM TIN-LEAD OVER 2.54μm (.000100) MINIMUM COPPER.
- △ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- 3. ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
- △ CAUTION: CATEGORY 5 JACK SOLDER TAIL POSITIONS DO NOT FOLLOW SAME NUMBER SEQUENCE AS THAT OF THE TRADITIONAL JACKS.



SUGGESTED PC BOARD LAYOUT
 COMPONENT SIDE
 SEE APPLICATION SPECIFICATION

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.		DIM: S, LONG CDR: S, FOX DATE: 10MAR94	PART NO. 558505-1
DIMENSIONS: mm (INCHES)		NAME: AMP INCORPORATED ADDRESS: HARRISBURG, PA 17105-3608	MODULAR JACK ASSEMBLY, 8 PORT, 8 POSITION, RIGHT ANGLE, CATEGORY 5
FINISH:		SIZE: A2 CASE CODE: 00779 DRAWING NO: 558505	SCALE: 2:1 SHEET: 1 OF 1 REV: B

558505

B

A