









THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. COPYRIGHT 1988 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DATE	REVISIONS	DATE	BY	APP
AA	22				
		N	ADDED - 15; EC 00F0-0100-01	21JUN81	JA SR
		P	EHO1-1299-03	18-11-83	FW PG
		R	EHO1-0318-04	05-03-84	FW PG
		R1	EHO0-0153-04	03-MAY-84	FW PG

- NOTES:**
- TOLERANCES UNLESS OTHERWISE SPECIFIED:  $\pm 0.15$ .
  - CONTACT PLATING:**  
1.27 $\mu$ m MIN. GOLD SELECTIVE IN CONTACT AREA, OVER 1.27 $\mu$ m MIN. NICKEL  
2.0 $\mu$ m MIN. MATTE TIN LEAD ON SOLDER TINES.
  - MATERIAL:**  
HOUSING: 30T G.F. PA 4.6, COLOR BLACK, UL 94V-0.  
CONTACTS: PHOSPHOR BRONZE  
SOLDER BRACKET: TINPLATED BRASS WITH NICKEL UNDERLAYER.
  - THIS JACK CAN ALSO BE APPLIED HANGING THROUGH A HOLE, IN A PRINTED CIRCUIT BOARD. SEE LEFT PCB LAYOUT.
  - SURFACE CAN BE USED FOR PICKING THE MODULAR JACK WITH, TYPE 11 SMD MACHINE.
  - MEASURED AT HEEL OF CONTACTS, COPLANARITY AT TIPS MAX. 0.18 MM.
  - TAPE AND REEL PACKAGING ACCORDING TO EIA 481-3 SPECIFICATIONS.
  - INCLUDES KAPTON TAPE (10mm x 14mm) ON TOP SURFACE FOR PICK AND PLACE UNIT







8 POS./8 CONTACT	250PCS ON $\varnothing 360$ mm OD REEL TOP ENTRY ORIENTATION PER DETAIL B1 WITH KAPTON TAPE FOR PICK AND PLACING	1-338088-6
8 POSN./8 CONTACT	250 PCS ON $\varnothing 360$ mm OD REEL BOTTOM ENTRY ORIENTATION PER DETAIL B2	1-338088-5
8 POSN./8 CONTACT	500 PCS ON $\varnothing 560$ mm OD REEL TOP ENTRY ORIENTATION PER DETAIL B1	2-338088-3
8 POSN./8 CONTACT	250 PCS ON $\varnothing 360$ mm OD REEL TOP ENTRY ORIENTATION PER DETAIL B1	1-338088-3

REMARKS		PACKAGE	PART NUMBER
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED. DIMENSIONS SHOULD BE OBTAINED FOR THE LATEST REVISION.		AMP	Tyco Electronics
E.J. ELJK 30 Sep '95		AMP	Meritzberg, PA 17105-2608
C. STELLINGA		INVERTIBLE MODULAR JACK, 8 POSITION FOR SURFACE MOUNT APPLICATION	
8 SHEETS		SHEET 5 OF 8	
PRODUCT SPEC 108-19117		DRAWING NO. 00779	
APPLICATION SPEC 114-19041		REV. 2.1	
MATERIAL SEE NOTE 3		CUSTOMER DRAWING	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.

REV	DATE	BY	DESCRIPTION
1			SEE SHEET 1



<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.</small>		DATE: 11-01-95 BY: E.J. ELJK CHK: E. STELLINGA APP: Dec. '95	<b>AMP</b> Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS: MILLIMETERS UNLESS OTHERWISE SPECIFIED.		PRODUCT SPEC: 8-PIN JACKS APPLICATION SPEC:	NAME: INVERTIBLE MODULAR JACK, 8 POSITION FOR SURFACE MOUNT APPLICATION SIZE: 00779 ©338088 DRAWN BY: A2 CHECKED BY:
MATERIAL: FR-4		WEIGHT:	REFERENCED TO:
CUSTOMER DRAWING		SCALE: 1:2	SHEET: 2 OF 2 REV: 1

AMP 1471-1 REV 27JUN96

338088-C