

4

3





2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS		DS	EL	DATE	BY	APP'D
HM	00	F	LTR					
		C	REV ECO-08-004865			04MAR08	LH	BM

TERMINAL QUANTITY 4



- ① DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.
- ② MATERIAL: HOUSING- POLYCARBONATE, BLUE TERMINAL- PHOSPHOR BRONZE, PLATED WITH 1.27μm [.000050] MINIMUM THICK GOLD IN LOCALIZED GOLD PLATE AREA, GOLD FLASH ON THE REMAINDER, OVER 2.54μm [.000100] MINIMUM THICK NICKEL UNDERPLATE.
- 3. PLUG WILL ACCEPT 26 OR 28 AWG SOLID WIRE, 0.74-0.86 [.029-.034] DIAMETER, WITH AN OVAL CABLE JACKET OF 2.29 X 4.83 [.090 X .190] MAXIMUM.
- ④ TERMINATED DIMENSION 6.15 [.242] MAXIMUM.
- ⑤ 1000 ASSEMBLIES PER PACKAGE.
- ⑥ 100 ASSEMBLIES PER PACKAGE.

⑥	5-557965-3
⑤	5-557965-2
PACKAGE	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		BY	L. HALL	03MAR2008	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK	S. MCNEILL	04MAR2008	Tyco Electronics	
MM (INCHES)		APP'D	B. MCNEILL	04MAR2008	NAME	
OTHER DIMENSIONS UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		108-1163		
0 PLC		APPLICATION SPEC		114-6016		
1 PLC		WEIGHT		A2 00779 C=557965		
2 PLC		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 of 1 REV C		
3 PLC		MATERIAL		RESTRICTED TO		
4 PLC		FINISH		-		
ANGLES						

AMP 1471-9 REV 31MM2000

557965