








REV	DATE	DESCRIPTION	BY	CHK	APP
D		REVISED PER ECO-10-015550	UNIDENT	UNIDENT	JP

- △ MATERIAL: COPPER ALLOY.
- △ FINISH: TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- △ PADS AND VIAS CHASSIS GROUND.
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- △ REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- △ COMPANY LOGO IN APPROXIMATE AREA SHOWN





1761014-1
 1X2 CAGE ASSEMBLY
 SCALE 4:1




1 x 2 CAGE	1761014-1
DESCRIPTION	PART NO

DATE: 08/20/2004 BY: PHILLIPS, SAK2004 CHECKED: PHILLIPS, SAK2004 TITLE: 108-1950 PROJECT: 114-13120 CUSTOMER: CUSTOMER DRAWING		Tech Electronics Harrisburg, PA 17105-3600 ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP	
MATERIAL:	FINISH:	STATE: CA CAGE CODE: 00778 PART NO: 1761014	DRAWING NO: 1761014-1 SHEET: 1 OF 2

REV		REVISIONS	
NO	DATE	DESCRIPTION	BY
00		SEE SHEET 1	



PT CONNECTOR
 RECOMMENDED PCB
 CONFIGURATION
 SCALE 10:1



RECOMMENDED PC BOARD
 CONFIGURATION
 SCALE 4:1

DETAIL D
 SCALE 15:1

DATE: 08/24/2004		DRAWN BY: SMO2004		DATE: 08/24/2004		DRAWN BY: SMO2004	
REV: 00		REV: 00		REV: 00		REV: 00	
PROJECT: 00778		PROJECT: 00778		PROJECT: 00778		PROJECT: 00778	
SHEET: 2		SHEET: 2		SHEET: 2		SHEET: 2	
TOTAL SHEETS: 2		TOTAL SHEETS: 2		TOTAL SHEETS: 2		TOTAL SHEETS: 2	
CUSTOMER DRAWING		CUSTOMER DRAWING		CUSTOMER DRAWING		CUSTOMER DRAWING	