







REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	



MATERIAL:
CAGE: COPPER ALLOY.

PLATING:
PLATING OPTION 2: 2.54 μm [100 μ"] NICKEL PLATING.
PLATING OPTION 3: 2.54 - 7.62 μm [100 - 300 μ"]
MATTE TIN PLATING OVER 1.27 μm [50 μ"] NICKEL.

PACKAGING: TRAY PACKAGING.

TEMPERATURE RANGE: -40°C TO 85°C.

AMPHENOL PART NUMBER CONFIGURATION

U 7 7 - A 1 6 3 9 - X 0 0 1


CAGE PLATING:
2 = NICKEL
3 = MATTE TIN

PACKAGING:
1 = TRAY PACKAGING

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS ANGLES		DRAWN H.SONG		AUG26/09		TITLE	
X.X ± 0.15 ± 0.5°		DESIGNED				1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
X.XX ± 0.10		CHECKED J.SI		AUG27/09			
MATERIAL AND FINISH		QA APPD					
REF.		E APPD					
CODE IDENT NO. 03554		DWG APPD				DWG NO. P-U77-A1639-X001	
				SCALE 3:1		PROJECT	
						SHEET 1 OF 3	



REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS	ANGLES	DRAWN	H.SONG	AUG26/09		TITLE	
X.X ± 0.15	± 0.5°	DESIGNED				1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
X.XX ± 0.10		CHECKED	J.SI	AUG27/09			
MATERIAL AND FINISH		QA APPD					
REF.		E APPD				SIZE	DWG. NO.
CODE IDENT. NO. 03554		DWG APPD				A3	P-U77-A1639-X001
				SCALE	3:1	PROJECT	SHEET
							2 OF 3




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASSIS GROUND.
 - THRU-HOLES PLATING OPTIONAL.
 - SEE DRAWING P-U76-A20-X00XX FOR CONNECTOR LAYOUT.

- HOLE SIZES
- ⊘ 1.55
 - ⊘ 1.05
 - ⊘ 0.95
 - ⊘ 0.85



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS	ANGLES	DRAWN	H.SONG	AUG26/09		TITLE	
X.X ± 0.15	± 0.5°	DESIGNED				1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
X.XX ± 0.10		CHECKED	J.SI	AUG27/09			
MATERIAL AND FINISH		QA APP'D					
REF.		E APP'D					
CODE IDENT. NO.	03554	DWG APP'D		REV.	A3	DWG. NO.	P-U77-A1639-X001
				SCALE	3:1	PROJECT	
						SHEET	3 OF 3