

4


3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 1998
 BY AMP INCORPORATED ALL RIGHTS RESERVED.




P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
	C	REVISED	ECR-10-026389	28DEC10	TT	TTM



SECT B-B



SECT A-A



NOTES

- 1. FINISH (CONTACT AREA): 0.38μm MIN GOLD PLATING OVER Ni PLATING

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 7/DEC/98 CHR K IKEDA APVD N MATSUBARA NAME I.HASEGAWA	WIRE RANGE AWG #28~#24	INSULATION DIA 0.88~1.5
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3 >10 ±0.35 >30 ±0.4 ANGLE ±3°	PRODUCT SPEC 108-5619	Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan	
	MATERIAL (COPPER ALLOY)	APPLICATION SPEC 114-5258	TAB CONTACT "S" SIZE, L/P <DYNAMIC D-2 SERIES>	
FINISH SEE NOTE	WEIGHT CUSTOMER DRAWING	SIZE A3	CAGE CODE 00779	DRAWING NO C-1318112
		SCALE 8-1	SHEET 1	OF 1
		RESTRICTED TO -	REV C	

AMP1470-19 REV 10/93