





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION .19 .
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	P	F	ZONE	LTR	REVISIONS	DATE	APPD
CM	53					P REV PER EC 061B-0003-99	03-09-99	JH RS



METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

1. REFER TO AMP SPEC 108-1015 FOR TERMINATION REQUIREMENTS.
2. WIRE RANGE: 0.2 - 0.9 mm² [24 - 18 AWG].
3. INSULATION RANGE: 2.54 [0.100] MAX DIA.
4. DIMENSIONS IN BRACKETS ARE IN INCHES.

PRE-TIN		0.30 [0.012] BRASS	61527-2
PART NO	PART NO	PART NO	PART NO
DD NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN MM (INCHES) TOLERANCES ON : 2 PLC DEC ± - 3 PLC DEC ± 0.13 (0.005) ANGLES ± -	DR 1-28-93 T. BECK CHK 1-29-93 R. SWING APPD 2-10-93 C. MARTIN	AMP AMP Incorporated Harrisburg, PA 17105-3608 NAME PIN, MATE-N-LOK™	
MATERIAL SEE TABLE	PRODUCT SPEC -	SIZE C	CAGE CODE 00779
FINISH SEE TABLE	APPLICATION SPEC -	DRAWING NO C-61527	SCALE 5:1
WEIGHT -		SHEET 1 OF 1	

AMP 1471-B REV 3-92
 03-MAR-99 09:07:14 amp18726 /home/amp18726/ednmod

CUSTOMER DRAWING