

4

3

2

1




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
CM	00	F	LNK	DESCRIPTION	DATE	BY	APPD
		C2		REVISED PER ECO-11-004587	11MAR11	RK	HMR

YES	71.12	[2.800]	28	5-643815-8
YES	68.58	[2.700]	27	5-643815-7
YES	66.04	[2.600]	26	5-643815-6
YES	63.50	[2.500]	25	5-643815-5
YES	60.96	[2.400]	24	5-643815-4
YES	58.42	[2.300]	23	5-643815-3
YES	55.88	[2.200]	22	5-643815-2
YES	53.34	[2.100]	21	5-643815-1
YES	50.80	[2.000]	20	5-643815-0
YES	48.26	[1.900]	19	4-643815-9
YES	45.72	[1.800]	18	4-643815-8
YES	43.18	[1.700]	17	4-643815-7
YES	40.64	[1.600]	16	4-643815-6
YES	38.10	[1.500]	15	4-643815-5
YES	35.56	[1.400]	14	4-643815-4
YES	33.02	[1.300]	13	4-643815-3
YES	30.48	[1.200]	12	4-643815-2
YES	27.94	[1.100]	11	4-643815-1
YES	25.40	[1.000]	10	4-643815-0
YES	22.86	[.900]	9	3-643815-9
YES	20.32	[.800]	8	3-643815-8
YES	17.78	[.700]	7	3-643815-7
YES	15.24	[.600]	6	3-643815-6
YES	12.70	[.500]	5	3-643815-5
YES	10.16	[.400]	4	3-643815-4
YES	7.62	[.300]	3	3-643815-3
YES	5.08	[.200]	2	3-643815-2

NO	71.12	[2.800]	28	2-643815-8	SUPERSEDED BY 5-643815-8
NO	68.58	[2.700]	27	2-643815-7	SUPERSEDED BY 5-643815-7
NO	66.04	[2.600]	26	2-643815-6	SUPERSEDED BY 5-643815-6
NO	63.50	[2.500]	25	2-643815-5	SUPERSEDED BY 5-643815-5
NO	60.96	[2.400]	24	2-643815-4	
NO	58.42	[2.300]	23	2-643815-3	SUPERSEDED BY 5-643815-3
NO	55.88	[2.200]	22	2-643815-2	SUPERSEDED BY 5-643815-2
NO	53.34	[2.100]	21	2-643815-1	SUPERSEDED BY 5-643815-1
NO	50.80	[2.000]	20	2-643815-0	
NO	48.26	[1.900]	19	1-643815-9	SUPERSEDED BY 4-643815-9
NO	45.72	[1.800]	18	1-643815-8	SUPERSEDED BY 4-643815-8
NO	43.18	[1.700]	17	1-643815-7	
NO	40.64	[1.600]	16	1-643815-6	
NO	38.10	[1.500]	15	1-643815-5	SUPERSEDED BY 4-643815-5
NO	35.56	[1.400]	14	1-643815-4	
NO	33.02	[1.300]	13	1-643815-3	SUPERSEDED BY 4-643815-3
NO	30.48	[1.200]	12	1-643815-2	SUPERSEDED BY 4-643815-2
NO	27.94	[1.100]	11	1-643815-1	
NO	25.40	[1.000]	10	1-643815-0	
NO	22.86	[.900]	9	643815-9	
NO	20.32	[.800]	8	643815-8	
NO	17.78	[.700]	7	643815-7	
NO	15.24	[.600]	6	643815-6	
NO	12.70	[.500]	5	643815-5	
NO	10.16	[.400]	4	643815-4	
NO	7.62	[.300]	3	643815-3	
NO	5.08	[.200]	2	643815-2	

LEADFREE DIM A NO. OF CIRCUITS PART NO.



- 1. MATERIAL: CONNECTOR - NYLON UL94V-2 (BLUE).
CONTACTS - 0.30[.012] THICK COPPER ALLOY
BRIGHT TIN-LEAD .00203[.000080] MIN THICKNESS
FOR 643815-2 THRU 2-643815-8.
MATTE WHISKER MITIGATED TIN .00203[.000080] MIN THICKNESS
OVER NICKEL UNDERPLATE FOR 3-643815-2 THRU 5-643815-8.
- 2. CONTACTS ACCEPT 26 AWG WIRE WITH 1.52[.060] MAX INSULATION DIAMETER.
- 3. CONTACTS MUST ACCEPT 0.64±0.03[.025] POST AND REMAIN LOCKED IN POSITION.
- 4. IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5. DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6. HOUSING FEATURES ARE: CLOSED END WITH LOCKING RAMP AND WITH POLARIZING TAB.
- 7. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DRW: S. CARPENTER 11JAN2003	CHK: D. BOSSI 11JAN2003	TE Connectivity
0 PL ±	0.13 [0.005]	APP: D. BOSSI 11JAN2003	NAME: MTA 100 CONNECTOR ASSEMBLY, 26 AWG, STANDARD	RESTRICTED TO: -
1 PL ±	0.13 [0.005]	PRODUCT SPEC: 108-1050	APPLICATION SPEC: 114-1019	SIZE: A2
2 PL ±	0.13 [0.005]	WEIGHT: 114-1019	DATE: 00779	SCALE: 5:1
3 PL ±	0.13 [0.005]	CUSTOMER DRAWING	DRAWING NO: C=643815	SHEET: 1 of 1
4 PL ±	0.13 [0.005]			REV: G2

1471-9 (3/11)

643815

A