

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
F	LNK	DESCRIPTION	DATE	BY	APP
CM	00				
	D2	REVISED PER ECO-11-004917	11MAR11	RK	HMR



- 1. MATERIAL: CONNECTOR - NYLON UL94-V2 (RED)
CONTACTS - 0.30[.012] THICK COPPER ALLOY (BRIGHT TIN-LEAD 0.00203[.000080] MIN. THICK FOR CONTACTS 644463-2 THRU 1-644463-4). (MATTE WHISKER MITIGATED TIN 0.00203[.000080] MIN. THICKNESS OVER NICKEL UNDERPLATE FOR 3-644463-2 THRU 4-644463-4).
- 2. CONTACTS ACCEPT 22 AWG WIRE WITH 2.41[.095] MAX INSULATION DIAMETER.
- 3. CONTACTS MUST ACCEPT 1.14±0.03[.045±.001] POST AND REMAIN LOCKED IN POSITION.
- 4. IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5. DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6. HOUSING FEATURES ARE: CLOSED END WITHOUT LOCKING RAMP AND WITH POLARIZING TAB.
- 7. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

REV	DESCRIPTION	DATE	BY	APP
55.47[2.184]	14	4-644463-4		
51.51[2.028]	13	4-644463-3		
47.55[1.872]	12	4-644463-2		
43.59[1.716]	11	4-644463-1		
39.62[1.560]	10	4-644463-0		
35.66[1.404]	9	3-644463-9		
31.70[1.248]	8	3-644463-8		
27.74[1.092]	7	3-644463-7		
23.77[.936]	6	3-644463-6		
19.81[.780]	5	3-644463-5		
15.85[.624]	4	3-644463-4		
11.89[.468]	3	3-644463-3		
7.92[.312]	2	3-644463-2		
DIM A NO. OF CIRCUITS PART NO.				
△ SUPERSEDED	55.47[2.184]	14	1-644463-4	
△ SUPERSEDED	51.51[2.028]	13	1-644463-3	
△ SUPERSEDED	47.55[1.872]	12	1-644463-2	
△ SUPERSEDED	43.59[1.716]	11	1-644463-1	
△ SUPERSEDED	39.62[1.560]	10	1-644463-0	
△ SUPERSEDED	35.66[1.404]	9	644463-9	
△ SUPERSEDED	31.70[1.248]	8	644463-8	
△ SUPERSEDED	27.74[1.092]	7	644463-7	
	23.77[.936]	6	644463-6	
△ SUPERSEDED	19.81[.780]	5	644463-5	
	15.85[.624]	4	644463-4	
△ SUPERSEDED	11.89[.468]	3	644463-3	
△ SUPERSEDED	7.92[.312]	2	644463-2	



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIM S. CARPENTER 21.AA.2003	DATE	21.AA.2003
CHK D. BOSSI 21.AA.2003	DATE	21.AA.2003
APP D. BOSSI	DATE	21.AA.2003
PRODUCT SPEC	108-1051	
APPLICATION SPEC	114-1020	
WEIGHT	-	

MATERIAL: NYLON UL94-V2 (RED) CONTACTS: COPPER ALLOY

TE Connectivity
MTA 156 CONNECTOR ASSEMBLY, 22 AWG, STANDARD

SIZE: A2 CASE CODE: C=644463 DRAWING NO: 00779

CUSTOMER DRAWING SCALE: 4:1 SHEET: 1 of 1 REV: D2