

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
CM	00	F	LNK		
		B		REVISION PER ECO-07-003724	23FEB07 KW DB
		B1		REVISED PER ECO-09-023313	12OCT09 KK AEG



MATERIAL: CONNECTOR-NYLON UL94V-0 (BLACK)
 CONTACTS-0.30 [.012] THICK COPPER ALLOY
 BRIGHT TIN-LEAD 0.00203 [.000080] MIN THICK FOR CONTACTS
 644578-2 THRU 1-644578-5
 MATTE WHISKER MITIGATED TIN PLATE 0.00203 [.000080] MIN THICK
 OVER 0.00076 [.000030] MIN THICK NICKEL FOR CONTACTS
 3-644578-2 THRU 4-644578-5

- CONTACTS ACCEPT 22 AWG WIRE WITH 1.52 [.060] MAX INSULATION DIAMETER.
- CONTACTS MUST ACCEPT 0.64±0.03 [.025±.001] SQUARE POST AND REMAIN LOCKED IN POSITION.
- IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- DIMENSIONS IN BRACKETS ARE IN INCHES.

- HOUSING FEATURES ARE: FEED THRU WITH LOCKING RAMP AND WITH POLARIZING TAB.
- OBsolete PARTS: OBsolete CIS STREAMLINING PER D.RENAUD/D.SINISI



LEAD FREE	DIM A	NO. OF POSN	ASSEMBLY
38.10 [1.500]	15	4-644578-5	
35.56 [1.400]	14	4-644578-4	
33.02 [1.300]	13	4-644578-3	
30.48 [1.200]	12	4-644578-2	
27.94 [1.100]	11	4-644578-1	
25.40 [1.000]	10	4-644578-0	
22.86 [.900]	9	3-644578-9	
20.32 [.800]	8	3-644578-8	
17.78 [.700]	7	3-644578-7	
15.24 [.600]	6	3-644578-6	
12.70 [.500]	5	3-644578-5	
10.16 [.400]	4	3-644578-4	
7.62 [.300]	3	3-644578-3	
5.08 [.200]	2	3-644578-2	

CONTAINS LEAD	DIM A	NO. OF POSN	ASSEMBLY
38.10 [1.500]	15	1-644578-5	
35.56 [1.400]	14	1-644578-4	
33.02 [1.300]	13	1-644578-3	
30.48 [1.200]	12	1-644578-2	
27.94 [1.100]	11	1-644578-1	
25.40 [1.000]	10	1-644578-0	
22.86 [.900]	9	1-644578-9	
20.32 [.800]	8	1-644578-8	
17.78 [.700]	7	1-644578-7	
15.24 [.600]	6	1-644578-6	
12.70 [.500]	5	1-644578-5	
10.16 [.400]	4	1-644578-4	
7.62 [.300]	3	1-644578-3	
5.08 [.200]	2	1-644578-2	

△ SUPERSEDED
 △ SUPERSEDED
 △ SUPERSEDED
 △ SUPERSEDED

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM S. HOOVER 03-DEC-2004
 CHK. D. BOSSI 03-DEC-2004
 APPR. D. BOSSI 03-DEC-2004

Tyco Electronics Tyco Electronics Corporation
 Harrisburg, Pa 17105-3608

MTA .100 CONNECTOR ASSEMBLY
 22 AWG, UL94V-0, SPECIAL

PRODUCT SPEC: 108-1050
 APPLICATION SPEC: 114-1019
 WEIGHT: A2 00779 C=644578

CUSTOMER DRAWING SCALE: 5:1 SHEET 1 OF 1 REV B1

AMP 1471-9 REV 31MM2000