

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	BY	APPD
		T2		REVISED PER ECO-11-005027	12MAR11	RK	HMR



- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103956
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 7 CONTACTS: .000100-.000200 BRIGHT TIN-LEAD OVER .000050 NICKEL
- 8 .000100-.000200 MATTE TIN OVER .000050 NICKEL
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	2-104257-4	25	7-103645-4
	2-104257-3	24	7-103645-3
	2-104257-2	23	7-103645-2
	2-104257-1	22	7-103645-1
	2-104257-0	21	7-103645-0
OBSOLETE	1-104257-9	20	6-103645-9
	1-104257-8	19	6-103645-8
	1-104257-7	18	6-103645-7
OBSOLETE	1-104257-6	17	6-103645-6
	1-104257-5	16	6-103645-5
OBSOLETE	1-104257-4	15	6-103645-4
	1-104257-3	14	6-103645-3
	1-104257-2	13	6-103645-2
	2-104257-4	25	2-103645-4
	2-104257-3	24	2-103645-3
OBSOLETE	2-104257-2	23	2-103645-2
	2-104257-1	22	2-103645-1
	2-104257-0	21	2-103645-0
OBSOLETE	1-104257-9	20	1-103645-9
	1-104257-8	19	1-103645-8
	1-104257-7	18	1-103645-7
OBSOLETE	1-104257-6	17	1-103645-6
	1-104257-5	16	1-103645-5
OBSOLETE	1-104257-4	15	1-103645-4
	1-104257-3	14	1-103645-3
OBSOLETE	1-104257-2	13	1-103645-2
	1-104257-1	12	1-103645-1

SUPERSEDED BY 1-103956-1	1-104257-1	12	1-103645-1
SUPERSEDED BY 1-103956-0	1-104257-0	11	1-103645-0
SUPERSEDED BY 103956-9	104257-9	10	103645-9
SUPERSEDED BY 103956-8	104257-8	9	103645-8
SUPERSEDED BY 103956-7	104257-7	8	103645-7
SUPERSEDED BY 103956-6	104257-6	7	103645-6
SUPERSEDED BY 103956-5	104257-5	6	103645-5
SUPERSEDED BY 103956-4	104257-4	5	103645-4
SUPERSEDED BY 103956-3	104257-3	4	103645-3
SUPERSEDED BY 103956-2	104257-2	3	103645-2
SUPERSEDED BY 103956-1	104257-1	2	103645-1

PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES 0 PLC ± .01 1 PLC ± .02 2 PLC ± .005 3 PLC ± .005 4 PLC ± .01 5 ANGLE ± .01 6 SEE TABLE MATERIAL: HOUSING PLATE: COPPER/BRASS CONTACTS: PHOS BRONZE	FINISH: SEE TABLE OTHER FINISHES: SEE TABLE	DWG: L. A. MAYER 11-4-06 CHK: P. de JONG 11-12-06 APPR: P. de JONG 11-12-06 PRODUCT SPEC: 108-25034 APPLICATION SPEC: 114-25026 HEIGHT: - CUSTOMER DRAWING	DATE: 11-4-06 DATE: 11-12-06 DATE: 11-12-06 SIZE: A2 CASE CODE (DRAWING NO): 00779 SCALE: 4:1 SHEET: 1 of 1 REV: T2		RCPT ASSY, AMPMODU MTE, SINGLE, LATCHED & POLARIZED, FOR #22-#26 AWG WIRE SIZE	RESTRICTED TO: -
---	--	--	--	--	--	------------------