



- △ HOUSING MATERIAL: GLASS FILLED POLYESTER, COLOR- BLACK
- △ CONTACT MATERIAL: PHOSPHOR BRONZE
- △ CONTACT FINISH: 0.00076[0.00030] THK DUPLEX PLATED GOLD ON CONTACT AREA, 0.00127[0.00050] MIN THK BRIGHT TIN-LEAD ON SOLDERLEADS, ALL OVER 0.00127[0.00050] NICKEL
- △ MOLDED IN ARROW DESIGNATES THE MATING FACE OF THE CONNECTOR
- △ POINT OF MEASUREMENT FOR PLATING THICKNESS OF CONTACT AREA
- △ DIMENSIONS PERTAIN TO HOUSING CAVITY CENTERLINES
- △ DATE CODE AND PART NUMBER MARKED IN APPROXIMATE LOCATION SHOWN.
- △ ALTERNATE LOCATION FOR DATE CODE FOR 2 AND 3 POSITION.
- △ NO PART NUMBER MARKING REQUIRED FOR THIS PART.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △ TE CONNECTIVITY LOGO AND CSA LOGO ARE MOLDED INTO HOUSING, THIS LOCATION

REV	DATE	BY	APP	DESCRIPTION
AD	00			REVISED PER ECO-11-04820
65	165.10	6.500		6-535676-4
64	162.66	6.400		6-535676-3
63	160.02	6.300		6-535676-2
62	157.48	6.200		6-535676-1
61	154.94	6.100		6-535676-0
60	149.86	5.900		5-535676-9
59	147.32	5.800		5-535676-8
58	144.78	5.700		5-535676-7
57	142.24	5.600		5-535676-6
56	139.70	5.500		5-535676-5
55	137.16	5.400		5-535676-4
54	134.62	5.300		5-535676-3
53	132.08	5.200		5-535676-2
52	129.54	5.100		5-535676-1
51	127.00	5.000		5-535676-0
50	124.46	4.900		4-535676-9
49	121.92	4.800		4-535676-8
48	119.38	4.700		4-535676-7
47	116.84	4.600		4-535676-6
46	114.30	4.500		4-535676-5
45	111.76	4.400		4-535676-4
44	109.22	4.300		4-535676-3
43	106.68	4.200		4-535676-2
42	104.14	4.100		4-535676-1
41	101.60	4.000		4-535676-0
40	99.06	3.900		3-535676-9
39	96.52	3.800		3-535676-8
38	93.98	3.700		3-535676-7
37	91.44	3.600		3-535676-6
36	88.90	3.500		3-535676-5
35	86.36	3.400		3-535676-4
34	83.82	3.300		3-535676-3
33	81.28	3.200		3-535676-2
32	78.74	3.100		3-535676-1
31	76.20	3.000		3-535676-0
30	73.66	2.900		2-535676-9
29	71.12	2.800		2-535676-8
28	68.58	2.700		2-535676-7
27	66.04	2.600		2-535676-6
26	63.50	2.500		2-535676-5
25	60.96	2.400		2-535676-4
24	58.42	2.300		2-535676-3
23	55.88	2.200		2-535676-2
22	53.34	2.100		2-535676-1
21	50.80	2.000		2-535676-0
20	48.26	1.900		1-535676-9
19	45.72	1.800		1-535676-8
18	43.18	1.700		1-535676-7
17	40.64	1.600		1-535676-6
16	38.10	1.500		1-535676-5
15	35.56	1.400		1-535676-4
14	33.02	1.300		1-535676-3
13	30.48	1.200		1-535676-2
12	27.94	1.100		1-535676-1
11	25.40	1.000		1-535676-0
10	22.86	900		535676-9
9	20.32	800		535676-8
8	17.78	700		535676-7
7	15.24	600		535676-6
6	12.70	500		535676-5
5	10.16	400		535676-4
4	7.62	300		535676-3
3	5.08	200		535676-2
2	2.54	100		535676-1

THIS DRAWING IS A CONTROLLED DOCUMENT. (SEE SECTION 10000)

TE Connectivity

AMP/MDU MOD II RECEPTACLE ASSEMBLY, HORIZONTAL, 100 CL, SINGLE ROW, CLOSED-ENTRY, SHORT POINT OF CONTACT, END-TO-END STACKABLE

DATE: 11/07/79 (G=535676)

CUSTOMER DRAWING