




THIS DRAWING IS UNPUBLISHED
 ALL RIGHTS RESERVED

REV	DATE	DESCRIPTION	BY	CHK	APP
AD	00	AS			



RECOMMENDED PC BOARD LAYOUT

- △ HOUSING MATERIAL: GLASS FILLED POLYESTER, COLOR- BLACK
- △ CONTACT MATERIAL: PHOSPHOR BRONZE
- △ CONTACT FINISH: .00076(0.00030) THK DUPLEX PLATED GOLD ON CONTACT AREA 3.81-7.62(.00150-.00030)MATTIE TIN ALL OVER 0.00127(.000050)NICKEL.
- △ MOLDED IN ARROW DESIGNATES THE MATING FACE OF THE CONNECTOR
- △ POINT OF MEASUREMENT FOR PLATING THICKNESS OF CONTACT AREA
- △ DIMENSIONS PERTAIN TO HOUSING CAVITY CENTERLINES
- △ DATE CODE AND PART NUMBER MARKED IN APPROXIMATE LOCATION SHOWN.
- △ ALTERNATE LOCATION FOR DATE CODE FOR 4 AND 6 POSITION.
- △ NO PART NUMBER MARKING REQUIRED ON THIS PART.
- 10 ROHS 2002/95/EC COMPLIANT.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △ TE LOGO AND CSA LOGO ARE MOLDED INTO HOUSING, THIS LOCATION

REV	DATE	DESCRIPTION	BY	CHK	APP
10	10.16 [400]	12.70 [500]	10		6-5535512-4
8	7.62 [300]	10.16 [400]	8		6-5535512-3
6	5.08 [200]	7.62 [300]	6		6-5535512-2
4	2.54 [100]	5.08 [200]	4		6-5535512-1
130	162.56 [6.400]	165.10 [6.500]	130		6-5535512-0
128	157.48 [6.200]	160.02 [6.300]	128		5-5535512-9
126	152.40 [6.000]	154.94 [6.100]	126		5-5535512-8
122	149.86 [5.900]	152.40 [6.000]	122		5-5535512-7
118	147.32 [5.800]	149.86 [5.900]	118		5-5535512-6
116	144.78 [5.700]	147.32 [5.800]	116		5-5535512-5
114	139.70 [5.500]	144.78 [5.700]	114		5-5535512-4
112	137.16 [5.400]	142.24 [5.600]	112		5-5535512-3
110	134.62 [5.300]	139.70 [5.500]	110		5-5535512-2
108	132.08 [5.200]	137.16 [5.400]	108		5-5535512-1
106	129.54 [5.100]	134.62 [5.300]	106		4-5535512-9
104	127.00 [5.000]	132.08 [5.200]	104		4-5535512-8
102	124.46 [4.900]	129.54 [5.100]	102		4-5535512-7
98	121.92 [4.800]	127.00 [5.000]	98		4-5535512-6
96	119.38 [4.700]	124.46 [4.900]	96		4-5535512-5
94	116.84 [4.600]	121.92 [4.800]	94		4-5535512-4
92	114.30 [4.500]	119.38 [4.700]	92		4-5535512-3
90	111.76 [4.400]	116.84 [4.600]	90		4-5535512-2
88	109.22 [4.300]	114.30 [4.500]	88		4-5535512-1
86	106.68 [4.200]	111.76 [4.400]	86		3-5535512-9
84	104.14 [4.100]	109.22 [4.300]	84		3-5535512-8
82	101.60 [4.000]	106.68 [4.200]	82		3-5535512-7
74	91.44 [3.600]	104.14 [4.100]	74		3-5535512-6
72	88.90 [3.500]	99.98 [3.700]	72		3-5535512-5
68	83.82 [3.300]	91.44 [3.600]	68		3-5535512-4
66	81.28 [3.200]	88.90 [3.500]	66		3-5535512-3
64	78.74 [3.100]	86.36 [3.400]	64		3-5535512-2
62	76.20 [3.000]	83.82 [3.300]	62		3-5535512-1
60	73.66 [2.900]	81.28 [3.200]	60		3-5535512-0
58	71.12 [2.800]	78.74 [3.100]	58		2-5535512-9
52	63.50 [2.500]	76.20 [3.000]	52		2-5535512-8
46	55.88 [2.200]	73.66 [2.900]	46		2-5535512-7
42	50.80 [2.000]	71.12 [2.800]	42		2-5535512-6
40	48.26 [1.900]	68.68 [2.700]	40		2-5535512-5
38	45.72 [1.800]	66.04 [2.600]	38		2-5535512-4
32	38.10 [1.500]	63.50 [2.500]	32		2-5535512-3
30	35.56 [1.400]	60.96 [2.400]	30		2-5535512-2
28	33.02 [1.300]	58.42 [2.300]	28		2-5535512-1
26	30.48 [1.200]	55.88 [2.200]	26		2-5535512-0
22	25.40 [1.000]	53.34 [2.100]	22		1-5535512-9
16	17.78 [700]	50.80 [2.000]	16		1-5535512-8
14	15.24 [600]	48.26 [1.900]	14		1-5535512-7
18	17.78 [700]	45.72 [1.800]	18		1-5535512-6
48	58.42 [2.300]	43.18 [1.700]	48		1-5535512-5
124	154.94 [6.100]	40.64 [1.600]	124		1-5535512-4
80	99.06 [3.900]	38.10 [1.500]	80		1-5535512-3
78	96.52 [3.800]	35.56 [1.400]	78		1-5535512-2
76	93.98 [3.700]	33.02 [1.300]	76		1-5535512-1
70	86.36 [3.400]	30.48 [1.200]	70		1-5535512-0
56	68.58 [2.700]	27.94 [1.100]	56		5635512-9
54	66.04 [2.600]	25.40 [1.000]	54		5635512-8
50	60.96 [2.400]	22.86 [900]	50		5535512-7
44	53.34 [2.100]	20.32 [800]	44		5635512-6
36	43.18 [1.700]	17.78 [700]	36		5535512-5
34	40.64 [1.600]	15.24 [600]	34		5535512-4
24	27.94 [1.100]	12.70 [500]	24		5535512-3
20	22.86 [900]	10.16 [400]	20		5535512-2
12	12.70 [500]	7.62 [300]	12		5535512-1

THIS DRAWING IS A CONTROLLED DOCUMENT. REV: 00

TE Connectivity

AMPMODU MOD II RECEPTACLE ASSEMBLY, HORIZONTAL, 100 CL, 2 ROW, CLOSED-ENTRY, SHORT POINT OF CONTACT, END-TO-END STACKABLE

DATE: 00779 (G=5535512)

CUSTOMER DRAWING