



- PARTS MUST COMPLY WITH AMP SOLDERABILITY SPEC 109-11-3.
- CONTACT IS STAMPED FROM PRE-PLATED STOCK WHICH IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN STRIPED WITH 0.00076 [0.00030] GOLD IN CONTACT AREA INDICATED AND TIN-LEAD ON SOLDER TAIL END.
- CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- CONTACT IS PLATED OVERALL WITH 0.00127 [0.00050] NICKEL, THEN 0.00076 [0.00030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



PH BRZ GOLD Δ	NYLON, NATURAL	350762-5
PH BRZ TIN	NYLON, NATURAL	350762-4
PH BRZ GOLD Δ	NYLON, NATURAL	350762-3
CONTACT	HOUSING	PART NO



THIS DRAWING IS A CONTROLLED DOCUMENT. REV: 00 DATE: 11/02/99 BY: J. BODILL

DESIGNER	J. BODILL	DATE	11/02/99
DRAWN	J. BODILL	DATE	11/02/99
CHECKED	J. BODILL	DATE	11/02/99
APPROVED	J. BODILL	DATE	11/02/99

6 CIRCUIT UNIVERSAL MATE-N-LOK (TM) P.C. BOARD SOCKET HEADER ASSEMBLY

REV: 00779 Q-350762

CUSTOMER DRAWING